

# **Undermount Double Bowl Sink** Models EFRU3120R and EFRU312010R

### **GENERAL**

Highest quality sink fabricated of #16 (1.6mm) gauge, type 304 (18-8) nickel bearing stainless steel. Undermount.

## **DESIGN FEATURES**

Bowl Depth: 8" (203mm) (EFRU3120R), 10" (254mm) large bowl, 8" (203mm) small bowl (EFRU312010R).

Coved Corners: Approximately 5/8" (15mm).

Finish: Exposed surfaces have a Polished Satin Finish.

Underside: Fully protected by heavy duty Sound Guard® undercoating designed to reduce condensation and dampen sound.


Drain Opening: 3-1/2" (89mm).

NOTE: All Elkay undermount sinks are designed to attach to the underside of any solid surface countertop.

Sink complies with ASME A112.19.3-2008 / CSA B45.4-08




These sinks are listed by the International Association of Plumbing and Mechanical Officials as meeting the requirements of the Uniform Plumbing Code.



# SINK PACKAGE(S)

MODEL	SINK	BOTTOM GRID	QTY	DRAIN	QTY
EFRU3120RDBG	EFRU3120R	LKFOBG1418SS	1	LK99	1
EFRU312010RDBG	EFRU312010R	LKFOBG1418SS	1	LK99	1

Installation Profile of EFRU Models The template provided with each EFRU sink provides the only type of installation recommended by Elkay



SEE OTHER SIDE FOR PRODUCT DIMENSIONS.

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkavusa.com for most current version of Elkav product specification sheets.

This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked


elkayusa.com



## **SINK DIMENSIONS\***

Model	Overall		Inside Left Bowl			Inside Right Bowl			Cutout in	Minimum Cabinet
Number	L	W	L	W	D	L	W	D	Countertop	Size
EFRU3120R	31 <sup>1</sup> / <sub>4</sub> (794mm)	20 <sup>1</sup> / <sub>2</sub> (521mm)	14 (356mm)	18 (457mm)	8 (203mm)	13 <sup>1</sup> / <sub>2</sub> (343mm)	16 (406mm)	8 (203mm)	000	36 (914mm)
EFRU312010R	31 <sup>1</sup> / <sub>4</sub> (794mm)	20 <sup>1</sup> / <sub>2</sub> (521mm)	14 (356mm)	18 (457mm)	10 (254mm)	13 <sup>1</sup> / <sub>2</sub> (343mm)	16 (406mm)	8 (203mm)	Template**	36 (914mm)

<sup>\*</sup>Length is left to right. Width is front to back.



In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkayusa.com for most current version of Elkay product specification sheets.

This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

(Rev. 02/10)

<sup>\*\*</sup>Template is packed with every sink.



# **OPTIONAL ACCESSORIES**

Mounting Clips: LKUCLIP8 (2 packages required) Utensil Caddy for Rinsing Basket: LKWUCSS


Drain: LK99

For Additional Accessories see table below

			Overall			
Model Number	Description	Bowl	L	W	Depth/Thickness	Material/Finish
LKCBF1316HW	Cutting Board**	Right	13-1/4"	16-7/8"	1"	Hardwood
			(337mm)	(429mm)	(25mm)	
LKCBF1418HW	Cutting Board**	Left	13-3/4"	18-3/4"	1"	Hardwood
			(349mm)	(476mm)	(25mm)	
LKFOBG1316SS	Bottom Grid	Right	12-1/2"	15"	1-1/8"	Polished stainless steel
			(318mm)	(381mm)	(29mm)	
LKFOBG1418SS	Bottom Grid	Left	13"	17"	1-1/8"	Polished stainless steel
			(330mm)	(432mm)	(29mm)	
LKFRB1316SS	Rinsing Basket	Right	12-1/2"	15"	5 5/16"	Polished stainless steel
			(318mm)	(381mm)	(135mm)	
LKFRB1418SS	Rinsing Basket	Left	13"	17"	5 5/16"	Polished stainless steel
	_		(330mm)	(432mm)	(135mm)	

<sup>\*</sup>Length is left to right. Width is front to back.

<sup>\*\*</sup> Fits countertop opening



In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkayusa.com for most current version of Elkay product specification sheets.

This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.