

**2012 Range, Oven and
Cook Top Collection**

verona pro™



verona®

*Your Style - Your Choice
Made in Italy*

36" Dual Fuel Ranges

THE PROFESSIONAL SERIES



European Convection Oven with Element
Multi-Function Programmable Oven

VEFSGEL65SS

Pro 36" Range Features

- 5 Sealed powerful German brass burners
 - Individual Ignition on each burner
 - Dual simmer gas burners
 - Electronic ignition and re-Ignition
- 27" Depth - Extends beyond countertop
- Welded and Sanded seams on backguard
- Touch Control digital clock and timer
- Oven Capacity - 4.0 cu. ft.
- Auto - On, Auto - Off
- Stainless steel knobs, bezels and handle
- 304 Stainless Steel surface
- Porcelainized cast-iron grates and caps
- 3 Heavy duty racks
- EZ Clean porcelain oven surface
- Adjustable stainless steel legs




Stainless Steel Knobs, Bezels and Handle



VEFSGEL65E



VEFSGEL65R



**Optional Stainless Steel Griddle
VEGRL100**

36" All Gas Ranges



**450 - 18,500 BTU
Dual Simmer Burners**



Digital Clock & Timer



**High Powered
German Brass Burners**

**Island Trim Available
VEITM36**



Turbo-Electric Convection Fan

VEFSGGL65R

Shown with 2" Optional Island Trim



VEFSGGL65E



VEFSGGL65SS

***The Professional Series of Ranges are available in
Stainless Steel, High Gloss Black & High Gloss Red.***

Available in Natural Gas or Propane

30" Gas Range

THE PROFESSIONAL SERIES



VEFSGG31SS

Island trim optional

VEITM30

*The Professional Series of Ranges are available in
Stainless Steel, High Gloss Black & High Gloss Red.*

Available in Natural Gas or Propane



VEFSGG31E



VEFSGG31R

30" Pro Range Features

4 Sealed powerful German brass burners

- Individual Ignition on each burner
- Dual simmer gas burners
- Electronic ignition and re-ignition

27" Depth - Extends beyond countertop

Welded and Sanded seams on backguard

Digital clock and timer

Oven Capacity - 3.0 cu. ft.

Stainless steel knobs, bezels and handle
304 Stainless Steel surface

Porcelainized cast-iron grates and caps

3 Heavy duty racks

Broiler pan

Turbo-electric convection fan

EZ Clean porcelain oven surface

Adjustable stainless steel legs

30" Gas Wall Oven



Available in Stainless Steel and High Gloss Black

Oven Capacity: 3.0 cu. ft.
 Broiler Power: 12,000 BTU
 Oven Power: 12,000 BTU

VEBIG30E



VEBIG30SS

- Stainless Steel bezels, knobs & handle
- Flame failure safety device
- Touch Control digital clock and timer
- Convection Fan
- Closed Door Broil
- Turbo-electric convection fan
- EZ Clean porcelain oven surface
- 3 Heavy duty racks
- Broiler pan

LP kit included



Stacking kit available - VESKM30

36" Range Top VECTGP365SS

- 304 Stainless Steel surface
- Stainless Steel knobs & bezels
- Porcelainized cast-iron grates and caps
- Electronic ignition and re-ignition
- Individual Ignition on each burner
- 5 Sealed German brass gas burners


Burner Features

Left Front :	650-17,000 BTU
Right Front :	650-17,000 BTU
Center :	650-18,500 BTU
Left Rear :	450-14,000 BTU
Right Rear :	450-14,000 BTU

Available in Natural Gas or LP



Unique Features of the Verona PRO Series



	Ranges			Oven	Range Top	
	Model Number	VEFSGEL65	VEFSGGL65	VEFSGG31	VEBIG30 *	VECTGP365**
General Features	Size	36"	36"	30"	30"	36"
	Type	Dual Fuel	All Gas	All Gas	All Gas	All Gas
	Digital Clock and Timer	Yes	Yes	Yes	Yes	Yes
	Control Knobs	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Bezel & Handles	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Colors	Stainless Steel Gloss Black Gloss Red	Stainless Steel Gloss Black Gloss Red	Stainless Steel Gloss Black Gloss Red	Stainless Steel Gloss Black	Stainless Steel
	Liquid Propane (LP)	Must Specify	Must Specify	Must Specify	Kit Included	Must Specify
	Island Trim	Optional	Optional	Optional		
Cook Top Features	Surface Material	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel		304 Stainless Steel
	Dual Simmer Burners	5 Sealed	5 Sealed	4 Sealed		5 Sealed
	Left Front	650 – 17,000 BTU	650 – 17,000 BTU	650 – 18,000 BTU		650 – 17,000 BTU
	Right Front	650 – 17,000 BTU	650 – 17,000 BTU	650 – 18,000 BTU		650 – 17,000 BTU
	Center	650 – 18,500 BTU	650 – 18,500 BTU			650 – 18,500 BTU
	Left Rear	450 – 14,000 BTU	450 – 14,000 BTU	450 – 14,000 BTU		450 – 14,000 BTU
	Right Rear	450 – 14,000 BTU	450 – 14,000 BTU	450 – 14,000 BTU		450 – 14,000 BTU
	Burner Re-ignition	Yes	Yes	Yes		Yes
	Cast Iron Grates	Continuous	Continuous	Continuous		Continuous
	Wok Ring	Optional	Optional	Optional		
Griddle	Optional	Optional	Optional		Optional	
Oven Features	Multi Function Oven	Yes				
	Oven Capacity (Cu Ft.)	4.0	4.0	3.0	3.0	
	Convection Fan	Yes	Yes	Yes	Yes	
	Closed Door Broil	Yes	Yes	Yes	Yes	
	Grill-Baking or Broiler	Yes	Yes	Yes	Yes	
	Broiler Power	2,500 Watts	18,000 BTU	12,000 BTU	12,000 BTU	
	Oven Power	2,900 Watts	16,000 BTU	12,000 BTU	12,000 BTU	
	Flame Failure Safety	No	Yes	Yes	Yes	
	Convection Heater Fan Power	3,200 Watts				
	Heavy Duty Racks	3	3	3	3	
Broiler Pan	Yes	Yes	Yes	Yes		
Dimensions & Electrical	Width (in)	35 ½	35 ½	29 ½	29 ½	35 ½
	Height (in) w/o Backguard	35 - 36	35 - 36	35 - 36	27	6 ½
	Height (in) of Backguard	4	6	6		
	Depth (in)	27 ½	27 ½	27 ½	22 ½	23 ½
	Power Requirements	120/240 Volt 60 Hz. 20 Amp	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp
	Weight (lbs.)	250	250	240	122	65

* VEBIG30 Wall ovens are stackable using optional stacking kit – VESKM30

Cut out Dimensions - 28"W X 26 ¾" H X 24" D

**VECTGP365 Cut out Dimensions – 36 ½ W X 22¾ D X 6

36" Dual Fuel Ranges



VEFSGE365DBU

Shown with 4" extended backguard

Choice of 8" high standard depth or 4" high extended depth backguard



Verona 36" Range Standard Features

- 304 Stainless Steel surface
- 5 Sealed gas burners
- Chrome knobs and handles
- Stainless Steel bezels
- Porcelainized cast-iron grates & caps
- Electronic Instant burner ignition
- 2 Heavy duty racks in each oven
- Flame failure safety device
- Full width storage compartment
- EZ Clean porcelain oven surface
- Adjustable stainless steel legs

Unique Features of 36" Dual Fuel Range

- European convection ovens
- Multi Function programmable oven
- Touch Control digital clock & timer
- European convection oven with elements

The 36" Verona Series of Single and Double Oven Ranges are Available in Stainless Steel, Matte Black, Burgundy and Antique White (Bisque).



VEFSGE365SS



VEFSGE365DE

Shown with 2" Island Trim



VEFSGE365AW

Accessories:

- Broiler Pan
- Grill Pan
- (for Double Oven only)
- Cast Iron Wok Ring
- LP Kit

Island Trim Optional

36" Gas Ranges

Choice of 8" high standard depth or 4" high extended depth backguard



Unique Features of 36" Gas Range

- Bell timer
- Infrared broiler
- Full function convection oven
- Turbo-Electric convection fan in each oven



VEFSGG365E
Shown with 4" extended backguard



VEFSGG365DSS



VEFSGG365BU
Shown with 8" high standard depth backguard



VEFSGG365DAW

30" Gas Ranges



The VEFSGG30SS is available in Stainless Steel only.

VEFSGG30SS

- 304 Stainless Steel surface
- 4 Sealed burners
- Chrome knobs & handle
- Porcelainized cast-iron grates & caps
- Electronic ignition and re-ignition
- Instant burner ignition
- Turbo-electric convection fan
- EZ Clean porcelain oven surface
- 3 Heavy duty racks
- Broiler Pan
- 27" depth
- Adjustable stainless steel legs
- LP kit included



*Island Trim optional
VEITM30*

VEFSGG304 Series

3" Backguard

New

- 304 Stainless Steel surface
- 4 Sealed burners
- Chrome knobs & handle
- Stainless Steel bezels
- Porcelainized cast-iron grates & caps
- Easy clean enamel coating in oven
- Electronic ignition
- Full width drop down storage
- Flame failure safety device
- Mechanical timer
- 2 Heavy duty racks
- Broiler Pan
- Adjustable levelers
- LP kit included



The VEFSGG304 Series is available in Stainless Steel, Matte Black, Burgundy and Antique White (Bisque).



2 Front Dual Ring Burners	700 -17,000 BTU
2 Rear Semi-Rapid Burners	8,000 BTU
Thermostatic Gas Oven	14,000 BTU
Infrared Gas Broil	11,000 BTU
Oven Capacity	3.0 Cu. Ft.
Overall Dimensions	29% W X 24 D X 35% H



30" Self Cleaning Dual Fuel Ranges

VEFSGE304 Series

New



VEFSGE304P
with Warming Drawer



VEFSGE304SC
with Drop Down Storage

2 Front Dual Ring Burners	700 - 17,000 BTU
2 Rear Burners	8,000 BTU
Oven Capacity	3.0 Cu. ft.
Oven Temperature Range	120 ° - 520 °
Warming Drawer	86 ° - 203 °



Thermostatically Controlled Warming Drawer

- Self Cleaning
- 3" Backguard
- 304 Stainless Steel surface
- Chrome knobs and handles
- Stainless Steel bezels
- Flame failure safety device
- 4 Sealed gas burners
- Adjustable levelers

- Porcelainized cast-iron grates and caps
- European convection oven with element
- Multi-Function programmable oven
- Electronic ignition
- Digital clock and timer
- 2 Heavy duty racks
- Broiler pan
- LP kit included



The VEFSGE304P Series is available in Stainless Steel, Matte Black, Burgundy and Antique White (Bisque).

The VEFSGE304SC is available in Stainless Steel only

24" Gas & Electric Ranges

24" Self Cleaning Electric Range



VEFSEE244PSS

- Ceran Top with 4 radiant plates
 - Chrome knobs and handles
 - Pyrolytic self cleaning electric oven
 - European convection oven with element
 - Multi-function programmable oven
 - Touch control digital clock and timer
 - Thermostatically controlled warming drawer
 - Broiler pan
- Island Trim optional**
VEITE24ELEC

24" Gas Range



VEFSGG244SS

- 304 Stainless Steel Cook Top
- Chrome knobs and handles
- 4 Sealed gas burners
- Porcelainized cast-iron grates and caps
- Electronic and instant burner ignition
- Flame failure safety device
- Turbo-electric convection fan
- EZ Clean porcelain oven surface
- Infrared broiler
- 2 heavy duty racks
- Bell Timer
- Full width storage drawer

Accessories Included:
 Broiler pan
 Cast-iron Wok ring
 LP Kit

Island Trim optional
VEITE24GAS

48" Range

Self Cleaning ■ Dual Fuel ■ Double Oven

- 304 Stainless Steel surface
- Flame failure safety device
- Rolled Stainless Steel griddle
- Porcelainized cast-iron grates and caps
- Multi Function electronic programmable ovens

- Accessories Included:**
- Broiler pan
 - Grill Pan
 - Cast-iron wok ring
 - LP kit

Island trim optional
VEITE48



- 5 Sealed Burners**
- Chrome Knobs & Handles**
- Stainless Steel Bezels**

2 - European Convection Ovens

VEFSGE486DGPSS

Digital Clock & Timer
Electronic Ignition

2 - Self Cleaning Ovens

2 - Thermostatically Controlled Warming Drawers

24" Wall Ovens

24" Self Cleaning Electric Wall Oven



VEBIE24PSS

- Stainless Steel
- Chrome knobs and handle
- Pyrolytic self-cleaning oven
- European convection oven with element
- 2 Heavy duty racks
- Multi-function programmable oven
- Touch control digital clock & timer
- Broiler pan



Optional Stacking kit

VESKE24

24" Gas Wall Oven

- Stainless Steel
- Chrome knobs and handle
- Electronic ignition
- Flame failure safety device
- EZ Clean porcelain oven surface
- 2 Heavy duty racks
- Infrared broiler
- Bell timer
- Broiler pan
- LP Kit



VEBIG24SS - Stainless Steel



VEBIG24E - Matte Black

VEBIG24 is available in Stainless Steel and Matte Black

24" & 30" Gas Cook Tops



24" Deluxe Gas Cook Top

Electronic ignition

4 Sealed burners - Front controls

Porcelainized cast-iron grates and caps

Flame failure safety device

LP kit included

Trim ring optional - VECTRNG24

VEGCT424FSS - Stainless Steel



24" Gas Cook Top

Electronic ignition

4 Sealed burners - Side controls

Cast-iron grates and caps

LP kit included

Trim ring optional - VECTRNG24

VECTG424SS - Stainless Steel

VECTG424SW - White

VECTG424SB - Bisque

VECTG424SE - Black



30" Gas Cook Top

Electronic ignition

5 Sealed burners - Front controls

Cast-iron grates and caps

VECTG532FS - Stainless Steel

VECTG532FW - White

VECTG532FE - Black

Wok ring

LP kit included

Trim ring optional - VECTRNG30



24" Gas on Glass Cook Top

Electronic ignition

4 Sealed burners - Side controls

Porcelainized cast-iron grates and caps

Black glass surface

LP kit included

Trim ring optional - VECTRNG24

VECTGG424SE - Black

12" Gas & Electric Cook Tops



12" Gas Cook Top

- Electronic ignition
- 2 Sealed burners - Front controls
- Enameled steel grate
- Enameled porcelain caps
- LP kit included
- Cover optional - VECLW12*

- VECTG212FDS - Stainless Steel**
- VECTG212FDW - White**
- VECTG212FDB - Bisque**
- VECTG212FDE - Black**



12" Deluxe Gas Cook Top

- Electronic ignition
- 2 Sealed burners - Front controls
- Cast-iron grate and caps
- Flame failure device
- LP kit included
- Cover optional - VECLW12*

- VEGCT212FX - Stainless Steel**
- VEGCT212FW - White**
- VEGCT212FB - Bisque**
- VEGCT212FE - Black**



12" Gas on Glass Cook Top

- Electronic ignition
- 2 Sealed burners - Front controls
- Cast-iron grates
- Cast-iron porcelain caps
- Black glass surface
- LP kit included

- VECTGG212FE - Black**



12" Electric Solid Disk Cook Top

- Stainless Steel
- Front controls
- 2 Solid disk cooking surfaces
- Power 'on' indicator light
- 230 Volt**

VECTE212FS

12" Electric Deluxe Ceran Cook Top

- Ceran Cook Top
- Front controls
- Stainless Steel frame
- Residual heat warning indicator light
- Power 'on' indicator light
- Available in 230 V or 110 V

- VEECT212FS - 230 Volt**
- VEECT110VFX - 110 Volt**



Specifications

	Model Number	VEFSGE486DGPSS	VEFSGE365D	VEFSGG365D	VEFSGE365	VEFSGG365
General Features	Size	48"	36"	36"	36"	36"
	Type	Dual Fuel	Dual Fuel	Gas	Dual Fuel	Gas
	Clock and Timer	Multi Function	Yes		Yes	
	Bell Timer			Yes		Yes
	Wok Ring	Yes	Yes	Yes	Yes	Yes
	Control Knobs	Chrome	Chrome	Chrome	Chrome	Chrome
	Bezel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Colors	Stainless Steel	SS, Matte Black, Burgundy, Antique White (Bisque)	SS, Matte Black, Burgundy, Antique White (Bisque)	SS, Matte Black, Burgundy, Antique White (Bisque)	SS, Matte Black, Burgundy, Antique White (Bisque)
	Storage	No	Compartment	Compartment	Compartment	Compartment
	Propane	Kit Included	Kit Included	Kit Included	Kit Included	Kit Included
	Island Trim	Optional	Optional	Optional	Optional	Optional
	Power Requirements	120/240 Volt 60 Hz. 40 Amp	120/240 Volt 60 Hz. 40 Amp	120 Volt 60 Hz. 15 Amp	120/240 Volt 60 Hz. 40 Amp	120 Volt 60 Hz. 15 Amp
Cook top Features	Burners	5 Sealed	5 Sealed	5 Sealed	5 Sealed	5 Sealed
	LF (BTU)	12,000	12,000	12,000	12,000	12,000
	RF (BTU)	12,000	12,000	12,000	12,000	12,000
	Center (BTU)	1,000-16,000	1,000-16,000	1,000-16,000	1,000-16,000	1,000-16,000
	LR (BTU)	10,000	6,000	6,000	6,000	6,000
	RR (BTU)	10,000	6,000	6,000	6,000	6,000
	Griddle	Yes-12,000 btu	Optional	Optional	Optional	Optional
	Flame failure safety device	Yes	Yes	Yes	Yes	Yes
Main Oven Features	Self Clean	Yes				
	Multi Function	Yes	Yes		Yes	
	Oven Capacity (Cu. Ft.)	2.0	2.5	2.4	4.0	4.0
	Convection Fan	European	European	Yes	European	Yes
	Closed Door Broil	Yes	Yes	Yes	Yes	Yes
	Broiler	Yes	Yes	Infrared	Yes	Infrared
	Broiler Power (btu)	2,000 W	2,000 W	8,500 BTU	2,200 W	15,000 BTU
	Oven Power (btu)	2,800 W	2,400 W	13,000 BTU	3,300 W	21,000 BTU
	Convection Element	2,200 W	2,450 W		2,450 W	
	Racks	2	2	2	2	2
	Broiler Pan	Yes	Yes	Yes	Yes	Yes
	Second Oven Features	Self Clean	Yes			
Multi Function		Yes	Yes			
Second Oven Cap. (Cu. Ft.)		2.0	1.5	1.5		
Convection Fan		European	European	Yes		
Closed Door Broil		Yes	Yes	Yes		
Broiler		Yes	Yes	Infrared		
Broiler Power		2,000 W	1,450 W	8,000		
Oven Power		2,800 W	1,500 W	9,000		
Convection Heater		2,200 W	2,450 W			
Racks		2	2	2		
Warming Drawer	Broiler (Grill) Pan	Yes	Yes	Yes		
	Temperature Range	86° - 203°				
	Humidity Control	No				
	Heavy Duty Racks	Reversible				
	Capacity (cu. ft.)	(2) .6				
Dimensions	Oven Power	500 W				
	Width (in)	47 7/8	35 7/8	35 7/8	35 7/8	35 7/8
	Height (in) w/o Backguard	36 1/64 - 36 1/2	35 3/8 - 36 1/4	35 7/16-37 3/16	35 3/8 - 36 1/4	35 7/16-37 3/16
	Height (in) of Backguard	8	4 or 8	4 or 8	4 or 8	4 or 8
	Depth (in)	24	24	24	24	24
Weight (lbs)	500	275	275	250	250	

		Model Number	VEFSGG30SS	VEFSGG304	VEFSGE304P	VEFSGE304SC	VEFSEE244P	VEFSGG244SS
General Features	Size	30"	30"	30"	30"	30"	24"	24"
	Type	Gas	Gas	Dual Fuel	Dual Fuel	Electric	Gas	
	Clock and Timer		Yes	Yes	Yes	Yes	Yes	
	Bell Timer	Yes						Yes
	Wok Ring		Yes	Yes	Yes	Yes		Yes
	Control Knobs	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
	Bezel	N/A	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	N/A	N/A
	Colors	Stainless Steel	SS, Matte Black, Burgundy, Antique White	SS, Matte Black, Burgundy, Antique White	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Storage	No	Drop Down	N/A	Drop Down	N/A	Pull Out Drawer	
	Propane	Kit Included	Kit Included	Kit Included	Kit Included	Kit Included	Kit Included	Kit Included
	Island Trim	Optional	No	No	No	Optional	Optional	
	Power Requirements	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 5 Amps	120/240 Volt 60 Hz. 30 Amp	120/240 Volt 60 Hz. 30 Amp	120/240 Volt 60 Hz. 55 Amp	120 Volt 60 Hz. 15 Amp	
	Cook top Features	Burners	4 Sealed	4 Sealed	4 Sealed	4 Sealed	Smooth Top	4 Sealed
LF (BTU)		12,000	700 - 17,000	700 - 17,000	700 - 17,000	1,200 W	3,400	
RF (BTU)		7,000	700 - 17,000	700 - 17,000	700 - 17,000	17,000 W	12,000	
LR (BTU)		12,000	8,000	8,000	8,000	2,100/700 W	6,000	
RR (BTU)		12,000	8,000	8,000	8,000	1,200 W	6,000	
Griddle		Optional	Optional	Optional	Optional		Optional	
Flame failure safety device		No	Yes	Yes	Yes	N/A	Yes	
Burner Re-igniton		Yes	No	No	No	N/A	No	
Main Oven Features		Self Clean	No	No	Yes	Yes	Yes	No
		Multi Function	N/A	N/A	Yes	Yes	Yes	N/A
	Oven Capacity (Cu. Ft.)	3.0	3.0	3.0	3.0	2.0	2.5	
	Convection Fan	Yes	Yes	European	European	European	Yes	
	Closed Door Broil	Yes	Yes	Yes	Yes	Yes	Yes	
	Broiler	Yes	Yes	Yes	Yes	Yes	Infrared	
	Broiler Power (btu)	12,000 BTU	11,000 BTU	2,750 W	2,750 W	2,000 W	8.500 BTU	
	Oven Power (btu)	12,000 BTU	14,000 BTU	2,950 W	2,950 W	2,800 W	13,000 BTU	
	Convection Element	N/A	N/A	2,500 W	2,500 W	2,200 W		
	Heavy Duty Racks	3	2	2	2	2	2	
	Broiler Pan	Yes	Yes	Yes	Yes	Yes	Yes	
Warming Drawer	Temperature Range			86° - 203°		85° - 250°		
	Humidity Control			No		Yes		
	Heavy Duty Racks			Reversible		Reversible		
	Oven Power			500W		500W		
	Capacity (cu. ft.)			1.7		0.6		
Dimensions	Width (in)	29 7/8	29 7/8	29 7/8	29 7/8	23 7/8	23 7/8	
	Height (in) w/o Backguard	36	35 5/8 - 36	35 5/8 - 36	35 5/8 - 36	35 7/32 - 36 7/32	36	
	Height (in) of Backguard	6	3	3	3	4 7/16	4 7/16	
	Depth (in)	27 1/2	24	24	24	24	24 1/2	
	Weight (lbs)	240	275	260	260	200	150	

Cook Top & Oven Specifications



		Model Number	VECTG532F	VEGCT424F	VECTG424S	VECTGG424SE	VEGCT212F
General Features	Size		30"	24"	24"	24"	12"
	Type		Gas	Gas	Gas	Gas	Gas
	Propane		Kit Included	Kit Included	Kit Included	Kit Included	Kit Included
	Wok Ring		Yes				
	Control Knobs		Chrome	Chrome	Chrome	Chrome	Chrome
	Colors		SS, White, Black, Bisque	Stainless Steel	SS, White, Black, Bisque	Black Glass	SS, White, Black, Bisque
Burner Features	Burners		5	4	4	4	2
	Left Front (BTU)		10,000	11,500	12,000	10,000	
	Center Front (BTU)						6,000
	Right Front (BTU)		3,400	3,500	3,500	3,400	
	Center (BTU)		12,000				
	Left Rear (BTU)		6,000	6,000	6,000	6,000	
	Center Rear (BTU)						10,000
	Right Rear (BTU)		6,000	6,000	6,000	6,000	
	Grates and Caps		Cast Iron	Cast Iron	Cast Iron	Porcelainized Cast Iron	Cast Iron
	Continuous Grates		Yes	Yes	Yes		Yes
	Flame Failure Safety Device			Yes			Yes
Power Requirements		120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp	120 Volt 60 Hz. 15 Amp	
Dimensions	Cut Out						
	Width (in)		22	22 1/64	22	21 7/8	10 5/8
	Depth (in)		18 5/8	18 7/8	18 5/8	18 3/4	19 9/32
	Overall						
	Width (in)		30	22 53/64	22 3/4	22 7/8	11 21/64
	Undercounter Thickness (in)		1 3/8	1 3/16	1 3/8	2	1 13/16
	Depth (in)		21	19 11/16	19 5/8	19 5/8	20 1/16

		Model Number	VECTGG212FE	VECTE212FS	VEECT212	VEECT110
General Features	Size		12"	12"	12"	12"
	Type		Gas	Electric	Electric	Electric
	Propane		Kit Included			
	Control Knobs		Chrome	Chrome	Chrome	Chrome
	Colors		Black Glass	Stainless Steel	Stainless Steel	Stainless Steel
	Burner Features	Burners		2	2	2
Center Front (btu)			3,400	1,500 W	1,200 W	1,000 W
Center Rear (btu)			10,000	2,000 W	1,700 W	1,400 W
Grates and Caps			Porcelainized Cast Iron	Solid Disc	VitroCeramic	VitroCeramic
Power Requirements			120 Volt 60 Hz. 15 Amp	208-230 Volt 60 Hz. 20 Amp	208-230 Volt 60 Hz. 20 Amp	120 Volt 60 Hz. 20 Amp
Dimensions	Cut Out					
	Width (in)		10 5/8	10 1/4	10 5/8	10 5/8
	Depth (in)		19 1/4	18 5/8	19 9/32	19 9/32
	Overall					
	Width (in)		11 1/4	11 3/8	11 21/64	11 21/64
	Undercounter Depth (in)		2	2	1 25/32	1 25/32
	Depth (in)		20	19 3/4	20 1/16	20 1/16

		Model Number	VEBIE24P	VEBIG24
General Features	Size		24"	24"
	Type		Electric	Gas
	Self Clean		Yes	
	Clock and Timer		Yes	
	Bell Timer			Yes
	Control Knobs		Chrome	Chrome
	Bezel		Stainless Steel	
	Colors		Stainless Steel	SS, Matte Black
	Propane			Kit Included
	Power Requirements		120/240 Volt 60 Hz. 20 Amps	120 Volts 60 Hz. 15 Amps
Main Features	Oven Capacity (Cu. Ft.)		2.0	2.0
	Multi Function		Yes	
	Convection Fan		European	
	Closed Door Broil		Yes	Yes
	Broiler		Yes	Infra Red
	Broiler Power BTU		2,000 W	7,000
	Oven Power BTU		2,300 W	11,000
	Convection Element		2,000 W	
	Heavy Duty Racks		2	2
	Broiler Pan		Yes	Yes
Dimensions	Cut Out			
	Width (in)		22 3/64	22
	Height (in)		23 1/32	23
	Depth (in)		22 7/16	23
	Overall			
	Width (in)		24	24
	Height (in)		24	24
Depth (in)		23 1/32	23 1/5	
Weight (lb)		140	105	

Options & Accessories

36" Backguards - Verona

- 8" High Standard Depth - All 36" **Verona** Ranges (For use against combustible wall) *
- 4" High Standard Extended Depth - All 36" **Verona** Ranges - VEITB36-4E *
- 2" Optional Island Trim Extended - All 36" **Verona** Ranges - VEITE36-E
- 3" Optional Island Trim - All 36" **Verona** Ranges - VEITE36

24" & 48" Backguards - Verona

- 2" Optional Island Trim - 24" **Verona** Gas Range - VEITE24GAS
- 2" Optional Island Trim - 24" **Verona** Electric Range - VEITE24ELEC
- 2" Optional Island Trim - 48" **Verona** Range - VEITE48

30" & 36" Backguards - Verona Pro

- 6" Standard - All 30" & 36" **Verona Pro** Ranges
- 2" Optional Island Trim - 36" **Verona Pro** Ranges - VEITM36
- 2" Optional Island Trim - **VEFSGG30 & VEFSGG31** 30" Ranges - VEITM30

*** When ordering Verona 36" range, please specify 4" or 8" backguard**

Extended back guard adds 1 7/8" to the overall depth



Shown with 2" extended back guard



Optional Oven Handles

Available on all Verona 36" Single & Double Oven Ranges

- VEHDL-S
- VEHDL-D



2" Island Trim - Verona Pro VEITM36

Cast Iron Wok Ring
VEWOK



3" Island Trim available on all Verona 36" Single or Double Oven Ranges - VEITE36



Cutting Board - VECB9171
9 1/2" X 17 1/4" X 1"
Seats inside VEGRL100 Griddle



Stainless Steel Range Top Griddle
18 1/2" X 9 3/4" X 2"
VEGRL100



Cast Iron Grill / Griddle Combination
15" X 9 3/4"
VEGRD100C



***EuroChef* USA**

41 Mercedes Way, Suite 25 Edgewood, NY 11717

PH: 866.844.6566 FAX: 631.254.3426

www.eurochefusa.com

eurochefusa.wordpress.com

Warranty

All VERONA PRO and VERONA ranges, ovens and select cook tops are covered by a (1) one year warranty on parts and labor. All 12 inch cook tops are covered by a (90) ninety day warranty. These products are not intended for commercial installation. Warranty is void in any commercial-type application. Changes to the product may have occurred after this catalog was printed. Please obtain current installation information for your model before rough-ins and final installation. Check your local municipalities for installation codes. A licensed plumber or gas fitter and/or electrician is required for proper installation.

*The information presented here is believed to be correct at the time of printing.
However, specifications are subject to change without notice.*

