36" Counter-Depth French Door Refrigerator







G	GENERAL PROPERTIES		
Ţ	уре	Freestanding	
S	tyle	Counter-Depth French Door	
F	inish	Fingerprint-Free Stainless Steel with Finished Gray Sides	
Н	landles	Pro Handle – Rounded Stainless Steel	
Μ	1etal Back Wall	Yes	
С	ooling System	NeoFrost [™] Dual Cooling Technology	
C	ontrol System	Electronic Controls	
	ontrol Display Type & ocation	Digital LED Display on Front Top Trim	
C	onnectivity	-	
	iontrol System iontrol Display Type & ocation	Electronic Controls	

CAPACITY

CENEDAL DOODEDTIES

Total Net Volume	20.5 cu. ft.
Fresh Food Net Volume	13.77 cu. ft.
Freezer Net Volume	6.73 cu. ft.

PREMIUM TECHNOLOGY



HARVESTFRESH[™]

Proprietary 3-color light technology simulates the 24-hour cycle of the sun. By mimicking a full day of sunshine, produce has been proven to retain its vitamins and minerals for up to five days longer than ordinary refrigerators.



EVERFRESH+[™]

EverFresh+ technology keeps fresh food fresher three times longer than the average refrigerator-for up to 30 days! Meticulous temperature management and precise humidity control mean every stalk, head, or bunch you bought as a healthy option or key ingredient stays fresher longer.



TURBO ICE MAKER

When you first come inside on a hot day, pour drinks for the crew after practice, or entertain friends and family, you count on your refrigerator to have plenty of ice on hand. That's why the Beko Turbo Ice Maker can generate a cool 11 pounds of ice in just 24 hours—that's an industry-leading ice making capacity.



FREEZE GUARD

Beko Freeze Guard technology uses an inverter compressor and electronic temperature control system to ensure the freezer continues to work in ambient temperatures as low as 5° F, without any loss of performance.*

*The fridge compartment will not work properly in low temperatures, so we recommend you only use the freezer compartment in low ambient temperatures.



36" Counter-Depth French Door Refrigerator

33° F to 46° F
-8° F to 5° F
Operates in Temperatures Between 32° F and 110° F
Yes, Freezer Operates in Temperatures as Low as 5° F
On/Off Power, On/Off Icemaker, Temperature Control, Water Filter Reset, Quick Freeze, Vacation, Sabbath, Quick Cool, Economy
Variable Speed VCC
Yes
566 kwh/year

FREEZER FEATURES			
Freezer Configuration	Drawer		
Freezer Drawers / Baskets / Bins	1 Drawer, 1 Ice Drawer, 1 Deep Bin with Removable Tray		
Freezer Interior Illumination	Yes		
Automatic Ice Maker	Turbo, Makes up to 11 lbs./ Day		
Auto Defrost	Yes		

TECHNICAL INFORMATION

Volts / Frequency	120 V / 60 Hz
Rated Current (A)	2.7 A
Min. Circuit Breaker Size	15 Amp
Sound Level	35 dBA
Refrigerant Type	R600a
Plug Type	NEMA 3-Prong
Power Cord Length	6 ft.

DIMENSIONS & WEIGHT		
Product (H x W x D) (in)	69 3/4 x 35 3/4 x 28 7/8	
Height With Hinge Cap	69 3 /4	
Height Without Hinge Cap	69	
Depth With Handles	28 7 /8	
Depth Without Handles	26 3 / 4	
Depth Without Doors	23 5/8	
Carton (H x W x D) (in)	73 11/16 × 38 1/2 × 30 11/16	
Product Weight (lbs)	298	
Shipping Weight (lbs)	341.7	

WARRANTY				
Entire Appliance (Parts & Labor)	2-year Full Warranty			
Sealed System (Parts Only)	5-year Limited Warranty			

FRESH FOOD FEATURES Internal Filtered Water Dispenser Yes, Concealed Water Filter with Alert (6 Months) Yes 2 - Humidity Controlled Crispers EverFresh+[™] Crispers Yes HARVESTfresh[™] Crisper(s) Yes Full-Width Deli Drawer Yes 4 – Full-Depth, Safety Glass Shelves (4 Adjustable) Total Number of Door Bins 6 2 Gallon-Sized Door Bins FlexiLift[™] Door Shelves Yes Dairy Compartment Yes Odor Control Technology IonGuard[®] Sabbath Mode Yes Eco-Mode Yes Door Open Alarm Yes

* Actual temperatures may vary with environment and other factors


Interior Illumination


LED – Side Walls and Ceiling



36" Counter-Depth French Door Refrigerator









(1549.4 mm)


Electrical Location



Water Location (Models with Ice Maker)



36" Counter-Depth French Door Refrigerator



NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.

888.352.BEKO(2356) | beko.com/en-us

© 2023 Beko U.S., Inc. 4/23

beko