



Legacy











Legacy

For classic looks with modern features, look no further than the AGA Legacy. Unique gleaming spiral handles set off the curvaceous doors to satisfy the design conscious. A versatile cooktop and flexible electric ovens indulge those with the highest culinary standards. With this bold appearance and contemporary features, it's easy to see why this AGA out looks and out cooks other pro-style ranges.



*Electric models not available in Canada





Stainless Steel Redefined

This Legacy redefines the stainless steel range. It fuses a commercial style finish with the elegant contoured AGA design to produce a range like no other. The high grade stainless exterior provides a durable, attractive and easy to maintain finish. And the interior is equipped with the Legacy amenities you have come to expect from AGA.

The stainless steel Legacy model is available only in dual fuel in both 36" and 44" sizes.







Electric Legacy*



Control Knobs

Large, chrome accented knobs with childproof, push-to-turn safety feature.

Broiling Oven

This oven may look unassuming, but it features a powerful 8-pass, 2300 watt broiler that's heated and ready to cook in just 5 minutes! The Full Broil mode provides complete coverage using the full eight passes. The Half Broil mode uses the four right-hand passes and is perfect when cooking for one.


7-Mode Multifunction™ Oven

Offers the ultimate flexibility with 7 different cooking modes: Convection defrost - fan forced air without heat; Convection bake - rear convection element with fan forced air; Convection broil - top element with fan forced air; Fan assist bake - top and base element with fan forced air; Conventional bake - top and base element heat; Top brown - top element heat only; Base heat - bottom element heat only.

HandyRack™

A signature Legacy feature. No more pulling out hot, heavy racks to check foods. The HandyRack™ is a removable shelf located in the door. Fitted in one of its two positions, this rack provides safety and convenience allowing you to place dishes where they are easies to access

*Flectric models not available in Canada





Electric Cooktop*

This sleek ceramic cooktop is equipped with rapid response ribbon elements that heat in seconds. Hot surface indicator lights alert you when the cooktop is in use or warm to the touch for extra safety, even after it has been turned off.

Minute Minder

This integral clock has a timer with a delayed baking feature, allowing you to program when the oven turns on and off. Plus, the key lock prevents little hands from accidentally starting ovens.

Vertical Convection Oven

This programmable oven uses true convection, a cooking method that continuously circulates hot air through the cavity, for faster more even cooking. With 1.8 cu. ft. of capacity in the 36" model and 2.4 cu. ft. in the 44", this oven is large enough to prepare a whole meal, but small enough to heat up quickly and efficiently. The 36" model features four heavy duty oven racks and a removable plate warmer while the 44" includes three oven racks and a roasting tin.

Plate Warming Rack







44" Electric Legacy with optional Cathedral doors in Ivory*



Large, chrome accented knobs with childproof, push-to-turn safety feature.

7-Mode MultifunctionTM Oven

This incredibly versatile programmable oven provides so much flexibility. Turn the convection off, leave it on or go somewhere in between - you tailor the oven's performance to your needs by selecting from the convection bake, convection broil, fan assist bake, conventional bake, top brown or base heat modes.

$\textbf{Glide-Out}^{\intercal M} \ \textbf{Broiler System}$

The smooth action Glide-Out™ broiler system uses a sliding runner to move the broiler pan in and out of the oven safely and easily.





36" Dual Fuel Legacy with optional Cathedral doors in Black



44" Dual Fuel Legacy in All White

Legacy

BEB

Dual Fuel Legacy





Gas Cooktop

This versatile cooktop is equipped with sealed gas burners, featuring an integral wok burner. Available in both Natural Gas and Liquid Propane fuel types. Note: Grates are matte porcelain enamel finish on all models.

Minute Minder

This integral clock has a timer with a delayed baking feature, allowing you to program when the oven turns on and off. Plus, the key lock prevents little hands from accidentally starting ovens.

Convection Oven

This programmable oven features an impressive 2.4 cu. ft. of cooking capacity in the 44" model and 1.9 cu. ft. in the 36". The 44" model is accompanied by three heavy duty oven racks and roasting tin while the 36" includes four racks and a removable plate warmer.

Storage Drawer

The 44" model features a convenient storage drawer which is the perfect place to store baking trays, saucepans or kitchen towels so they are always close by.







Simple Style


For over eighty years AGA has hand crafted ranges of superior performance and classic design. Now, we proudly offer a collection of coordinating products so you can create the kitchen of your dreams.



Style choices are usually limited with your dishwasher. Pick a standard color, or integrate it with a cabinet panel. Our Legacy Dishwasher is the perfect blend of function and style with our trademark contour design. Engineered to fit beautifully into your Legacy kitchen, our quiet and Energy Star® rated Dishwasher is available in every Legacy color.*

*NOTE: Not available in Stainless Steel.

This 36-inch wide, ENERGY STAR® rated Refrigerator by Marvel fuses our classic design with state of the art features like electronic touch temperature controls, and thoughtful amenities like the internal water dispenser and smart storage solutions.







You can't have a range without a hood.

Our Legacy hood inspired by the classic

AGA design, coordinates perfectly with

any AGA range.



Bottom Mount Refrigerator (AFHR-36)

- 20 cu. ft.: Fresh food capacity 14.4 cu. ft.; Freezer capacity 5.5 cu. ft.
- Factory-installed ice maker
- Internal filtered water dispenser for fresh chilled water
- Water filter easy to access and change
- Adjustable SpillsaverTM glass shelves
- Gallon door storage with temperature control
- Temperature controlled pantry drawer with an easy close rolling drawer track system
- Humidity-controlled crisper drawers keep fruits and veggies market fresh
- Adjustable door buckets keep your condiments in clear sight
- Beverage storage rack
- Electronic, easy-to-use touch temperature controls
- ENERGY STAR® compliant

Fully Integrated Dishwasher (ADW-24)

- Fully integrated console that is easy to use
- Durable stainless steel tall tub
- 5 cycles include ProWash, Heavy Duty, Normal Wash, Light/China, and 1 Hour Wash
- 6 options include Pro Scrub, Hi-Temp Scrub, Sani Rinse, Heat Dry, 4 Hour Delay and Control Lock
- Quiet sound insulation technology, rated to 46 dBA
- Holds up to 15 place settings for maximum flexibility when loading
- Silverware basket seperates silverware for optimum wash
- Unique settings deliver superior concentrated cleaning performance
- Optimum wash sensor adjusts the wash cycle for specific water conditions
- ENERGY STAR® compliant

Range Hood (ARHD-36/ARHD-48)

- Two size options: 36" and 48"
- 3 speed fan
- 2 50-watt halogen bulbs
- High heat sensor
- Stainless steel baffle filters
- Enclosed stainless steel liner
- Top or rear discharge included with a 10" square to round transition for venting
- 36" Model 600 CFM
- 48" Model 1200 CFM

NOTE: Suite appliances not available in Stainless Steel.

Colors

The Legacy is available in 5 stunning colors* and stainless steel to compliment any decor. Our signature enameling process creates a rich finish, providing the appearance you want and the quality you deserve.

*Please note side panels on all Legacy ranges are black with the exception of the All White and Stainless Steel models. The All White and Stainless Steel models feature matching side panels, fascia and cooktop. Due to limitations of the printing process colors may vary from those shown.

**All White and Stainless Steel models available in Dual Fuel only.

 $NOTE: \ Complimenting \ dishwasher, \ refrigerator \ and \ vent \ hood \ not \ available \ in \ Stainless \ Steel.$







IVORY



COBALT



CRANBERRY



WHITE



STAINLESS STEEL



ALL WHITE**



Options

Replace the solid door with a Cathedral door*. The Cathedral door includes a beveled door with an arched window on the Multifunction™ oven of the 36" Legacy and a window door on both the Multifunction™ and the Convection ovens of the 44" Legacy.



Cathedral Doors



44" LEGACY (IVORY) †
Electric Cooktop
Cathedral Doors



36" LEGACY (BLACK) † Electric Cooktop Cathedral Door

Handles**



SPIRAL HANDLE (Standard on Black, Ivory, Cobalt, Cranberry and White models)



CLASSIC HANDLE (Standard on All White and Stainless Steel models)

- * Cathedral Doors available on Dual Fuel and Electric Models. Cathedral Doors not available on Stainless Steel models
- ** Spiral Handles cannot be placed on All White or Stainless Steel models. Classic Handles cannot be placed on Black, Ivory, Cobalt, Cranberry and White models.
- † Electric models not available in Canada

LEGACY RANGE PRODUCT SPECIFICATIONS

	ALEG-36	ALEG-44	
Overall Width	35 1/2"	43 1/4"	
Overall Depth	25 5/8"**	25 5/8"*	
Overall Height	35 3/8"	35 3/8"	
Electrical Requirements- Dual Fuel	7.4kw @240 Volts	7.4kw @240 Volts	
Electrical Requirements- Electric Models‡	15.5kw @240 Volts†	16.7kw @240 Volts†	
Gas Requirements- Dual Fuel only	Shipped natural gas standard: field convert to LP with included kit; accepts standard residential 1/2" (1.3 CM) ID gas service line. Natural gas 4 W.C. (10 Millibar) or liquid gas 10 W.C. (25 Millibar)		
Approximate Shipping Weight	300 lbs.	341 lbs.	
COOKTOP SPECIFIC	CATIONS		
Dual Fuel Models (in BTU's)	Left & Right Rear 9,200 NG/8,000 LP; Left Front 5,000 NG/4,200 LP; Center (Wok) 15,000 NG & LP, Right Front 12,000 NG & LP	Left and Right (Wok) 15,000 NG & LP; Left and Right Center 9,200 NG/8,000 LP; Left Front 5,000 NG/ 4,200 LP; Right Front 12,000 NG & LP	
Electric Models‡ (in watts)	Left Rear 1800w; Left Front & Right Rear 1200w; Front Right 1700w; Far Right 2200w. 1 Hot Surface Indicator Light	Left 1200w with 230w warming area; Left Rear 1700w; Left Front & Right Rear 1200w; Front Right 1800w; Right 2200w. 2 Hot Surface Indicator Lights	
OVEN SPECIFICATI	O N S		
Total Cubic Capacity	4.5 cu. ft.	5.1 cu. ft.	
Oven Lights	1	2	
Storage Drawer	No	Yes	
Backguard Included	Yes		
MULTIFUNCTION C	VEN		
Dimensions	17"w x 15 1/4"d x 14 3/4"h		
Capacity	2.2 cu. ft.		
Convection Rating	2500 watts		
Bake Rating	2200 watts (top & bottom elements)		
Brown Rating	inner-1150 watts outer-1200 watts		
Base Heat	1000 watts		
Shelf Positions	5		
Oven Racks	3, plus HandyRack™ and ro	asting tin in door	
CONVECTION OVE	N		
Dimensions	9 1/2"w x 15 1/4"d x 22 1/4"h	17"w x 15 1/4"d x 16"h	
Capacity	1.8 cu. ft.	2.4 cu. ft.	
Convection Rating	2500 watts		
Shelf Positions	9	5	
Oven Racks	4, plus removable plate warming rack	3	
BROILING OVEN			
Dimensions	15 3/4"w x 13"d x 4 1/2"h		
Capacity	.5 cu. ft.		
Broiler Rating	8 pass, 2300 watts		
Shelf Positions	2		
Oven Racks	1 broiling tray		

Excluding handles but including rear extension. Excluding handles AND rear extension the depth is 23 3/8"
 Excluding handles (rear extension MUST be fitted to Legacy 36)
 Electrician must consult local codes to determine actual electrical requirements.
 Electric models not available in Canada

BOTTOM MOUNT REFRIGERATOR SPECIFICATIONS

Model AFHR-36		
Dimensions	36"w x 69.5"h x 23.5"d	
	(depth including handle: 29 5/8")	
Electrical Requirements	120 volts, 60hz, 10 amps (on separate circuit)	
Plumbing Requirements	1/4" O.D. copper tubing	
	Total: 20 cu. ft.	
Capacity	Refrigerator: 14.4 cu. ft.	
	Freezer: 5.5 cu. ft.	
	4 adjustable glass shelves	
Shelves	5 adjustable door shelves	
	2 wire baskets (freezer)	
Accessories	Can Rack	
Approximate Shipping Weight	365 lbs	



DISHWASHER SPECIFICATIONS

Model ADW-24		
Dimensions	23 7/8" w x 33 7/8" h x 24 7/8" d	
Electrical Requirements	120 volts, 60 hz, 15 amps	
Plumbing Requirements	3/8" O.D. copper tubing	
Approximate Shipping Weight	128 lbs	



HOOD SPECIFICATIONS

Model ARHD - 36 ARHD - 48	36" Model	48" Model
Dimensions	36"w x 24"d x 18"h	48"w x 24"d x 18"h
Electrical Requirements	120 volts, 60hz, 3.8 amps (600 CFM) 8.0 amps (1200 CFM)	
Lights	2, 50 watt halogen (Type R20)	
Filters	Stainless Steel Baffle	
CFM	600 CFM	1200 CFM
Recommended Duct Size (round)	10"	10"
Approximate Shipping Weight	190 lbs	

Optional duct covers are available in heights of 12, 18, and 24 for all of our Legacy ranges. Covers are sized to your kitchen. Please provide height requirements when ordering.



ACCESSORIES

Model	Part #	
Griddle Kit	AG-P028773	
Wok Ring	3389	
Side Panel Extension Kit	AG-A037154	



Griddle Kit



Wok Ring



Form and function working together

Dual Fuel Cooktop





Form: Our signature cooktop design makes the range seem to arc toward you. Function: The continuous matte cast-iron burner grates provide commercial style ease for moving pans from burner to burner.

Electric Cooktop*





Form: The black ceramic cooktop provides a sleek, clean look.
Function: The cooktop houses ribbon elements which heat within seconds.

*Electric models not available in Canada

Warranty

RANGE - One (1) year warranty on parts and labor with the exception of cosmetic damage to painted porcelain enamel finish or plated surfaces. Second and third year limited warranty on heating elements.

REFRIGERATOR - One (1) year limited warranty on all parts and labor with the exception of cosmetic damage to painted finish or plated surfaces. Second through fifth year warranty on any part of the sealed refrigeration system (consisting of compressor, evaporator, condenser, drier and connection tubing) and the cabinet liner (exclusive to the door liner) which fail in normal home use.

DISHWASHER - One (1) year limited warranty on all parts and labor with the exception of cosmetic damage to painted finish or plated surfaces. Second through fifth year limited warranty on nylon dish racks and electronic controls if defective in materials or workmanship. Lifetime warranty on stainless steel tub and inner door.

VENT HOOD - One (1) year limited warranty on all parts and labor with the exception of cosmetic damage to painted finish or plated surfaces.

Warranties apply to product only in the country in which it was purchased. Product is not intended for commercial installations. Warranty is void in any commercial-type application. Changes to the product may have occurred from the time this brochure was printed. Please obtain a current installation manual for your purchased model before beginning installation or rough-ins. Local authorities govern installation codes. In most areas, a licensed gas fitter or plumber is required.

If the product is installed outside the normal service area, any cost of transportation expenses (tolls, ferry trip charges, or mileage expenses, etc.) involved in the repair of the product, or the replacement of a defective part, shall be borne by the customer (owner).

AGA MARVEL



Where hot meets cold.

www.agamarvel.com

AGA MARVEL

Tel. 800.223.3900 Fax. 616.754.9690 www.agamarvel.com

© AGA MARVEL 2011, all rights reserved. Printed 06/11 AG-A4200

The information presented herein is based on the best data available at time of printing and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Products might not appear exactly as shown in images. Specifications and product esthetics are subject to change without notice.

For more information on our family of brands, please visit their corresponding websites:







ISO 9001:2008 ISO 14001:2004 ISO 18001:2007

