

24 INCH FREESTANDING ELECTRIC RANGE

BERU24102SS / BERC24102SS



Cooktop

4 electric cooking zones Residual heat indicator

Range

True European Convection
Large oven capacity 2.51 cu. ft.
Programmable electronic timer
Pull out storage drawer
2 Wire Oven Racks
Easy to remove side racks
Easy Clean gray enamel
Interior lighting
Adjustable feet

Accessories

Side trim kit optional Island trim included Splash back optional

Dimensions

H x W X D: 36"x 23 9/16" x 25 3/4" Height is without island trim Depth includes knobs & handle

In Harmony with Your Life



True European Convection

Blomberg's advanced convection system features an additional dedicated heating element around the cooking fan to circulate warm air evenly, creating a three-dimensional cooking effect that works consistently on every rack. Roasts and casseroles cook faster and more uniformly. Baked goods are evenly browned and beautiful. Multiple dishes cook to perfection at the same time with no mixing of flavors or aromas.

Large Oven Capacity

Blomberg knows you can never have too much room in your oven, even if there's not a lot of room in your kitchen. That's why we engineered a generous 2.51 cu. ft. oven capacity into our 24-inch range.



Programmable Electronic Timer

Blomberg ovens feature electronic timers that show the time of day and allow you to preset the start time, duration, or end of cooking. When the set cooking time ends, the oven switches itself off automatically.



Easy Clean Gray Enamel

Blomberg 24-inch oven cavities are coated with a long-lasting, nonporous, gray enamel finish that is not only attractive but also extremely easy to clean. Just a simple wipe with a damp cloth is all it takes to remove fresh spills and keep your oven looking like new.



Interior Lighting

For full visibility while baking, braising, and roasting, Blomberg ovens feature bright interior lighting, including cylindrical lamps placed on the rear wall, and a non-reflective enamel surface that reduces glare on the glass oven door.



24 INCH FREESTANDING ELECTRIC RANGE

BERU24102SS / BERC24102SS

GENERAL	BERU24102SS / BERC24102SS
Туре	Freestanding
Size	24"
Color	Stainless Steel
Side Walls	Black
Control type	Electronic touch control timer
FUNCTIONS Multi-dimensional Cooking	Yes
Convention Cooking	Yes
Bottom Heater	Yes
Convection	Yes
Broiler	No
Broil	Electric
Convection broiler	No
Convection roast	Yes
True European convection	Yes
SPECIAL FEATURES	
12/24-hour clock format	Yes
Splash Back	Optional
Island Trim	Included No
Simmering Cooling Fan	Yes
Cavity Enameling Color	Gray
Oven Lights	1 x Round light
Adjustable Feet	Yes
Anti-tip (tilting) bracket	Yes
Bottom Compartment	Storage drawer
Fuel Type	Electric
LPG Conversion Kit	-
OVEN DOOR(S)	
Oven Glass Window	Full Glass
Door Cooling System	3 Pane Heat Resistant Glass(fixed)
Net Capacity cu. ft. Bottom Heating Element Wattage	2.51 cu. ft. 1200W
Upper Heating Element Wattage	2200W
Convection Element Wattage	1800W
Low Grill (Broil)	1100W
Grill (Broil)	2200W
ACCESSORIES / OVEN CAVITY	
Rack Positions	5 levels
Telescopic Pull-out Shelf System	-
Pyrolytic Self Cleaning	No
Sabbath Mode	No
Broiler Pan	No
Wok adapter Chromed racks	2
COOKTOP	2
Zone Configuration	4 Vitroceramic
Front Left	Ø210/120mm - 750/2200 W (Duo)
Rear Left	Ø160mm - 1500 W (H)
Front Right	Ø140mm - 1200 W (H)
Rear Right	Ø180mm - 1800 W (H)
Central	
Pan Support Type	-
Pan Support Quantity	-
Gas Safety Device for hob Gas Safety Device for oven	-
DIMENSIONS/WEIGHT	-
Required cutout dim (H x W x D) (in)	36" x 24" x 24"
Overall dim - height	36 X 24 X 24 36"
Overall dim - width	23 9/16"
Overall dim - depth	25 3/4"
Weight (lb./kg)	149.5 lbs/68 kg
POWER / RATINGS	
	120-240V 60Hz
KW/Amps rating at 240V, 60Hz	
Supply Cord & Plug	Canada
Supply Cord & Plug Cable	Canada No
Supply Cord & Plug Cable INSTRUCTIONS FOR USE	No
Supply Cord & Plug Cable	


^{*}Canada model (BERC24102SS) has 4 prong power supply cord




24 INCH FREESTANDING ELECTRIC RANGE


BERU24102SS / BERC24102SS

Dimensions and Installation






Cabinet



Required minimum air gap clearances: 1/4" sides



Island trim: standard comes with the range un-attached. 4" High Stainless Splash Back (optional)

NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.us or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.