



**AJ Madison**  
Your Appliance Authority™  
800-570-3355

# OUR HISTORY.

# OUR STORY.

What do you get when you match style with performance? A kitchen to die for! DCS appliances have a long and proud history of making top quality, commercial grade kitchen appliances for professional chefs and, more recently, for home chefs too. The result is brilliantly engineered indoor and outdoor appliances that deliver elegance, durability, performance and a high degree of functionality – just the ingredients that today's chef demands! Not only are DCS appliances the real deal, they also make a bold statement in your outdoor kitchen. The polished stainless steel welds provide a seamless finish and the hand crafted design creates an air of quiet strength and confidence, backed up by precise controls that keep you in charge of every aspect – from food storage and preparation, right through to clean-up. DCS appliances. Proof that you don't need to be a chef in order to cook like one.








Authentic  
Commercial  
Professional



Functional  
Culinary  
Reliable



Performance  
Precision  
Control



Substantial  
Quality  
Durable

**AiMadison**  
Your Appliance Authority™  
800-570-3355

UNITING MODERN  
SOPHISTICATION &  
CULINARY PERFORMANCE  
WITH THE DURABILITY  
OF PROFESSIONAL  
DESIGN TO DELIVER  
THE INGREDIENTS  
OF COMMERCIAL  
REFINEMENT.



**AjMadison**  
Your Appliance Authority™  
800-570-3355

YOU DON'T  
HAVE TO BE A  
PROFESSIONAL CHEF  
TO COOK LIKE ONE.

The logo for AjMadison features the letters 'Aj' in a light green color and 'Madison' in a light blue color. The 'j' in 'Aj' has a trail of small green dots extending upwards and to the right. Below the brand name is the tagline 'Your Appliance Authority™' in a smaller, light blue font.

800-570-3355



## PUT TO THE TEST

In October 2008, Fisher & Paykel Appliances and America's Test Kitchen joined forces to create an exciting new partnership that showcases DCS appliances on America's Test Kitchen and Cook's Country TV shows. That's a combined total of over 88 DCS appliances in both kitchens!

America's Test Kitchen, which began airing nationwide in 2001, reaches up to 2.2 million viewers\* every week, making it one of America's most popular cooking shows, and is filmed in the company's 2,500 square foot test kitchen in Brookline, Massachusetts. Cook's Country TV, filmed in a renovated 1806 farmhouse in Vermont, uncovers the best of American cooking with recipes developed through in-depth kitchen testing.

Cast members and test cooks on both shows put DCS appliances through its paces, day in and day out, and the appliances more than stand up to the challenge in America's most rigorous test kitchen.

DCS is extremely proud to partner with America's Test Kitchen and Cook's Country TV. This partnership with such eminent culinary experts is further evidence of the quality and reliability of the DCS brand of premium appliances.

\*Source Nielsen Television Index 2/14-2/20/2011.





TRADITIONAL GRILLS	11
LIBERTY GRILLS	23
GRILL CARTS	35
OUTDOOR ESSENTIALS	41
ACCESSORIES	53
CUSTOMER CARE	57



AMERICA'S  
Your Appliance Authority  
800-570-3359

*Cook'sCountry*

Photographer Carl Tremblay

# SPICY GRILLED JALAPENO & LIME SHRIMP SKEWERS.



COOK'S COUNTRY JUNE / JULY 2007

## WHY THIS RECIPE WORKS

Most grilled shrimp skewer recipes overcook the shrimp and finish them in a bath of spicy sauce. We wanted our Spicy Grilled Jalapeño and Lime Shrimp Skewers recipe to feature tender, juicy, perfectly cooked shrimp with a smoky, charred crust and chile flavor that was more than just superficial. To achieve this, we sprinkled one side of the shrimp with sugar to promote browning and grilled this side over high heat for a few minutes. We flipped the skewer and turned off the heat once the first side had developed a nice crust. This allowed the second side to finish cooking by gentle, residual heat. Creating a flavorful marinade that doubled as a sauce gave our shrimp skewers a spicy, assertive kick. And butterflying the shrimp before marinating and grilling them opened up more shrimp flesh for the marinade and finishing sauce to flavor.

## SERVES 4

Buy extra-large shrimp (21 to 25 per pound) for this recipe. Make the marinade with one chile, taste it, and add more to taste if desired. We prefer flat metal skewers that are at least 14 inches long.

## INGREDIENTS

### MARINADE

- 1 jalapeño chile, seeded and chopped
- 3 tablespoons olive oil
- 1 teaspoon grated lime zest, plus 5 tablespoons juice from 3 limes
- 6 garlic cloves, minced
- ½ teaspoon ground cumin
- ¼ teaspoon cayenne pepper
- ½ teaspoon salt

### SHRIMP

- 1½ pounds extra-large shrimp, peeled and deveined
- ½ teaspoon sugar
- 1 tablespoon minced fresh cilantro

## INSTRUCTIONS

### MARINADE

1. Process all ingredients in food processor until smooth. Reserve 2 tablespoons marinade; transfer remaining marinade to medium bowl.

### SHRIMP

2. Pat shrimp dry with paper towels and butterfly. Add to bowl with marinade and toss to coat. Cover and refrigerate for at least 30 minutes or up to 1 hour.
3. Heat all burners on high for 15 minutes. Scrape cooking grate clean. Meanwhile, thread marinated shrimp on skewers. Sprinkle one side of shrimp with sugar. Grill shrimp, sugared side down, with lid down, until lightly charred, 3 to 4 minutes. Turn all burners off, flip skewers, close lid, and cook until other side of shrimp is no longer translucent, 1 to 2 minutes. Using tongs, slide shrimp into medium bowl and toss with reserved marinade. Sprinkle with cilantro and serve.





**AjMadison**  
Your Appliances, Our Priority  
800-570-3355



# TRADITIONAL GRILLS



With the right grilling equipment, you'll find the distance between simple dishes and gourmet masterpieces is very short. Start your culinary adventure with an exceptional grill. All DCS professional grills are designed specifically for high-performance outdoor cooking. Every grilling experience is extraordinary and DCS grills blend perfectly with the outdoor enjoyment of family and friends.

# THE TRADITIONAL GRILL

DCS by Fisher & Paykel are possibly the finest outdoor cooking products one will ever experience. Hailing from Huntington Beach, California, DCS pioneered high performance outdoor cooking, defined as such by higher burner power and intense full surface searing temperatures which vastly eclipse other manufacturers.

Build quality and attention to detail are breath-taking - these are simply the last word in no compromise engineering. Reflecting the durability, DCS grills are backed by the industry's best warranty period and after sales service.

Targeted to the enthusiast audience, DCS is intended for those who demand the very finest cooking appliances. With a full outdoor catalog, DCS offers a complete kitchen solution in both the freestanding and built-in categories. The expanded Liberty Collection also offers greater flexibility for stainless steel islands that can be designed to the configuration that best fits your needs today but can expand over time to accommodate your future lifestyle.

## 1. ULTIMATE GRILLING SURFACE

Full Surface Searing rather than a single zone section, made possible through precision ported stainless steel burners, Ceramic Radiant Rods and heavy gauge stainless steel burner box construction ensures precise, even searing temperatures across the entire grilling surface.



### 48" TRADITIONAL



ALL-GRILL  
BGB48-BQAR  
W 52<sup>3</sup>/<sub>8</sub> x D 26<sup>1</sup>/<sub>2</sub> x H 24<sup>1</sup>/<sub>4</sub>"



ALL-GRILL WITH SIDEBURNERS  
BGB48-BQR  
W 52<sup>3</sup>/<sub>8</sub> x D 26<sup>1</sup>/<sub>2</sub> x H 24<sup>1</sup>/<sub>4</sub>"



FREESTANDING CART  
CAD-48  
W 48 x D 23<sup>1</sup>/<sub>2</sub> x H 32<sup>1</sup>/<sub>8</sub>"

### 36" TRADITIONAL



ALL-GRILL  
BGB36-BQAR  
W 41 x D 26<sup>1</sup>/<sub>2</sub> x H 24<sup>1</sup>/<sub>4</sub>"



FREESTANDING CART  
CAD-36  
W 48 x D 23<sup>1</sup>/<sub>2</sub> x H 32<sup>1</sup>/<sub>8</sub>"

### 30" TRADITIONAL



ALL-GRILL  
BGB30-BQR  
W 32<sup>3</sup>/<sub>8</sub> x D 26<sup>1</sup>/<sub>2</sub> x H 24<sup>1</sup>/<sub>4</sub>"




FREESTANDING CART  
BGB30-CSS  
W 32<sup>3</sup>/<sub>8</sub> x D 27<sup>1</sup>/<sub>8</sub> x H 32<sup>3</sup>/<sub>8</sub>"



FREESTANDING CART  
CAD-30  
W 32<sup>3</sup>/<sub>8</sub> x D 23<sup>1</sup>/<sub>2</sub> x H 32<sup>1</sup>/<sub>8</sub>"

## 5. PATENTED GREASE MANAGEMENT SYSTEM™

The Patented Grease Management System™ reduces flare-ups by channeling oil and grease away from the burner flames during grilling assisting in healthier cooking.



2.

### STAINLESS STEEL BURNERS


Another example of our intense focus on quality and performance; the precision ported U-Shaped stainless steel burners are rated at a massive 25K BTU each. Each burner is ignited by a dedicated cross fire igniter.



3.

### CERAMIC RADIANT TECHNOLOGY

An entire layer of ceramic rods are placed between burners and grill grate. These provide intense yet even heat, meaning you are cooking with controlled heat rather than direct fire. On DCS Grills there is little variance in temperature zones – the total grilling surface is consistent.



4.

### DOUBLE-SIDED CAST STAINLESS STEEL GRILLING GRATES

Grates feature one W shaped side for maximum grease capture & perfect sear lines while the other side offers a gentle radius for support and handling of more delicate foods such as fish.



6.

### PROFESSIONAL ROTISSERIE

Every DCS grill comes standard with Dedicated Infrared Rotisserie Burner – providing controlled searing heat, while the heavy duty Rotisserie motor with stainless steel hexagonal rod and adjustable forks can accommodate a 50 lb load.



7.

### DEDICATED SMOKER

The 36" and 48" grills have a dedicated smoker tray with a direct 3,500 BTU burner offering a clean, convenient option for grilling enthusiasts.



8.

### SMART BEAM™ GRILL LIGHT

Smart Beam™ Grill Light – illuminates the entire cooking surface for perfect night grilling. A 50 watt halogen light is integrated into the patented weather proof rotisserie motor, making it easily accessible and ergonomic.



800-570-3355

# 48" PROFESSIONAL GRILL



## BGB48-BQAR 48" GRILL WITH ROTISSERIE

The ultimate in outdoor cooking. Precision ported, U-shaped Stainless Steel Burners rated at 25,000 BTU's offer powerful performance and control. 9-volt Battery Ignition for safe and efficient grilling. The Smart Beam™ Grill Light perfects grilling at night with a 50-watt halogen light integrated into the rotisserie motor that is capable of illuminating the entire grilling surface. Our patented Grease Management System™ reduces flare-ups by effectively channelling oil and grease away from the flame. Double-Sided Cast Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is trough-shaped for maximum grease capture leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat.


### Additional Features:

- Full Surface Searing across entire grilling area
- Integrated Rotisserie with dedicated Infrared 18,000 BTU Burner
- Smoker Tray with dedicated 3,500 BTU's Burner
- Removable Stainless Steel Warming Rack
- Designer Metal Control Knobs
- Removable Stainless Steel Drip Tray
- Available for Built-in Application or Freestanding



BGB48-BQAR + CAD-48






BGB48-BQAR

## BUILT-IN

### 48" GRILL ISLAND PREPARATION

GRILL MODELS: BGB48-BQAR




\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)  
For installation into combustible enclosures refer to Install guide

## FREESTANDING

### 48" GRILL DIMENSIONS (with optional grill cart)

GRILL MODEL: BGB48-BQAR. CART MODEL: CAD-48



## MODEL NO

BGB48-BQAR

Total Cooking Area	1182 sq. inches
Primary Cooking Area (Grill Area)	855 sq. inches
Secondary Cooking Area (Warming Rack)	327 sq. inches
Two Side Burners	-
Grill Burners	4 @ 25,000 BTU/hr
Integrated Side Burners	-
Integrated Rotisserie Burner	18,000 BTU/hr
Rotisserie Weight Max	50 lbs.
Smoker Burner	3,500 BTU/hr
Double-Sided Grill Grates	304 grade Stainless Steel
Grease Management System®	✓
Shipping Weight (Grill Head)	365 lbs.
Shipping Weight (Optional Cart)	190 lbs.
Shipping Dimensions (HxWxD)	32 x 52 x 31-1/2"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 120V 60Hz for models with Rotisserie Motor.

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### GRILL PLACEMENT

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (CAD-48)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS48)
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover

# 48" PROFESSIONAL GRILL



## BGB48-BQR 48" GRILL WITH ROTISSERIE WITH INTEGRATED SEALED SIDE BURNERS


The ultimate in outdoor cooking. Precision ported, U-shaped Stainless Steel Burners rated at 25,000 BTU's offer powerful performance and control. 9-volt Battery Ignition for safe and efficient grilling. The Smart Beam™ Grill Light perfects grilling at night with a 50-watt halogen light integrated into the rotisserie motor that is capable of illuminating the entire grilling surface. Our patented Grease Management System™ reduces flare-ups by effectively channelling oil and grease away from the flame. Double-Sided Cast Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is trough-shaped for maximum grease capture leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat.

### Additional Features:

- Full Surface Searing across entire grilling area
- Integrated Sealed Double Side-Burners
- Integrated Rotisserie with dedicated Infrared 14,000 BTU Burner
- Smoker Tray with dedicated 3,500 BTU's Burner
- Removable Stainless Steel Warming Rack
- Designer Metal Control Knobs
- Removable Stainless Steel Drip Tray
- Available for Built-in Application or Freestanding




BGB48-BQAR + CAD-48



## BUILT-IN 48" GRILL ISLAND PREPARATION


GRILL MODELS: BGB48-BQR



\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)  
For installation into combustible enclosures refer to install guide

## FREESTANDING 48" GRILL DIMENSIONS (with optional grill cart)

GRILL MODEL: BGB48-BQR. CART MODEL: CAD-48



MODEL NO	BGB48-BQR
Total Cooking Area	1115 sq. inches
Primary Cooking Area (Grill Area)	630 sq. inches
Secondary Cooking Area (Warming Rack)	241 sq. inches
Two Side Burners	244 sq. inches
Grill Burners	3 @ 25,000 BTU/hr
Integrated Side Burners	2 @ 17,000 BTU/hr
Integrated Rotisserie Burner	14,000 BTU/hr
Rotisserie Weight Max	50 lbs.
Smoker Burner	3,500 BTU/hr
Double-Sided Grill Grates	304 grade Stainless Steel
Grease Management System®	✓
Shipping Weight (Grill Head)	345 lbs.
Shipping Weight (Optional Cart)	190 lbs.
Shipping Dimensions (HxWxD)	32x52x31-1/2"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 120V 60Hz for models with Rotisserie Motor.

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### GRILL PLACEMENT

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (CAD-48)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS48)
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover

# 36" PROFESSIONAL GRILL



## BGB36-BQAR 36" GRILL WITH ROTISSERIE

DCS allows you to control the power of your grill as precisely as you've always dreamed. Precision ported, U-shaped Stainless Steel Burners rated at 25,000 BTU's offer powerful performance and control. 9-volt Battery Ignition for safe and efficient grilling. The Smart Beam™ Grill Light perfects grilling at night with a 50-watt halogen light integrated into the rotisserie motor that is capable of illuminating the entire grilling surface. Our patented Grease Management System™ reduces flare-ups by effectively channelling oil and grease away from the flame. Double-Sided Cast Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is trough-shaped for maximum grease capture leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat.


### Additional Features:

- Full Surface Searing across entire grilling area
- Integrated Rotisserie with dedicated Infrared 14,000 BTU Burner
- Smoker Tray with dedicated 3,500 BTU's Burner
- Removable Stainless Steel Warming Rack
- Designer Metal Control Knobs
- Removable Stainless Steel Drip Tray
- Available for Built-in Application or Freestanding




BGB36-BQAR + CAD-36





## BUILT-IN 36" GRILL ISLAND PREPARATION


GRILL MODEL: BGB36-BQAR



\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)  
For installation into combustible enclosures refer to install guide

## FREESTANDING 36" GRILL DIMENSIONS (with optional grill cart)

GRILL MODEL: BGB36-BQAR. CART MODEL: CAD-36



MODEL NO	BGB36-BQAR
Total Cooking Area	871 sq. inches
Primary Cooking Area (Grill Area)	630 sq. inches
Secondary Cooking Area (Warming Rack)	241 sq. inches
Grill Burners	3 @ 25,000 BTU/hr
Integrated Rotisserie Burner	14,000 BTU/hr
Rotisserie Weight Max	50 lbs.
Smoker Burner	3,500 BTU/hr
Double-Sided Grill Grates	Stainless Steel
Grease Management System®	✓
Shipping Weight (Grill Head)	284 lbs.
Shipping Weight (Optional Cart)	115 lbs.
Shipping Dimensions (HxWxD)	31" x 40" x 31-1/2"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 120V 60Hz for models with Rotisserie Motor.

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### GRILL PLACEMENT

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (CAD-36)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS-36)
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover

# 30" PROFESSIONAL GRILL



## BGB30-BQR 30" GRILL WITH ROTISSERIE

Exceptional performance with two U-shaped Stainless Steel Burners rated at 25,000 BTU's, The Smart Beam™ Grill Light perfects grilling at night with a 50-watt halogen light integrated into the rotisserie motor that is capable of illuminating the entire grilling surface. 9-volt Battery Ignition for safe and efficient grill lighting every time and durable, weatherproof rod shaped Stainless Steel Grilling Grates. The Dedicated Infrared Rotisserie Burner supplies controllable searing heat.

### Additional Features:

- Full Surface Searing across entire grilling area
- Integrated Rotisserie with dedicated Infrared 14,000 BTU Burner
- Two Optional Stainless Steel Carts
- Removable Stainless Steel Warming Rack
- Designer Metal Control Knobs
- Removable Stainless Steel Drip Tray
- Available for Built-in Application or Freestanding



BGB30-BQR + BGBCAD-30




BGB30-BQR + BGB30-CSS



## BUILT-IN 30" GRILL ISLAND PREPARATION


GRILL MODEL: BGB30-BQR



\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)  
For installation into combustible enclosures refer to Install guide

## FREESTANDING 30" GRILL DIMENSIONS (with optional grill cart)

GRILL MODEL: BGB30-BQR. CART MODELS: BGB30-CSS (AS SHOWN WITH OPTIONAL BGB30-SK) OR CAD-30



MODEL NO	BGB30-BQR
Total Cooking Area	748 sq. inches
Primary Cooking Area (Grill Area)	553 sq. inches
Secondary Cooking Area (Warming Rack)	195 sq. inches
Grill Burners	2 @ 25,000 BTU/hr
Optional Side Burner (Cart Mount)	1 or 2 @ 17,000 BTU/hr
Integrated Rotisserie Burner	1 @ 14,000 BTU/hr
Rotisserie Weight Max	50 lbs.
Grill Grates	Stainless Steel
Shipping Weight (Grill Head)	164 lbs.
Shipping Weight (Optional Cart)	95 lbs.
Shipping Dimensions (HxWxD)	28" x 32-1/2" x 29-1/2"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 120V 60Hz for models with Rotisserie Motor.

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### GRILL PLACEMENT

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (BGB30-CSS or CAD-30)
- Single or double side burners for built-in application
- Single or double side burners for on-cart application (BGB30-CSS only)
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS-30)
- Grilling Tool Set
- Wood Cutting Board Options for Side Shelf Kits
- Drop-on Griddle Plate
- Vinyl Grill Cover





**Madison**  
Your Appliance Authority™  
800-570-3355



## THE LIBERTY COLLECTION



Customization, connectivity, simplicity, performance, ease of use and installation are what sets apart the Liberty Collection. Liberty gives you the freedom to design your ideal kitchen island solution; either freestanding or built in. The Liberty Collection components can adjoin with themselves or can be built in to your outdoor island to exponentially increase your outdoor cooking capabilities to deliver professional performance with delicious results. The possibilities are endless.

# STRAIGHT LINE ISLAND DESIGN

The inception of communal cooking began around the campfire where stories were told, experiences were shared and meals were prepared. With the Liberty Collection from DCS by Fisher & Paykel, cooking outdoors becomes the focal point of home entertaining and challenges you to expect more from your food than flavor, to embrace the process of making it and the freedom in sharing the experience.

The "see it today, cook on it tonight" concept consists of three open top 30 inch cooking units that have the power to satisfy even the most demanding and creative chefs plus provide 360 degrees of socializing, encouraging everyone to gather round and be part of the season's best meals.

The three Liberty components include: a grill unit which has the patented Grease Management System and Full Surface Searing capabilities; a Sideburner/sink unit with two 17,000 BTU burners and a sink that can be hard plumbed or portable and collect gray water in an accessory tank; and a double 17,000 BTU side burner/12,000 BTU griddle unit. All three units are 30 inches wide and can be placed on carts with storage and adjoined with themselves for 360 degrees grilling experience or built into an island enclosure.

The Straight Line Island Design can also be expanded to include any of the DCS traditional grills on CAD cart. If you design a portable stainless steel island and add the Brazilian Cherry Wood Back Bar (CAD-BB) and the complimenting 24-inch side shelves (CAD-SK) that makes nearly 12 feet of shelf space for platters, plates, side dishes, drinks, and silverware and almost 3 feet of additional countertop for your guests to relax and watch the action.

The DCS Liberty Collection gives you the freedom to design an island solution whether it's freestanding or built in that focuses on the heart of cooking: function, food, family and friends.

## 30" LIBERTY



ALL GRILL  
BFG-30G  
W 30 x D 26½ x H 47 1/16"



DUAL SIDE BURNER / GRIDDLE  
BFG-30BGD  
W 30 x D 26½ x H 36"



DUAL SIDE BURNER / SINK  
BFG-30BS  
W 30 x D 26½ x H 36"



FREESTANDING CART  
CAD-30  
W 32 3/8 x D 23 1/2 x H 32 1/8"



1.  
SIDE SHELF + WOODEN INSERT  
CAD-SK  
CAD-WCB





2

2.  
DOUBLE SIDE BURNER/SINK  
BFG-30BS  
CAD-30

5

3

3.  
ALL GRILL  
BFG-30G  
CAD-30

4

4.  
DUAL SIDE BURNER/GRIDDLE  
BFG30-BGD  
CAD-30

1

5.  
BACK BAR  
CAD-BB



# CORNER ISLAND DESIGN

Spending time in your outdoor kitchen shouldn't mean the chef has to miss out on conversation while tending to the feast. The Liberty Collection opens up new opportunities in outdoor island design and provides the solution of bringing home chefs and guests closer together to better enjoy the outdoor cooking experience.

Building on the simplicity and customization of a complete freestanding outdoor kitchen The Liberty Collection offers even greater versatility with the introduction of new corner joining solutions that provide flexible design layouts and many outdoor kitchen configurations.

Bend units can be placed in a number of positions along side traditional grills, Liberty components or refrigeration units to generate a custom layout that is designed specifically for your needs. The Solid Surface Tops create a finished look while offering plenty of prep space to work and eat on when placed on secondary units. A Back Corner Solid Surface Top on a separate bracket maximizes space and more sharply defines the capabilities of the Liberty Collection.

Any of the DCS refrigeration units can also be included into your outdoor corner island design to offer easy access to drinks and ice, and can be a helpful aid to produce and cool side dishes so no one has to leave the party to run indoors. Plus the addition of the Side Shelves and Wood Cutting Boards give the outdoor chef extra work surface with culinary flair.

The Liberty Collection can be designed to the configuration that best fits your needs today but can expand over time by adding components to accommodate your future lifestyle.

AJ Madison  
Your Appliance Authority  
800-570-3355

## JOINING SOLUTIONS



BEND UNIT  
CAD-BND  
CAD-BNDT



CORNER  
BND-CNR  
BND-CNRT



WRAPPERS / SOLID SURFACE  
SEE PAGE 39 FOR MODELS

## SHELVES



SIDE SHELF  
CAD-SK



WOOD INSERT  
CAD-WCB



BACK BAR  
CAD-BB



1.  
WRAPPER / SOLID SURFACE  
WR24RTD  
WRT24RD  
6.  
36" TRADITIONAL GRILL  
BGB36-BQAR  
CAD-36





**Madison**  
Your Appliances Authority™  
800-570-3355

2.  
REFRIGERATOR  
RF24RE2

3.  
BEND UNIT / SOLID SURFACE  
CAD-BND  
CAD-BNDT

4.  
CORNER  
BND-CNR  
BND-CNRT

5.  
DUAL SIDE BURNER / GRIDDLE  
BFG30-BGD  
CAD-30

7.  
SIDE SHELF + WOODEN INSERT  
CAD-SK  
CAD-WCB



# ALL-GRILL UNIT



## BFG-30G 30" ALL-GRILL

The All-Grill unit of the Liberty Collection is a fully featured grill, which delivers professional performance and delicious results. Precision ported, U-shaped 304 grade stainless steel burners rated at 25,000 BTU's per burner offer powerful performance and control. Our patented Grease Management System™ reduces flare-ups by effectively channeling oil and grease away from the flame while grilling. A 9-volt Battery Ignition ensures safe and efficient grill lighting every time and Double-Sided Cast 304-Grade Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is VV-shaped for maximum grease capture while leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat.

### Additional Features:


- Available for Built-in Application
- Large 525 sq in grilling surface
- Full Surface Searing across entire grilling area
- Patented Grease Management System® reduces flare ups
- 2 X 25,000 BTU Burners
- Ceramic Radiant Technology ensures a completely even heated grilling surface
- Designer Metal Control Knobs
- Removable Stainless Steel Drip Tray
- Flat stainless steel cover included with grill



BFG-30G + CAD-30

## BUILT-IN ALL-GRILL ISLAND PREPARATION

GRILL MODEL: BFG-30G





\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

## FREESTANDING ALL-GRILL DIMENSIONS (with optional grill cart)

GRILL MODEL: BFG-30G

CART MODEL: CAD-30 (SHOWN WITH OPTIONAL SIDE SHELVES)



MODEL NO	BFG-30BG
Total Cooking Area	525 sq. inches
Grill Burners	2 @ 25,000 BTU/hr
Double-Sided Grill Grates	Stainless Steel
Grease Management System®	4
Shipping Weight (Grill Head)	120 lbs.
Shipping Weight (Optional Cart)	120 lbs.
Shipping Dimensions (Grill Head)	H32" x W32" x D16"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 9V battery

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### GRILL PLACEMENT

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (CAD-30)
- Stainless Steel Side Shelf Kit (CAD-SK)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS-30)
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart optional side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover

# DUAL SIDE BURNER / GRIDDLE UNIT



## BFG-30BGD 30" DUAL SIDE BURNER / GRIDDLE

The Dual Side Burner/Griddle unit sets the tone of versatility for the Liberty Collection. With this unit, outdoor meals benefit from traditional indoor cooking techniques brought out into the open. Saute pre-grilled vegetables with delicate sauces and spices, and make a stack of cornbread griddle cakes to serve alongside that slab of ribs. DCS by Fisher & Paykel professional precision backs up your most daring culinary endeavours every step of the way. With the Dual Side Burner/Griddle unit of the Liberty Collection you have the ability to prepare delicious dishes that are not customarily cooked outside. Add pancakes and bacon to your outdoor breakfast menu with ease using the large griddle surface. This unit even allows you to effortlessly host an omelette bar in your outdoor kitchen.

### Additional Features:

- Available for Built In Application
- 2 x 17,000 BTU side burners
- Platform style grates allow easy movement from one burner to the other
- 12,000 BTU griddle plate
- Large 15-3/4" x 11" griddle
- Flat stainless steel covers included




BFG-30BGD + CAD-30



## BUILT-IN DUAL SIDE BURNER /GRIDDLE ISLAND PREPARATION

DUAL SIDE BURNER/GRIDDLE MODEL: BFG-30BGD




\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

## FREESTANDING DUAL SIDE BURNER /GRIDDLE DIMENSIONS (with optional grill cart)

DUAL SIDE BURNER/GRIDDLE MODEL: BFG-30BGD

CART MODEL: CAD-30 (SHOWN WITH OPTIONAL SIDE SHELVES)



MODEL NO	BFG-30BGD
Griddle	12,000 BTU/hr
Side Burners	2 @ 17,000 BTU/hr
Shipping Weight (Side Burner /Griddle Head)	120 lbs.
Shipping Weight (Optional Cart)	120 lbs.
Shipping Dimensions (Side Burner /Griddle Head) (HxWxD)	32" x 32" x 16"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 9V battery

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### SIDE BURNER / GRIDDLE PLACEMENT

DO NOT build side burner / griddle under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (CAD-30)
- Stainless Steel Side Shelf Kit (CAD-SK)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS-30)
- Brazilian Cherry Chopping Board that fits in cart optional side-shelf
- Wok and Wok Ring for use on side burners
- Vinyl Grill Cover

# DUAL SIDE BURNER / SINK UNIT



## BFG-30BS 30" DUAL SIDE BURNER / SINK

Everyone desires all of the conveniences they have in their indoor kitchen when they are cooking outdoors. Now, with the Liberty Collection's Dual Side Burner/Sink unit you can have them. With a sink fully integrated into your outdoor appliances you can easily fill pots and wash your hands. Suitably placed next to the dual side burners, filling your pot no longer requires a trip indoors.

800-570-3355

### Additional Features:


- Available for Built In Application
- 2 x 17,000 BTU side burners
- Platform style grates allow easy movement from one burner to the other
- Sink can be hard plumbed or portable
- Optional Sink Drain accessory available
- Flat stainless steel covers included



BFG-30BS + CAD-30

## BUILT-IN DUAL SIDE BURNER / SINK ISLAND PREPARATION

DUAL SIDE BURNER / SINK MODEL: BFG-30BS





\* Standard cut-out dimensions for non-combustible enclosure  
# Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

## FREESTANDING DUAL SIDE BURNER / SINK DIMENSIONS (with optional grill cart)

DUAL SIDE BURNER / SINK MODEL: BFG-30BS

CART MODEL: CAD-30 (SHOWN WITH OPTIONAL SIDE SHELVES)



MODEL NO	BFG-30BS
Side Burners	2 @ 17,000 BTU/hr
Shipping Weight (Side Burner / Sink Unit)	120 lbs.
Shipping Weight (Optional Cart)	120 lbs.
Shipping Dimensions (Side Burner / Griddle Head) (HxWxD)	32" x 32" x 16"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL

- 1/2" NPT male with 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.

### POWER REQUIREMENTS

- 9V battery

### ISLAND VENTILATION REQUIREMENTS

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### SIDE BURNER / SINK PLACEMENT

DO NOT build side burner/sink under overhead unprotected combustible construction. Use only in well-ventilated areas. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required. For combustible enclosures an insulated jacket must be used. These units are for outdoor use only. Never leave grill unattended.

### CONVERSION KITS

NG to LP and LP to NG conversion kits are available from your dealer.

### ACCESSORIES

- Stainless Steel Grill Cart (CAD-30)
- Stainless Steel Side Shelf Kit (CAD-SK)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application (IJS-30)
- Brazilian Cherry Chopping Board that fits in cart optional side-shelf
- Wok and Wok Ring for use on side burners
- Vinyl Grill Cover Wok and Wok Ring for use on side burners
- Sink Drain Accessory



**AjMadison**  
Your Appliance Authority™  
800-570-3355



## GRILL CARTS AND CART ACCESSORIES



Let's not forget about the complimenting grill cart, accessories and essentials to complete your freestanding outdoor design. Care to garnish your salmon? Simply reach down into the condiment shelf ingeniously designed into the BGB30-CSS door, or maximize the storage of your outdoor wood chips, tools and grill cover with a couple of stainless steel storage drawers on our CAD Cart models. All this makes serving the perfect meal a simple pleasure.

# TRADITIONAL AND LIBERTY GRILL CARTS


A versatile grill cart creates an outdoor kitchen wherever you decide to gather and dine. DCS by Fisher & Paykel offers the ultimate accessibility in our line of grill carts. With storage to access to your LP tank, marinating meats, wood chip, serving trays or grill covers. With assisted chill you now have the perfect place to keep your drinks chilled. The BGB30-CSS cart features our exclusive wheel hub cap design. Simply choose any DCS professional grill with a compatible optional stainless steel grill cart.

#### Optional Accessories:

- 24" Side shelves
- Brazilian cherry wood cutting board inserts for the 24" side shelves
- Adjustable feet
- Vinyl cover
- Available in 30", 36", and 48"
- Back bar for CAD-30 cart only
- Wastebasket Holder for Access Drawers and/or CAD Carts
- Tank Drawer Bottom Cover for Access Drawers and or CAD/Carts


  
**Aj Madison**
  
 Your Appliance Authority™

800-570-3355



BGB30-CSS, Available for 30" Traditional Grills



CAD-30 Available for 30" Traditional and Liberty Grills




CAD-36, Available for 36" Traditional Grills




CAD-48, Available for 48" Traditional Grills

## 30" GRILL CART DIMENSIONS

MODEL: BGB30-CSS. ONE SIDE SHELF INCLUDED WITH CART PURCHASE, (ADDITIONAL SIDE SHELF KIT AVAILABLE BGB30-SK)




MODEL: CAD-30 (SHOWN WITH OPTION ACCESSORY SIDE SHELF KIT CAD-SK)




## 36" GRILL CART DIMENSIONS

MODEL: CAD-36 SHOWN WITH OPTION ACCESSORY SIDE SHELF KIT CAD-SK)



## 48" GRILL CART DIMENSIONS

MODEL: CAD-48 (SHOWN WITH OPTION ACCESSORY SIDE SHELF KIT CAD-SK)



MODEL NO	CSS-30	CAD-30	CAD-36	CAD-48
Shipping Weight	120 lbs.	120 lbs.	155 lbs.	190 lbs.
Shipping Dimensions	45"x35"x35"	45"x35"x35"	45"x40"x35"	45"x51"x35"



# CAD CART ACCESSORIES

## TRADITIONAL AND LIBERTY GRILL SHELVES




### SIDE SHELF

CAD-SK

Attached to your "CAD" model cart, these CAD-SK 24" Side Shelves offer a sturdy expanse of workspace.

- BGB30-SK is available for the extra serving area you may require for your BGB30-CSS cart.



### SIDE SHELF WOOD INSERT

CAD-WCB

Made of Brazilian Cherry, an exotic wood from South America, the Wood Inserts fit snugly into the DCS Side Shelf designed for use on the CAD model carts. Chosen for its quality and beauty, this hard wood is perfectly suited for a chopping board.

- Side Shelf insert for the BGB30-CSS is BGA-MCB. See page 54 for more details.



### BACK BAR

CAD-BB (FOR 30" CAD CART ONLY)

Designed to give you additional space the Back Bar attaches directly to the back of the cart offering you additional work space or simply for your guests to relax and watch the action. The Brazilian Cherry wood inserts are easily removed which allows the stainless steel frame to accommodate containers perfect for holding condiments or the final touches on your culinary delights.

## CORNER ISLAND DESIGN JOINING SOLUTIONS



### BEND UNIT

With the addition of Bend Units, your Liberty island has endless design options. The Bend Unit offers additional storage space. And, when a Solid Surface is added, ample work, preparation and serve space is offered.

MODEL NO

CAD-BND	Bend Unit
CAD-BNDT	Bend Unit Solid Surface



### CORNER

The Back Corner bracket and Solid Surface is rated to hold 200 lbs. and is the perfect finish to your Liberty island.

MODEL NO

BND-CNR	Bracket Which Holds the Corner Solid Surface
BND-CNRT	Corner Solid Surface



### WRAPPERS / SOLID SURFACES

When adding any of the DCS outdoor refrigeration to your Liberty island, adding a Wrapper and Solid Surface top carries on the design from our grilling carts and offers additional work, preparation and serving space.

MODEL NO

WR24RTD	Wrapper For Drawers, Tap, Refrigerator
WR15I	Wrapper For Ice Maker
WRT24T	Solid Surface That Fits Tap
WRT15I	Solid Surface That Fits Ice Maker
WRT24RD	Solid Surface That Fits Drawers and Refrigerator





**Madison**  
Appliance Authority  
800-330-3355



# OUTDOOR KITCHEN ESSENTIALS



All the capabilities of an indoor kitchen can finally be realized in an outdoor setting. When it comes to outdoor entertaining, DCS has it all. From warming drawers and patio heaters to outdoor refrigerators and sideburners, DCS manufactures the finest of everything you need to complete any outdoor kitchen and, even more importantly, create the ultimate grilling experience.

# THE DCS BUILT-IN KITCHEN

DCS have put together a collection of essentials to transform your barbecue area into an outdoor kitchen. DCS products are designed so that you can select items that will work together to suit your individual vision – creating your own ideal outdoor kitchen. The possibilities are endless.

## SEALED SIDE BURNERS



DOUBLE BURNER  
BGB132-BI



SINGLE BURNER  
BGB131-BI



WARMER DRAWER  
WD-27-SS-OD

## REFRIGERATION



BEER DISPENSER  
RF24T



FRIDGE  
RF24RE2



FRIDGE DRAWERS  
RF24RD2



ICE MAKER  
RF151

## ACCESS DRAWERS



24" DRAWER  
ADR124



30" DRAWERS  
ADR130



36" DRAWERS  
ADR136



48" DRAWERS  
ADR148

## ACCESS DOORS



24" DOOR  
ADN20x24



30" DOORS  
ADN20x30



36" DOORS  
ADN20x36



48" DOORS  
ADN20x48

## BUILT-IN HEATING



PATIO HEATER  
DCS-DRH-48N



REMOTE CONTROL  
DRH-RMT



1.  
BEER DISPENSER / FRIDGE  
RF24T





2

3

4

5

2.  
DOUBLE SIDE BURNER  
BGB132-BI

3.  
BUILT-IN GRILL  
BGB48-BQAR

4.  
WARMING DRAWER  
WD-27-SS-OD

5.  
48" ACCESS DRAWER  
ADR148



## PROFESSIONAL SEALED SIDE BURNERS

BGB132 DOUBLE SIDE BURNERS

BGB131 SINGLE SIDE BURNERS

Every chef wants the option of preparing a delicious side dish to accompany a culinary masterpiece. For this, DCS offers Professional Sealed Side Burners for built-in application and for 30" grill cart mount application. Constructed of heavy stainless steel, DCS side burners rated at a powerful 17,000 BTU's, are available in single or double burner configurations. Features include battery ignition, stainless steel grate cover and, of course, the same sleek design as DCS professional grills.

Additional Features:

- Stainless steel grate cover included
- Removable stainless steel drip tray
- Designer metal control knobs
- Available for Built In Application
- Available for 30" Cart Application Only

**AjMadison**  
Your Appliance Authority™  
800-570-3355



## OUTDOOR WARMING DRAWER


WD-27-SS-OD 27"

Keep cooked foods perfectly warm until dinner is completely ready with the DCS Outdoor Warming Drawer. Our warming drawer includes a removable stainless steel shelf. That means there is enough space for up to 6 standard-sized dinner plates. With an expansive 1.6 cubic feet of space, thermostatically controlled temperature ranges from 175 to 230 degrees, dinner will always be ready when you are.

Additional Features:


- Built In Application
- Removable stainless steel shelf/  
serving tray
- 500 watts of power input
- Outdoor UL approval






## BUILT-IN SIDE BURNER DIMENSIONS


### BGB131-BI SINGLE SIDE BURNER



### BGB132-BI DOUBLE SIDE BURNER




## PROFESSIONAL SIDE BURNER ISLAND PREPARATION




MODEL NO	A	B
BGB131-BI	12"	6" min.
BGB132-BI	22-3/4"	6" min.

## 30" CART MOUNT SIDE BURNER DIMENSIONS

### BGB131 SINGLE SIDE BURNER



### BGB132 DOUBLE SIDE BURNER



NOTE: Cart Mount Side Burners for 30" Carts only, not designed for built-in applications.

MODEL NO	BGB131	BGB131-BI	BGB132	BGB132-BI
30" CART MOUNT	✓		✓	
BUILT-IN	-	✓	-	✓
SIDE BURNER(S)	1@17,000BTU/hr	1@17,000BTU/hr	2@17,000BTU/hr	2@17,000BTU/hr
Shipping weight (lbs)	35.4	35.8	60.6	64.0
Shipping dimensions (HxWxD)	13.5"x14.5"x19"	13.5"x14.5"x19"	16"x18"x30"	16"x18"x30"

## ORDERING DATA

Please specify gas type (natural or propane) when ordering

### GAS REQUIREMENTS

#### NATURAL


- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### PROPANE

- 1/2" NPT male with a 3/8" flare adapter (uses the LP regulator from adjoining grill)
- Operational Pressure: 11" W.C.
- Supply Pressure: 12" to 14" W.C.


We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com). Because of continuing product improvement these specifications are subject to change without notice. The information provided herein is for reference only. For actual installation site planning, please refer to the installation and user guide provided with the grill, also available by visiting the DCS website at the address above.

## WARMING DRAWER DIMENSIONS



MODEL NO	WD-27-SS-OD
Drawer Space	1.6 cu.ft
Removable Shelf/Serving Tray	✓
Type 304 Stainless Steel	✓

## WARMING DRAWER ISLAND PREPARATION



### POWER REQUIREMENTS

- 120V 60Hz
- 3 wire
- 15 amp circuit



## 24" OUTDOOR BEER DISPENSER RF24T 24"

Whether it is the first or final touch to your DCS outdoor kitchen, the DCS Outdoor Beer Dispenser is an ultimate indulgence in entertaining. The draft arm, hoses, regulator, CO2 Tank and Drip Tray are included. You simply need to add beer. The outdoor beer dispenser is the perfect compliment to your DCS professional outdoor kitchen.

### Additional Features:

- Holds 1/2 or 1/4 keg

### Optional Accessories:

- Optional Caster Kit Accessory Available
- Mug Rail



## 24" OUTDOOR REFRIGERATOR RF24RE2 24"

Wouldn't it be easier to have access to a large refrigerator in your outdoor kitchen when you're ready for a cold beverage or want to keep a salad fresh? The DCS Outdoor Refrigerator is constructed of stainless steel with an expansive 6.1 cubic feet of space, also includes an interior light. It's a necessity in the well-appointed outdoor kitchen.

### Additional Features:

- Interior space 6.1 cu.ft
- Energy Star Rated
- Exclusive Digital Electronic Control
- Auto Defrost
- Interior Lighting
- Three removable internal shelf positions to better assist with storage options
- Optional Caster Kit Accessory Available



## OUTDOOR REFRIGERATED DRAWERS RF24D2

The perfect meal begins with the finest ingredients. With the DCS Outdoor Refrigerator Drawers you have the controls at your finger tips to ensure your food is fresh and properly preserved.

### Additional Features:

- Interior space of 5.6 cu.ft
- Fault system operates in real time to actively maintain optimal preservation conditions
- Digital touchpad controls and LED display
- Full auto defrost
- Holiday mode
- Hygienic stainless steel drawer interiors
- Full extension runners
- Extra deep lower drawer allows vertical storage of two-liter bottles and wine bottles
- Self closing door
- Child entrapment divider




## OUTDOOR ICE MAKER RF15I

A seemingly limitless supply of crystal clear gourmet ice on tap for any occasion. Our ice maker makes up to 35 pounds a day of clear ice.


### Additional Features:

- Produces and stores up to 35 lbs of restaurant quality ice a day
- Appropriate for use in outdoor temperatures from 55° to 100° F
- Full auto defrost
- Requires gravity drain
- Self closing door
- Stainless steel ice cutter
- Ice Scoop included
- ADA Compliant
- Drain Pump Accessory Available RFIDP


## RF24T DIMENSIONS




## ISLAND PREPARATION




## RF24RE2 DIMENSIONS




## ISLAND PREPARATION




## RF24D2 DIMENSIONS




## ISLAND PREPARATION



## RF15I DIMENSIONS



## ISLAND PREPARATION



## ACCESS DRAWERS

When entertaining in your outdoor kitchen, the last thing you want to do is rush inside for a forgotten item. With the new stainless steel DCS Access Drawers, you'll have everything you need at your finger tips, providing easy access to your LP tank, grilling tools, marinating meats, ice tub and cold beverages and anything you want on hand.

Additional Features:

- Patent Pending Roller Rack System™
- Available widths – 48", 36", 30", 24"



ADR124, 24" Access drawer

ADR130, 30" Access drawer



ADR136, 36" Access drawer

ADR148, 48" Access drawer

## ACCESS DOORS

For added convenience, DCS offers Stainless steel Built-in Access Doors that fit perfectly under your built-in grill. They provide an ideal place for accessories and condiments with a convenient condiment shelf built into the door.

Additional Features:

- Easy access to the area underneath the built-in grill
- Available widths – 48", 36", 30", 24"



ADN20x24, 24" Access door

ADN20x30, 30" Access door





ADN20x36, 36" Access door

ADN20x48, 48" Access door




## ACCESS DRAWER DIMENSIONS



MODEL NO	W	H	D
ADR148	48"	21-7/8"	23-1/2"
ADR136	36"	21-7/8"	23-1/2"
ADR130	30"	21-7/8"	23-1/2"
ADR124	24"	21-7/8"	23-1/2"

## CUTOUT DIMENSIONS



NOTE: The cutout of each corner should be 90° angle in order for the access drawers to fit properly.  
 \* Island installation to use minimum of 3 vents, 10 square inches per vent (typical).  
 \*\* For proper support and drawer operation, insure that support boards are installed per Installation Instructions


MODEL NO	A (-0,+1/8)	B (-0,+1/8)	C	D
ADR148	46"	20"	1.0"min	1.0"min
ADR136	34"	20"	1.0"min	1.0"min
ADR130	28"	20"	1.0"min	1.0"min
ADR124	22"	20"	1.0"min	1.0"min

### Optional Accessories:

- Wastebasket Holder for Access Drawers and/or CAD Carts
- Tank Drawer Bottom Cover for Access Drawers and or CAD/Carts




## ACCESS DOOR DIMENSIONS




MODEL: ADN20x48

MODEL: ADN20x36




MODEL: ADN20x30

MODEL: ADN20x24



## CUTOUT DIMENSIONS



NOTE: The cutout of each corner should be 90° angle in order for the access drawers to fit properly.  
 \* Island installation to use minimum of 3 vents, 10 square inches per vent (typical).

MODEL NO	A (-0,+1/8)	B (-0,+1/8)
ADN20x48	46"	20"
ADN20x36	34"	20"
ADN20x30	28"	20"
ADN20x24	22"	20"



## BUILT-IN PATIO HEATERS

DCS-DRH-48N

An outdoor heater in your favorite restaurant always makes a dinner more enjoyable. You can have the same warm experience in your outdoor kitchen with the DCS Built-in Patio Heater. DCS has a long history of producing safe, efficient and high-performance outdoor heaters for restaurants and hotels, and applied this knowledge to produce heaters for residential outdoor settings. The attractive wall-mounted heater features 56,000 BTU's of comfortable heat up to 15 feet away that extends the season for dining outdoors. Our Built-in Patio Heaters feature durable, weatherproof stainless steel construction and are available for natural gas only.

Additional Features:

- Mounts easily to eaves
- Includes extension mounting kit
- Available for natural gas only
- Single channel remote control accessory available for individual heater (DRH-RMT)

**AjMadison**  
Your Appliance Authority™


800-570-3355




### REMOTE CONTROL DRH-RMT

Access each DCS Built-in Patio Heater with this single channel Remote Control (which command the on/off setting).


## BUILT-IN PATIO HEATER DIMENSIONS




INSTALLATION TO COMBUSTIBLE AND NON-COMBUSTIBLE CONSTRUCTION (FRONT VIEW)



45° INSTALLATION TO COMBUSTIBLE (SIDE VIEW)



0° INSTALLATION TO COMBUSTIBLE (SIDE VIEW)



### GAS REQUIREMENTS

- NATURAL
- Max. Pressure: 1/2 psig
  - Min. Pressure: 6" W.C.
  - Manifold Pressure: 5" W.C.
  - Internal 5" W.C. regulator

MODEL NO	DCS-DRH-48N
Heater	56,000 BTU/hr
Extension Mounting Kit	✓

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com). Because of continuing product improvement these specifications are subject to change without notice. The information provided herein is for reference only. For actual installation site planning, please refer to the installation and user guide provided with the grill, also available by visiting the DCS website at the address above.

**AjMadison**  
Your Appliance Authority™  
800-570-3355



**AM Madison**  
Your Appliance Authority  
800-570-3355



## ACCESSORIES



At DCS, we've given great thought to perfecting each detail of outdoor cooking including the accessories you need to achieve the best results. DCS designs and makes custom chopping boards, drop-on griddle plates, grill covers and grill tools especially for the professional outdoor appliances. Like the grills, the accessories are made of the finest materials and will elevate the experience of grilling into a pleasure all its own.



## GRILLING TOOLS & APRON BGA-GT5

The exclusive 5-piece stainless steel Grilling Tool Set is made specifically to use with the DCS Professional Grills. The five pieces include: spatula with one serrated edge, a set of tongs, a large fork, a double-sided grates scraper and cleaning brush, and a Grease Management System™ trough scraper. All tools are made of heavy-gauge stainless steel with ergonomic, slip-resistant handles. The tool set comes with a heavy-duty canvas grilling apron with deep pockets to accommodate every tool.


– BGA-GTRH Grill Tool Replacement Cleaning Head Also available



## CUSTOM CHOPPING BOARD BGA-MCB

An essential accessory in preparing food to be grilled is a sturdy Chopping Board. DCS offers a chopping board in solid maple. It is custom-made to fit perfectly in the side shelf of the DCS 30" traditional grill carts (BGB-30CSS).

**Aj Madison**  
Your Appliance Authority™  
800-570-3355



## DROP-ON GRIDDLE PLATES BGA-GP (left) CTGP (right)

Add pancakes and bacon to your outdoor breakfast menu with ease. The DCS Grill Griddle Plate (BGA-GP) is made of commercial quality plated stainless steel that insures a level cooking surface and even heat distribution.

Utilize this Drop-on Griddle Plate (CTGP) on any outdoor double side burner which allows you to cook your pancakes, bacon and other foods not typically cooked outside.



## DRAIN PUMP RFIDP

This sealed-reservoir, compact drain pump is easy to install inside the RF1-15 Outdoor Ice Maker. For use where a floor drain is not readily accessible to pump drain water to the nearest drain. Rated at 8 feet for vertical lift and 20 feet for horizontal run.



FREESTANDING GRILL COVER



BUILT-IN GRILL COVER

## GRILL COVERS

To protect and care for the DCS Professional Grill all year long, we offer Grill Covers for all sizes and models of DCS built-in and free standing Grills. To offer maximum protection from the elements, they are heavy-duty, black lined vinyl with a Velcro opening in the front.

Grill Cover options:

30" Traditional Grill:

- BGB30-VCBI, 30" Built In Grill Cover
- BGB30-VCC, 30" On-Cart Grill Cover
- BGB30VCC131, 30" On-Cart Grill Cover w/sideburner

36" Traditional Grill:

- BGA36-VCBIA, 36" Built In Grill Cover
- BGA36-VCC, 36" On-Cart Grill Cover

48" Traditional Grill:

- BGA48-VCBIA, 48" Built In All Grill Cover
- BGB48-BQR-VCBI, 48" Built In w/sideburner Grill Cover
- BGA48-VCC 48" On-Cart Grill Cover

30" Liberty Grills:

- BFG30-VCBI, 30" Built In Grill Cover
- BFG30-VCC, 30" On-Cart Grill Cover



## WOK & WOK RING CW-20 (wok) DCS-WRGS (ring)

Preparing stir-fry for dinner in your outdoor kitchen is another savory possibility with DCS Professional Side Burners. The DCS Wok is with a commercial-style rounded bottom and includes an aluminum lid with hardwood handle (Wok Ring required for use).

The DCS Wok Ring is designed to fit securely on top of the surface grates on the DCS Side Burners to facilitate wok cooking. The Wok Ring is constructed of stainless steel and accommodates most commercial-style woks.



## ICE PACK BLUICE

This cold-assist Ice Pack fits snugly into the Access Drawers and CAD carts.



**Alvadis**  
Your Fashion & Beauty Authority  
813-335-3355



# CUSTOMER CARE

Lifetime Warranty on stainless steel grill burners, stainless steel grill cover, burner box, cooking grates and grill racks (excluding discoloration or surface corrosion).

For complete DCS Grill Warranty refer to Use & Care Guide.

## CUSTOMER CARE CALL 24 HOURS A DAY, 7 DAYS A WEEK

Fisher & Paykel has a 24 hour Customer Care Center that allows you to speak to a real person about any questions you may have about your products.

Our Customer Care Representatives can offer advice on which appliances will suit your needs, and provide extensive product knowledge on how to use your current Fisher & Paykel and DCS products.

We can also refer you to a qualified service technician to install selected products for you and advise you where your nearest Fisher & Paykel Dealer is located. Nobody is better qualified to install, service and repair your Fisher & Paykel and DCS household appliances than our own network of specially trained service technicians.

## FISHER & PAYKEL FACTORY SERVICE

In certain markets, Fisher & Paykel have dedicated factory trained and supported service technicians available to carry out service, fully supported, managed and employed by Fisher & Paykel Appliances.

Should you require service on your product, our Customer Care Representatives can arrange for our Factory Service Technicians to visit or refer you to an authorized service technician in your area.

The Fisher & Paykel Customer Care

Center operates 24 hours a day,

7 days a week.

Toll Free 1.888.936.7872

[www.dcsappliances.com/customercare](http://www.dcsappliances.com/customercare)



[www.dcsappliances.com](http://www.dcsappliances.com)

FPBR0420 January 2013

---

Copyright © Fisher & Paykel 2013. All Rights Reserved. The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Fisher & Paykel's Customer Care Centre to ensure this brochure correctly describes the products currently available.

---

**Important Notice of Disclaimer:** Our brochure contains information on a wide subject of products which we manufacture and/or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.

---