

The slim and refined lines of Sahale bring a refreshing change to today's kitchens. Bright Halogen lighting complements your cooking experience and two fan speeds make cooking more enjoyable.

SIZE	WHITE	BLACK	STAINLESS	GREASE FILTER (replacement)	NON-DUCT FILTER
30 in.	BKSA130WW	BKSA130BL	BKSA130SS	HPFA (Type Ao)	HPF1 (Type Xa)

HVI PERFORMANCE							
			Sones		CFM		
Duct Orientation	Size	Damper	Normal	High	Normal	High 0.25 in. w.g.	High 0.1 in. w.g.
Vertical - Rectangular	3¼ in. x 10 in.	Included	1.5	5.0	140	130	220
Horizontal - Rectangular	3¼ in. x 10 in.	Included	1.5	5.0	110	128	210
Round - Vertical	7 in.	Sold Separately	1.5	5.0	150	110	240

FEATURES				
Max. Blower Airflow	300 CFM			
Control type	2-speed Rocker			
Delay off	no			
Filter Clean Reminder	no			
Heat Sentry™	no			
ADA Capable	yes			
Lighting	2-level 50 W Halogen (included)			
Grease Filter(s)	Open Mesh (Qty. 1)			
Installation Hardware	Standard			
ENERGY STAR®	no			
Recirculation	Non-ducted filter sold separately			
AC INPUT				



120 V, 60 Hz - 1.4 AMPS

OPTIONAL ACCESSORIES					
7-in. Round Damper	BP87Q				
Make-up Air Dampers	MD6TU, MD8TU and MD10TU				

MOUNTING HEIGHT

18 in. to 24 in. from cooktop to bottom of hood


LIMITED WARRANTY

1-year


BKSA1 SERIES

SPECIFICATION SHEET

FOR INDOOR USE ONLY









HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 and 0.25 in. static pressure at high speed based on tests conducted in an HVI-approved state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measure