



BRFB1046SS





| GENERAL | |
|---------------------------------|-----------------------------------------------------------------------------|
| Туре | Freestanding |
| Style | Counter-Depth Bottom Freezer |
| Finish | "Fingerprint-Free Stainless Steel with Finished Gray Sides" |
| Metal Back Wall | _ |
| Cooling System | Duo Cycle Frost Free Cooling |
| Control System | Electronic Controls |
| Control Display Type & Location | Digital LED Display, Interior |
| Connectivity | _ |
| CAPACITY | |
| Total Net Volume | 11.22 cu. ft. |
| Fresh Food Net Volume | 8.23 cu. ft. |
| Freezer Net Volume | 2.99 cu. ft. |
| PERFORMANCE | |
| Fresh Food Temperature Range* | 33° F to 46° F |
| Freezer Temperature Range* | -11°F to 0°F |
| Environment Temperature Range | Operates in Temperatures Between 32° F and 110° F |
| Freeze Guard | Yes, Freezer Operates in Temperatures as Low as 5°F |
| Modes | On/Off Power, On/Off Icemaker, Temperature Control, Vacation, Economy |
| Compressor | Variable Speed VCC |
| ENERGY STAR® Certified | Yes – Most Efficient for 2023 |
| Annual Energy Consumption | 340 kwh/year |
| FRESH FOOD FEATURES | |
| Crispers | 1 – Full-width, Humidity Controlled |
| Full-Width Deli Drawer | Yes |
| Shelves | 3 - Full-Depth, Safety Glass (2 Adjustable) |
| Total Number of Door Bins | 3 |
| Gallon-Sized Door Bins | _ |
| Dairy Compartment | Yes |
| Egg Tray | Yes |
| Odor Control Technology | _ |
| Sabbath Mode | _ |
| Eco-Mode | Yes |
| Door Open Alarm | Yes |
| Interior Illumination | LED - Side Walls |
| | |

^{*} Actual temperatures may vary with environment and other factors








BRFB1046SS


| FREEZER FEATURES | |
|----------------------------------|------------------------------------------------------------------------------------------------------|
| Freezer Configuration | Swing Door |
| Freezer Drawers / Baskets / Bins | 2 Drawers, 1 Ice Drawer |
| Freezer Shelves | 1 – Safety Glass |
| Freezer Interior Illumination | _ |
| Automatic Ice Maker | Yes, Makes up to 2.2 lbs./Day |
| Auto Defrost | Yes |
| TECHNICAL INFORMATION | |
| Volts / Frequency | 120 V / 60 Hz |
| Rated Current (A) | 1 A |
| Min. Circuit Breaker Size | 15 Amp |
| Sound Level | 39 dBA |
| Refrigerant Type | R600a |
| Plug Type | NEMA 3-Prong |
| Power Cord Length | 6 ft. |
| Reversible Doors | Yes |
| DIMENSIONS & WEIGHTS | |
| Product (H x W x D) (in) | 67 ³ / ₄ x 23 ⁷ / ₁₆ x 24 ¹ / ₂ |
| Height With Hinge Cap | 67 ³ / ₄ |
| Height Without Hinge Cap | 67 ³ / ₁₆ |
| Depth With Handles | 24 1/2 |
| Depth Without Handles | 24 1/2 |
| Depth Without Doors | 21 5/8 |
| Carton (H x W x D) (in) | 71 ³ / ₈ x 25 ¹³ / ₁₆ x 28 ¹¹ / ₁₆ |
| Product Weight (lbs) | 145.5 |
| Shipping Weight (lbs) | 154.3 |




BRFB1046SS


Dimensions and Installation







Electrical Location



NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.com or call 888-352-2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.








BRFB1046SS

Dimensions and Installation



Allow 2" (50 mm) min. clearance between the top of refrigerator and alcove.

