

48" CONNOISSEURIAN RANGE Dual Fuel

COB / CSB COB—Open Burner Model CSB—Sealed Burner Model

48" DUAL FUEL OVEN FEATURES

- Large Oven 5.4 cu. ft oven cavity with 5.0 cu. ft usable
 —27"W X 16-7/16"H X 21"D. Fits full size commercial
 cookie sheet (26" X 18")
- Companion Oven 2.4 cu. ft capacity with 2.2 cu. ft usable—12" W X 16-7/16"H X 21"D
- Convection Ovens with separate Fan On/Off switch controllable for both ovens
- Bake Elements under Glass for uniform cooking and easy clean up.
- Large Oven—3800W 10 Pass Dual Bake Elements
 Companion Oven—2400W 4 Pass Bake Element
- Broil Elements under Glass for quick, perfect searing and easy clean up.
- Large Oven: 3500W Ribbon Element
- Companion Oven: 2500W Ribbon Element
- 2800 W Hidden Convection Element. Perfect for multirack cooking in both ovens!
- The first and only dual fuel range with the Moist assist feature
- Moist Assist Mode adds moisture during cooking for juicier food (Primary Oven Only)
- Built-In Heavy Duty Rotisserie (Primary Oven Only)
- Probe cooking in both ovens monitors your cooking for you!
- Dual 25 W Oven Lights in each oven provide superior illumination
- Low profile glass and porcelain door for wall to wall visibility, easy cleaning, and extra oven capacity
- Patented Flex Roll oven racks with 6 Positions adjust to meet all cooking needs
- Front and rear levelers allow 5/8" height adjustment Rear levelers have casters for convenient movement



48" OPEN BURNER RANGE TOP FEATURES

- Choice of Range Top Burner Systems:
- COB models feature Capital Exclusive Open Burners rated at 23,000 BTU/hr each
- CSB Models feature Capital Exclusive Power-Flo Sealed Burners rated at 19,000 BTU/hr each
- All burners turn down to a true simmer
- Porcelain coated professional style cast iron grates
- Configurable with:
 - 12" or 24" Thermo Griddle with 3/8" Stainless Griddle Plate option (with Cover)
 - 12" or 24" BBQ Grill Burner with Professional Porcelain Coated Grease Control Grates option (with Cover)
- Flush island trim standard **

OTHER FEATURES:

Dual Digital Kitchen Timers

COLORS (OPTIONAL)

Available in 10 standard colors (door and kick plate)

OVEN MODES

- Bake, Broil, Roast Perfect Convection, Delicate Bake, Convection Bake, Convection Broil, Convection Roast, Self Clean
- •

OTHER

0" Clearance base cabinet installation Field convertible to LP of NG depending on gas

WARRANTY

ONE (1) Year full part and labor covers entire product (light bulbs covered for 60 days after installation.

FIVE (5) Years limi9ted part replacement warranty. Covers part replacement, as noted below, due to malfunction during normal operation

Ranges, All Burners, Heating Elements, Grates, Griddle Plates, & Oven Racks.

Excludes Porcelain Enamel Coating for ovens and grates. Porcelain enamel is prone to wear over time and use.

LIFETIME warranty)non-transferable) on stainless teel sheet metal body parts against rust. Excludes damage and normal heat discoloration. Does not include barbeque grates.

ELECTRICAL RATING


VOLTAGE CURRENT/POWER FREQ 240 VAC 50 AMP 60 Hz

SHIPPING WEIGHT


650-700 lbs.

GAS RATING


Manifold Pressure 5.0 " w.c. 10" w.c. Gas Line Dia. 1/2" min.




COB / CSB 488 8 BURNERS




COB / CSB 484B2 6 BURNERS + BBQ



COB / CSB 484G2 6 BURNERS + GRIDDLE



COB / CSB 484BG 4 BURNERS + BBQ + GRIDDLE



36-3/4" Max w/Range Leveling legs fully extended The range height is adjustable. The level of the range top must be at the same level or above the countertop level.

Δ As defined in the "National Fuel Gas Code" (ANSI Z223.1, lastest edition).

	30"	36"	48"	60"
A)	1"	1"	1"	1"
B)	9"	9"	9"	9"
C)	8"	8"	8"	8"
D)	3-1/2"	3-1/2"	3-1/2"	3-1/2"
E)	18" min.	18" min.	18" min.	18" min.
F)	13" min.	13" min.	13" min.	13" min.



Capital Cooking Equipment, Inc. 13211 Florence Ave. Santa Fe Springs, CA 90670 Phone: 562-903-1168 Toll Free: 866-402-4400 Email: customerservice@capital-cooking.com

Sales: surjitkalsi@msn.com

Made in the U.;S.A. Visit our website: www.capital-cooking.com. ©2010 Capital Cooking Equipment, Inc.