

D5524XLFI

Type: Fully integrated
Colors: Fully Integrated (FI) model
accommodates a selection of accessory
door panels or customer supplied custom
wood panel

PERFORMANCE

Capacity: 14 place settings
Noise level 50 dB(A)
7Spray™ system
PowerZone™ Pots & Pans, PowerZone™ Cutlery

PROGRAMS

Heavy	Normal	Daily
Quick	Super Quick	Delicate
Eco	Rinse & Dry	Rinse & Hold

Super Quick program in 15 minutes!

FEATURES

7 Temperatures, Condensation dry, Hidden
control, LCD display, Uses as little as 2.6 gals of
water in Quick wash, Energy Star rated, 2 year
warranty, ADA compliant, Fits into opening as
low as 32 1/4" height

FLEXIRACKS™ (SEE PAGE 20)

Standard upper rack accommodates:

- 9" items
- Height-adjustable stemware shelf
- High-side design to protect dishes and glasses

Premium lower rack accommodates:

- 12" dishes

Cutlery basket



XL TALL TANK MODELS

PLANNING & DESIGN: XL DISHWASHERS


D5424XL, D5524XLFI, D5534XLFI, D5624XLCS, D5634XLHS, D5644XLCS

Unit Dimensions

	US	METRIC
HEIGHT:*	32 1/4" – 34 3/8"	819 – 873 mm
WIDTH: 5424XL, 5624XLCS 5634XLHS & 5644XLCS 5524XLFI, 5534XLFI	24"	610 mm
DEPTH:	22 7/8"	581 mm
DEPTH W/HANDLE:	24 7/8"	632 mm
DEPTH W/DOOR OPEN:	47 1/2"	1207 mm
WEIGHT: 5424XL, 5624XLCS, 5634XLHS & 5644XLCS	106 lbs	48 kg
5524XLFI, 5534XLFI	94 lbs	43 kg

Technical Data

Electricity	120 V, 60 Hz, 15 Amp
Water pressure	4.2 – 140 psi
Heating element	1200 watt
Max loading	1300 watt




Cutout Dimensions

	US	METRIC
HEIGHT:	32 1/4" – 34 1/2"	819 – 873 mm
WIDTH: 5424XL, 5624XLCS, 5634XLHS & 5644XLCS 5524XLFI, 5534XLFI	24"	610 mm
DEPTH:	23 5/8" – 24"	600 – 610 mm
	24"	510 mm

Depth includes space for the high-loop drain hose

The electrical and water supplies should enter through the area indicated by the shaded area. Preferably, they should come through the right side of the machine. The access hole must be round and smooth and no bigger than 2" (51 mm) in diameter.

* 32 1/4" / 819 mm height requires removal of top trim & lower side trim (2)



ASKO ADA Compliant Dishwashers Dishwasher D5524XLFI

Image not available!

D5524XLFI

Type: Built-in

Color: Panel Ready (FI) model

accommodates a selection of accessory
door panels or customer supplied custom
wood panel PERFORMANCE

Capacity: 14 place settings

ADA Height Compliant

Noise Level 50 dB(A)

7Spray™ System, PowerZone™ Pots &
Pans, PowerZone™ Cutlery, Guaranteed
Water Temperatures PROGRAMS

Heavy

Normal

Daily

Quick

Super quick

Delicate

Eco

Rinse and dry

Rinse & hold

Super Quick program in 15 Minutes!

FEATURES:

7 Temperatures

Condensation dry

Hidden control

LCD Display

Uses as little as 2.6 gals of water in Quick
wash

Energy Star rated

2 Years Limited Warranty - Parts & Labor

Protection FLEXIRACKS™

Standard upper rack accommodates:

- 9" items

- Height-adjustable stemware

- High-side design to protect the dishes and
glasses Premium lower rack accommodates:

- 12" dishes

- Cutlery basket

Technical specifications - Dishwasher D5524XLFI

PROGRAMMING OPTIONS:

Number of programs	9
--------------------	---

CONSUMPTION:

Average water usage (gal)	2.6 Quick Wash
---------------------------	----------------

OTHER FEATURES:

Noise level dB(A)	50
-------------------	----

OTHER FEATURES:

Product group	Dishwasher
---------------	------------

Child safety devices	KidSafe™
----------------------	----------

Construction type	Built-in
-------------------	----------

Daily wash	Yes
------------	-----

Delicate	Yes
----------	-----

Drying optional	Yes
-----------------	-----

Eco	Yes
-----	-----

Heavy wash	Yes
------------	-----

Normal wash	Yes
-------------	-----

Number of place settings	14
--------------------------	----

Quick wash	Yes
------------	-----

Rins and hold	Yes
---------------	-----

Rinse and dry	Yes
---------------	-----

Super quick	Yes
-------------	-----

Temperature	Yes
-------------	-----

Type of control	Electronic
-----------------	------------