

DGC 7840 XL - Obsidian Black 24" Combi-Steam Oven - VitroLine

Features:

- Combi-Steam Ovens: Steam ovens with full fledged oven function
- · Lift up panel conveniently stores the water containers
- M-Touch Display with Motion React Simple to use touch controls that react when approached
- Roast Probe Precise temperature control of food
- Mix & Match use your Miele@home app or the WiFi enabled appliance to create recipes for full meals

Included:

- 1 Universal Tray with Perfect Clean
- 1 Wire rack with Perfect Clean
- 1 pair FlexiClip runners with Perfect Clean
- 2 perforated stainless steel containers
- 1 solid stainless steel container



MATERIAL

11876610

| SPECIFICATIONS | |
|----------------------------------|--|
| Overall Unit Dimensions | 23 ⁷ / ₁₆ " (595 mm) W x 17 ¹⁵ / ₁₆ " (455.5 mm) H x 23 ¹ / ₄ " (590 mm) D |
| Niche | |
| Minimum Cabinet Niche Opening | 22 ¹ / ₂ " (562 mm) W x 17 ¹¹ / ₁₆ " (450 mm) H x 24" (610 mm) D |
| Electrical | |
| Electrical Requirements | 208 - 240V, 60Hz, 20 Amps |
| Power Cord | NEMA 6-20 plug, 5 ft (1.52 m) |
| Shipping | |
| Shipping Weight | 128 lbs (58 kg) |
| Shipping Dimensions | 27 ⁷ / ₁₆ " (697 mm) W x 23 ⁷ / ₁₆ " (595 mm) H x 26 ¹¹ / ₁₆ " (677 mm) D |

PRODUCT DIMENSIONS



E = Electrical connection



FLUSH CUTOUT DIMENSIONS







A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

I)- Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.



PROUD CUTOUT DIMENSIONS







A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

I- Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.