




DISHWASHER COLLECTION

Real cooks need dish care solutions that give them the flexibility to entertain without restrictions—that complement their passion for the food experience. The Thermador Collection of dishwashers delivers luxury performance with absolutely unparalleled flexibility.

Our innovations enhance the experience of entertaining, ideal for the frequent host. Flexible racking and storage options mean that no other dishwasher can accommodate the range of jobs that Thermador can: from large pots and pans to bulky cooking utensils to fine stemware. And with the fastest full wash in the industry, a Thermador Dishwasher means that the evening never has to stop for lack of a serving plate or wine glass.







STAR-SAPPHIRE™ THE STAR OF THE KITCHEN MOVES AT LIGHT SPEED

Dishwashers should never compromise performance for luxury, or speed for capacity. Where others fall short in one dimension or another, the Thermador® Star-Sapphire Dishwasher cleans up with the fastest full wash of any residential dishwasher in its class*.

★ STAR SPEED®

Star Speed preheats one wash cycle's worth of hot water ahead of time, allowing you to complete a full load of dishes in record-setting time.

★ SMOOTH GLIDE RACKS

Sleek charcoal-grey racks are engineered to glide effortlessly without jarring or sticking, delivering a more pleasing loading and unloading experience.

★ SAPPHIRE GLOW®

Bring the results of a perfect wash to light with sparkling blue light that illuminates when the dishwasher is opened, giving just-cleaned stemware and dishes a luxurious glow.

★ LARGEST WINE GLASS CAPACITY

Accommodates up to 18 large wine glasses into the top and bottom rack, more than any competing dishwasher.

ADJUSTABLE CHEF'S TOOL DRAWER®

Real cooks need serious loading capacity for their collection of small and large utensils. Star-Sapphire dishwashers feature a flexible 3rd Rack that delivers not only added loading capacity, but adjustability to accommodate larger or smaller items, wider ends, and utensil handles.

TIME REMAINING POWERBEAM®

Our Star-Sapphire dishwashers offer a convenient Time Remaining PowerBeam Light that projects cycle status and time remaining on the kitchen floor.

FLEXIBLE FOLDING TINES

Another feature that makes Thermador Dishwashers the most versatile on the market. Flexible Folding Tines fold down to accommodate larger pots, pans, and dishes while providing the capacity to hold items twice as wide as previous models, and significantly wider than competitors.

*Fastest full wash cycle for residential dishwashers in its class. Full cycle is defined as full wash, hot water cycle.

DISHWASHER FEATURE HIGHLIGHTS

EMERALD® MODELS FEATURE:

BLUE POWERBEAM® STATUS INDICATOR

The PowerBeam operating indicator lets you know when the unit is running with our signature blue light.

FINE SILVERWARE CARAFE

The aluminum construction of our Fine Silverware Carafe accessory (sold separately) protects valuable sterling silver flatware from damaging oxidation so it can be safely washed in the dishwasher.

TOPAZ® MODELS ADD THESE FEATURES:

CHEF'S TOOL DRAWER®

A real cook's work is never done, but an upgraded tool drawer makes cleanup much easier. With a design that accommodates oversized and wide-handled tools. loading and unloading become seamless and cleaning more thorough.

EXTRA-TALL-ITEM SPRINKLER

Sprinkler delivers powerful spray stream to ensure large items can be cleaned—without removing the Chef's Tool Drawer. Cleans items up to 22 inches tall, such as platters and baking sheets, eliminating the need to hand wash.

CRYSTAL PROTECT® SYSTEM

Utilizes a built-in water softener to neutralize water hardness for perfectly clear crystal, free of water spots.

SAPPHIRE® MODELS ADD THESE FEATURES:

★ SAPPHIRE GLOW®

Bring the results of a perfect wash to light with sparkling blue light that illuminates when the dishwasher is opened, giving just-cleaned stemware and dishes a luxurious glow.

ADJUSTABLE CHEF'S TOOL DRAWER®

Real cooks need serious loading capacity for their collection of small and large utensils. This flexible 3rd Rack delivers not only added loading capacity, but adjustability to accommodate larger or smaller items, wider ends, and utensil handles.

FLEXIBLE FOLDING TINES

Another feature that makes Thermador® Dishwashers the most versatile on the market. Flexible Folding Tines fold down to accommodate larger pots, pans, and dishes providing the capacity to hold items twice as wide as previous models, and significantly wider than competitors.









DESIGN VERSATILITYONLY FROM THERMADOR®

The ingenious Dishwasher Collection from Thermador lets you take kitchen design to a higher level. The possibilities are endless with four distinct series to choose from, each with five unique design options to perfectly complement your kitchen design.



Flat Stainless Steel Panel with Professional Handle



Flat Stainless Steel Panel with Masterpiece® Handle



Chiseled Stainless Steel Panel with Professional Handle*



Chiseled Stainless Steel Panel with Masterpiece® Handle*



Custom Panel to Match Your Cabinetry

FULLY FLUSH CUSTOM PANEL DISHWASHERS

MAKE YOUR DISHWASHER DISAPPEAR

Match your kitchen's custom cabinetry to our dishwasher for complete integration. Thermador custom panel dishwashers are the only dishwashers available that install fully flush for a seamless, integrated look. Everything needed to install your custom panel comes in the box.

PROTECTING YOUR FINE WOOD CABINETS

Thermador dishwashers feature a unique condensation drying system that eliminates the risk of steam damage over time to custom panel wood cabinetry and countertops. The closed system heats dishes with hot water from the final rinse.

*Available as an accessory



DWHD440MFP

EMERALD® 4-PROGRAM DISHWASHER

PROFESSIONAL SERIES HANDLE











Also Available In:

DWHD440MFM - Flat Stainless Steel Panel with Masterpiece® Series Handle DWHD440MPR - Custom Panel

FEATURES & BENEFITS

- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling
- Accommodates 15 plate settings for your dinner parties
- Extra Dry Option ensures perfectly dry dishes and sanitizes 99.9% of bacteria
- Impressively Quiet®-48 dBA for peaceful kitchen experience

ACCESSORIES (OPTIONAL)	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	4
Number Of Options	4
dBA	48
Third Rack	N/A
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	N/A
Water Softener	No
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.9 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	624 g
CAPACITY	
Number Of Place Settings	15
TECHNICAL DETAILS	
TECHNICAL DETAILS Watts (W)	1,300 W
	1,300 W 12 A
Watts (W)	
Watts (W) Current (A)	12 A
Watts (W) Current (A) Volts (V)	12 A 120 V
Watts (W) Current (A) Volts (V) Frequency (Hz)	12 A 120 V 60 Hz
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in)	12 A 120 V 60 Hz 47 1/4"
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin)	12 A 120 V 60 Hz 47 1/4"
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake	12 A 120 V 60 Hz 47 1/4" 14 120° F
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in)	12 A 120 V 60 Hz 47 1/4" 14 120° F 53"
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in)	12 A 120 V 60 Hz 47 1/4" 14 120° F 53"
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" ×
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in)	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 3/4"
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in)	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 3/4" 33 7/8" × 23 5/8" × 24"
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 3/4" 33 7/8" × 23 5/8" × 24" Yes
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet Net Weight (lbs)	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 3/4" 33 7/8" × 23 5/8" × 24" Yes
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet Net Weight (lbs) WARRANTY	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 3/4" 33 7/8" × 23 5/8" × 24" Yes 86 lbs
Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet Net Weight (lbs) WARRANTY Limited Warranty, Entire Appliance, Parts & Labor Limited Warranty for Microprocessor or Printed	12 A 120 V 60 Hz 47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 3/4" 33 7/8" × 23 5/8" × 24" Yes 86 lbs

DWHD440MFM

EMERALD® 4-PROGRAM DISHWASHER

MASTERPIECE® SERIES HANDLE













Also Available In:

DWHD440MFP - Flat Stainless Steel Panel with Professional Series Handle DWHD440MPR - Custom Panel

FEATURES & BENEFITS

- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling results
- Accommodates 15 plate settings for your dinner parties
- Extra Dry Option ensures perfectly dry dishes and sanitizes 99.9% of bacteria
- Impressively Quiet®–48 dBA for peaceful kitchen experience

ACCESSORIES (OPTIONAL)	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	4
Number Of Options	4
dBA	48
Third Rack	N/A
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	N/A
Water Softener	No
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.9 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	624 g
CAPACITY	
Number Of Place Settings	15
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4 "
Minimum Water Pressure (lb/sin)	14
Max. Temperature for Water Intake	120° F
Length Inlet Hose (in)	53"
Length Outlet Hose (in)	67"
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	33 ⁷ /8" x 23 ⁹ /16" x 23 ³ /4"
Required Cutout Size (HxWxD) (in)	33 7/8 " x 23 5/8 " x 24"
Adjustable Feet	Yes
Net Weight (lbs)	85 lbs
WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DWHD440MPR EMERALD® 4-PROGRAM DISHWASHER







Also Available In:

DWHD440MFP - Flat Stainless Steel Panel with Professional Series Handle DWHD440MFM - Flat Stainless Steel Panel with Masterpiece® Series Handle

FEATURES & BENEFITS

- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling
- Accommodates 15 plate settings for your dinner parties
- Extra Dry Option ensures perfectly dry dishes and sanitizes 99.9% of bacteria
- Impressively Quiet®-48 dBA for peaceful kitchen experience

ACCESSORIES (OPTIONAL)	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
24" Stainless Steel Chiseled Door with Masterpiece Handle	DWHDZJCMD
24" Stainless Steel Chiseled Door with Professional Handle	DWHDZJCPD











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Fine Silverware Carafe

Liner; Parts Only

GENERAL PROPERTIES	
Number Of Wash Cycles	4
Number Of Options	4
dBA	48
Third Rack	N/A
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	N/A
Water Softener	No
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.9 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	624 g
CAPACITY	
Number Of Place Settings	15
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
F (11)	
Frequency (Hz)	60 Hz
Power Cord Length (in)	60 Hz 47 1/4 "
Power Cord Length (in)	47 1/4"
Power Cord Length (in) Minimum Water Pressure (lb/sin)	47 1/4 " 14
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake	47 1/ 4 " 14 120° F
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in)	47 1/4" 14 120° F 53"
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in)	47 1/4" 14 120° F 53"
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" ×
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in)	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 1/16"
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in)	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 1/16" 33 7/8" × 23 5/8" × 24"
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 1/16" 33 7/8" × 23 5/8" × 24" Yes
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet Net Weight (lbs)	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 1/16" 33 7/8" × 23 5/8" × 24" Yes
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet Net Weight (lbs) WARRANTY	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 1/16" 33 7/8" × 23 5/8" × 24" Yes 83 lbs
Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in) Adjustable Feet Net Weight (lbs) WARRANTY Limited Warranty, Entire Appliance, Parts & Labor Limited Warranty for Microprocessor or Printed	47 1/4" 14 120° F 53" 67" 33 7/8" × 23 9/16" × 23 1/16" 33 7/8" × 23 5/8" × 24" Yes 83 lbs 2 Year

DWHD640JFP TOPAZ® 6-PROGRAM DISHWASHER

PROFESSIONAL SERIES HANDLE











Also Available In:

DWHD640JFM - Flat Stainless Steel Panel with Masterpiece® Series Handle DWHD640JPR - Custom Panel

FEATURES & BENEFITS

- 🜟 Blue PowerBeam® operating indicator lets you know when dishwasher is running
 - Crystal Protect® system adjusts the water softness during the cycle for perfectly clear crystal, free of water spots
 - PowerBoost® option increases temperature and pressure in the lower rack for the ultimate performance in heavy-duty
 - Sens-A-Wash® measures water cleanliness and adjusts wash cycle
 - Extra Dry Option ensures perfectly dry dishes and sanitizes 99.9% of bacteria

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
















Fine Silverware Carafe

CENTER AL PROPERTIES	
GENERAL PROPERTIES Number Of Wash Cycles	6
•	4
Number Of Options dBA	44
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4"
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1 /8"
Length Outlet Hose (in)	55 1/8 "
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ /16" × 23 ⁹ /16" × 22 ⁷ /16"
Required Cutout Size (HxWxD) (in)	34 1/8" x 24" x 24"
Adjustable Feet	Yes
Net Weight (lbs)	102 lbs
ACCESSORIES (INCLUDED)	- <u> </u>

ACCESSORIES (INCLUDED)

WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DWHD640JFMTOPAZ® 6-PROGRAM DISHWASHER

Thermador,
REAL INNOVATIONS FOR REAL COOKS®



MASTERPIECE® SERIES HANDLE







Also Available In:

DWHD640JFP - Flat Stainless Steel Panel with Professional Series Handle DWHD640JPR - Custom Panel

FEATURES & BENEFITS

- Blue PowerBeam® operating indicator lets you know when dishwasher is running
 - Crystal Protect® system adjusts the water softness during the cycle for perfectly clear crystal, free of water spots
 - PowerBoost® option increases temperature and pressure in the lower rack for the ultimate performance in heavy-duty cleaning
 - Sens-A-Wash® measures water cleanliness and adjusts wash cycle
 - Extra Dry Option ensures perfectly dry dishes and sanitizes 99.9% of bacteria

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	4
dBA	44
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4"
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1/8 "
Length Outlet Hose (in)	55 1/8 "
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ / ₁₆ " x 23 ⁹ / ₁₆ " x 22 ⁷ / ₁₆ "
Required Cutout Size (HxWxD) (in)	34 1/8" x 24" x 24"
Adjustable Feet	Yes
Net Weight (lbs)	101 lbs
Net Weight (lbs)	101 lbs

ACCESSORIES (INCLUDED)

WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DWHD640JPRTOPAZ® 6-PROGRAM DISHWASHER

CUSTOM PANEL











Also Available In:

DWHD640JFP - Flat Stainless Steel Panel with Professional Series Handle DWHD640JFM - Flat Stainless Steel Panel with Masterpiece® Series Handle

FEATURES & BENEFITS

- Blue PowerBeam® operating indicator lets you know when dishwasher is running
 - Crystal Protect® system adjusts the water softness during the cycle for perfectly clear crystal, free of water spots
 - PowerBoost® option increases temperature and pressure in the lower rack for the ultimate performance in heavy-duty cleaning
 - Sens-A-Wash® measures water cleanliness and adjusts wash cycle
 - Extra Dry Option ensures perfectly dry dishes and sanitizes 99.9% of bacteria

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
24" Stainless Steel Chiseled Door with Masterpiece Handle	DWHDZJCMD
24" Stainless Steel Chiseled Door with Professional Handle	DWHDZJCPD











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	4
dBA	44
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4 "
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1 / 8 "
Length Outlet Hose (in)	55 1 / 8 "
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ /16" × 23 ⁹ /16" × 21 ⁵ /8"
Required Cutout Size (HxWxD) (in)	34 1/8 " x 24" x 24"
Adjustable Feet	Yes
Net Weight (lbs)	96 lbs
ACCESSORIES (INCLUDED)	

WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DWHD650JFP

SAPPHIRE® 6-PROGRAM DISHWASHER

PROFESSIONAL SERIES HANDLE





Also Available In:

DWHD650JFM - Flat Stainless Steel Panel with Masterpiece® Series Handle DWHD650JPR - Custom Panel

FEATURES & BENEFITS

- ★- Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
- ★- Blue PowerBeam® operating indicator lets you know when dishwasher is running
 - Adjustable Chef's Tool Drawer® delivers added loading capacity as well as flexibility to accommodate larger or smaller items, wider ends and utensil handles
 - Flexible folding tines fold down to accommodate larger pots, pans, and dishes and add flexibility to hold items twice as wide as previous models and significantly wider than
 - Crystal Protect® system adjusts the water softness during the cycle for perfectly clear crystal, free of water spots

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC















Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	5
dBA	42
Third Rack	Adjustable Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	260 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4"
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1/8 "
Length Outlet Hose (in)	55 1/8 "
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ /16" × 23 ⁹ /16" × 22 ⁷ /16"
Required Cutout Size (HxWxD) (in)	34 1/8 " x 24" x 24"
Adjustable Feet	Yes
Net Weight (lbs)	104 lbs

ACCESSORIES (INCLUDED)

Baking Sheet Spray Flead Grey		
WARRANTY		
Limited Warranty, Entir	re Appliance, Parts & Labor	2 Year
Limited Warranty for M Circuit Board; Parts O	Microprocessor or Printed nly	3rd to 5th Year
Limited Warranty for R Rack Components); Pa	Racks (Does Not Include arts Only	3rd to 5th Year
Limited Warranty for F Liner; Parts Only	Rust-through On Inner Tub	Lifetime

DWHD650JFM

SAPPHIRE® 6-PROGRAM DISHWASHER

MASTERPIECE® SERIES HANDLE











Also Available In:

DWHD650JFP - Flat Stainless Steel Panel with Professional Series Handle DWHD650JPR - Custom Panel

FEATURES & BENEFITS

- 🖈- Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
- ★- Blue PowerBeam® operating indicator lets you know when dishwasher is running
 - Adjustable Chef's Tool Drawer® delivers added loading capacity as well as flexibility to accommodate larger or smaller items, wider ends and utensil handles
 - Flexible folding tines fold down to accommodate larger pots, pans, and dishes and add flexibility to hold items twice as wide as previous models and significantly wider than
 - Crystal Protect® system adjusts the water softness during the cycle for perfectly clear crystal, free of water spots

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC















Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	5
dBA	42
Third Rack	Adjustable Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	260 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4"
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1 / 8 "
Length Outlet Hose (in)	55 1/8"
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ /16" × 23 ⁹ /16" × 22 ⁷ /16"
Required Cutout Size (HxWxD) (in)	34 1/8 " x 24" x 24"
Adjustable Feet	Yes
Net Weight (lbs)	103 lbs

ACCESSORIES (INCLUDED) Baking-Sheet Spray Head Grey

DWHD650JPRSAPPHIRE® 6-PROGRAM DISHWASHER **CUSTOM PANEL**









Also Available In:

DWHD650JFP - Flat Stainless Steel Panel with Professional Series Handle DWHD650JFM - Masterpiece® Series Handle

FEATURES & BENEFITS

- ★- Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
- ★- Blue PowerBeam® operating indicator lets you know when dishwasher is running
 - Adjustable Chef's Tool Drawer® delivers added loading capacity as well as flexibility to accommodate larger or smaller items, wider ends and utensil handles
 - Flexible folding tines fold down to accommodate larger pots, pans, and dishes and add flexibility to hold items twice as wide as previous models and significantly wider than competitor
 - Crystal Protect® system adjusts the water softness during the cycle for perfectly clear crystal, free of water spots

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
24" Stainless Steel Chiseled Door with Masterpiece Handle	DWHDZJCMD
24" Stainless Steel Chiseled Door with Professional Handle	DWHDZJCPD











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	5
dBA	42
Third Rack	Adjustable Chef's To
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Buttons
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	260 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4"
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1 /8"
Length Outlet Hose (in)	55 1/8 "
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ / ₁₆ " × 23 ⁹ / ₁₆ " × 21 ⁵ / ₈ "
Required Cutout Size (HxWxD) (in)	34 1/8 " x 24" x 24"
Adjustable Feet	Yes
Net Weight (lbs)	99 lbs
ACCESSORIES (INCLUDED)	
Baking-Sheet Spray Head Grey	
WARRANTY	

WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DWHD651JFP

STAR-SAPPHIRE® 6-PROGRAM DISHWASHER













Also Available In:

DWHD651JFM - Flat Stainless Steel Panel with Masterpiece® Series Handle DWHD651JPR - Custom Panel

FEATURES & BENEFITS

- 🖈 Star Speed® is a full wash cycle in just 20 minutes–industry fastest
- 🜟 Largest wine glass capacity–18 large wine glasses
- 🖈 Smooth Glide Racks glide effortlessly without jarring or sticking, providing a more pleasant loading and unloading experience
- 🖈 Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
 - Piezo touch control communicates slick design and performance
 - Time remaining PowerBeam® shines the actual remaining time of the cycle on the floor

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC















Baking-Sheet Spray Head Grey

Circuit Board; Parts Only

Rack Components); Parts Only

Limited Warranty, Entire Appliance, Parts & Labor

Limited Warranty for Microprocessor or Printed

Limited Warranty for Racks (Does Not Include

Limited Warranty for Rust-through On Inner Tub

2 Year

Lifetime

3rd to 5th Year

3rd to 5th Year

WARRANTY

Liner; Parts Only

Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	5
dBA	44
Third Rack	Adjustable Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Touch Controls
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash Yes	
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh) 260 kWh	
Total Annual Water Consumption (g)	613 g
	3
CAPACITY	
CAPACITY Number Of Place Settings	14
Number Of Place Settings	
Number Of Place Settings TECHNICAL DETAILS	14
Number Of Place Settings TECHNICAL DETAILS Watts (W)	14 1,300 W
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A)	1,300 W 12 A
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V)	1,300 W 12 A 120 V
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz)	1,300 W 12 A 120 V 60 Hz
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in)	1,300 W 12 A 120 V 60 Hz 47 1/4"
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin)	1,300 W 12 A 120 V 60 Hz 47 1/4"
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake	1,300 W 12 A 120 V 60 Hz 47 1/4" 7
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in)	1,300 W 12 A 120 V 60 Hz 47 1/4" 7 140° F 55 1/8"
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in)	1,300 W 12 A 120 V 60 Hz 47 1/4" 7 140° F 55 1/8"
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT	1,300 W 12 A 120 V 60 Hz 47 1/4" 7 140° F 55 1/8" 55 1/8" 34 1/8" × 23 9/16" ×
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in)	14 1,300 W 12 A 120 V 60 Hz 47 1/4" 7 140° F 55 1/8" 55 1/8" 34 1/8" × 23 9/16" × 22 7/16"
Number Of Place Settings TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in) Minimum Water Pressure (lb/sin) Max. Temperature for Water Intake Length Inlet Hose (in) Length Outlet Hose (in) DIMENSIONS & WEIGHT Overall Appliance Dimensions (HxWxD) (in) Required Cutout Size (HxWxD) (in)	14 1,300 W 12 A 120 V 60 Hz 47 1/4" 7 140° F 55 1/8" 55 1/8" 34 1/8" × 23 9/16" × 22 7/16" 34 1/8" × 24" × 24"

34 1/8" x 24" x 24"

Yes

102 lbs

DWHD651JFM STAR-SAPPHIRE® 6-PROGRAM DISHWASHER

Thermador,
REAL INNOVATIONS FOR REAL COOKS®

MASTERPIECE® SERIES HANDLE









Also Available In:

DWHD651JFP - Flat Stainless Steel Panel with Professional Series Handle DWHD651JPR - Custom Panel

FEATURES & BENEFITS

- ★ Star Speed® is a full wash cycle in just 20 minutes—industry fastest
- 🖈 Largest wine glass capacity–18 large wine glasses
- Smooth Glide Racks glide effortlessly without jarring or sticking, providing a more pleasant loading and unloading experience
- ★ Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
 - Piezo touch control communicates slick design and performance
 - Time remaining PowerBeam® shines the actual remaining time of the cycle on the floor

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC











Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket

Fine Silverware Carafe

GENERAL PROPERTIES	
	,
Number Of Wash Cycles	6
Number Of Options	5
dBA	44
Third Rack	Adjustable Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Touch Controls
Concealed Heating Element	Yes
Leak Protection System	24/7 AquaStop® Plus
Water Softener	Yes
Five-Level Wash	Yes
Childlock	No
EFFICIENCY	
Water Usage Per Cycle (g)	2.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Qualified	Yes
Total Annual Energy Consumption (kWh)	260 kWh
Total Annual Water Consumption (g)	613 g
CAPACITY	
Number Of Place Settings	14
TECHNICAL DETAILS	
Watts (W)	1,300 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	47 1/4"
Minimum Water Pressure (lb/sin)	7
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	55 1/8 "
Length Outlet Hose (in)	55 1/8"
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ /8" x 23 ⁹ /16" x 22 ⁷ /16"

ACCESSORIES (INCLUDED)

Adjustable Feet

Net Weight (lbs)

Baking-Sheet Spray Head Grey

Required Cutout Size (HxWxD) (in)

zamig silest spray i lead siley	
WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DWHD651JPR

STAR-SAPPHIRE® 6-PROGRAM DISHWASHER

CUSTOM PANEL











Also Available In:

DWHD651JFP - Flat Stainless Steel Panel with Professional Series Handle DWHD651JFM - Flat Stainless Steel Panel with Masterpiece® Series Handle

FEATURES & BENEFITS

- ★ Star Speed® is a full wash cycle in just 20 minutes—industry fastest
- ★ Largest wine glass capacity–18 large wine glasses
- Smooth Glide Racks glide effortlessly without jarring or sticking, providing a more pleasant loading and unloading experience
- ★ Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
 - Piezo touch control communicates slick design and performance
 - Time remaining PowerBeam® shines the actual remaining time of the cycle on the floor

ACCESSORIES (OPTIONAL)	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
24" Stainless Steel Chiseled Door with Masterpiece Handle	DWHDZJCMD
24" Stainless Steel Chiseled Door with Professional Handle	DWHDZJCPD



Small Item Basket











Fine Silverware Carafe

GENERAL PROPERTIES		
Number Of Wash Cycles	6	
Number Of Options	5	
dBA	44	
Third Rack	Adjustable Chef's Tool Drawer®	
Rack Adjustability	Rackmatic 3-Stage	
Tub Material	Stainless Steel	
Control Type	Touch Controls	
Concealed Heating Element	Yes	
Leak Protection System	24/7 AquaStop® Plus	
Water Softener	Yes	
Five-Level Wash	Yes	
Childlock	No	
EFFICIENCY		
Water Usage Per Cycle (g)	2.2 g	
Energy Efficiency Class	Tier 1	
ENERGY STAR® Qualified	Yes	
Total Annual Energy Consumption (kWh)	260 kWh	
Total Annual Water Consumption (g)	613 g	
CAPACITY		
Number Of Place Settings	14	
TECHNICAL DETAILS		
Watts (W)	1,300 W	
Current (A)	12 A	
Volts (V)	120 V	
Frequency (Hz)	60 Hz	
Power Cord Length (in)	47 1/4"	
Minimum Water Pressure (lb/sin)	7	
Max. Temperature for Water Intake	140° F	
Length Inlet Hose (in) 55 1/8"		
Length Outlet Hose (in)	55 1 / 8 "	
DIMENSIONS & WEIGHT		
Overall Appliance Dimensions (HxWxD) (in)	34 ¹ /8" × 23 ⁹ /16" × 21 ⁵ /8"	
Required Cutout Size (HxWxD) (in)	34 1/8" x 24" x 24"	
Adjustable Feet	Yes	
Net Weight (lbs)	96 lbs	
ACCESSORIES (INCLUDED)		

ACCESSORIES (INCLUDED)

WARRANTY	
Limited Warranty, Entire Appliance, Parts & Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DISHWASHERS PLANNING INFORMATION

MODEL OPTIONS

There are four Thermador Dishwasher Series to choose from in the Collection—Emerald® (4-program), Topaz® (6-program), Sapphire® (6-program) and Star-Sapphire™ (6-program). All series models are available with a Masterpiece® or Professional Handle to perfectly match other Thermador appliances in your kitchen. All series have a custom panel option to fully integrate with your cabinetry. Be sure to reference the correct model information in this design guide.

FULLY FLUSH CUSTOM PANEL DISHWASHERS

Thermador custom panel dishwashers can be installed fully flushed for a seamless, integrated look.

WHAT TO CONSIDER WHEN INSTALLING A CUSTOM PANEL DISHWASHER

Thermador Dishwashers are designed to offer the ultimate in design flexibility and the ability to be installed in a variety of configurations.

DWHD440MPR

- Minimum opening height: 33 7/8" (860 mm)
- Minimum opening width: 24" (610 mm) or 23 5/8" (600 mm) wide with decor strips removed

DWHD640JPR AND DWHD650JPR

- Minimum opening height: 34 1/16" (865 mm)
- Minimum opening width: 24" (610 mm) or 23 5/8" (600 mm) wide with decor strips removed

DWHD651JPR

- Minimum opening height: 34 1/8" (867 mm)
- Minimum opening width: 24" (610 mm) or 23 5/8" (600 mm) wide with decor strips removed



All Thermador Dishwashers are ENERGY STAR® Qualified

INSTALLATION OPTIONS

CUSTOM DOOR PANELS (DWHD440MPR, DWHD640JPR, DWHD650JPR, DWHD651JPR)

Fully integrated models allow you to have a custom door panel made to match your cabinetry. The custom door can be a two-piece configuration to look like a drawer at the top and a cabinet door at the bottom or like a single full-length door. A template is included with the fully integrated models to explain the mounting procedure.

NOTE: These dishwashers can accept custom door panel weights ranging from 7 to 24 lbs.; however, the dishwasher comes from the factory ready for custom panel door weights from 11 to 18 lbs. If you plan on using a door panel that is not 11 to 18 lbs., please contact customer service at (800) 944-2904.

INSTALLATION CONSIDERATIONS

The information in this design guide provides key features, product dimensions, cutouts and installation specifications. Before installing a Thermador Dishwasher, be sure to verify the cabinet dimensions, electrical connections and water connections. Also, always consult with the installation manual packed with the product for complete details before installing.

Thermador Dishwashers are designed to be enclosed on the top and both sides by standard residential kitchen cabinetry.

For Emerald the opening should be at least 34" high and 24" wide (or 23.5/8" wide with decor strips removed).

For Topaz®, Sapphire and Star-Sapphire the opening should be at least 34 1/16" high and 24" wide. (or 23 5/8" wide with decor strips removed).

If the dishwasher is to be installed in a corner, make sure that there is adequate clearance to open the door.

DISHWASHERS

PLANNING INFORMATION

ELECTRICAL SPECIFICATIONS

This appliance must be grounded to a metal, permanent wiring system, or an equipment grounding conductor must be run with the circuit conductors and connected to the equipment grounding terminal or lead on the dishwasher.

MODEL	REQUIRED CIRCUIT BREAKER
All Dishwasher Models	120V, 60 Hz, 12 A

WATER AND ELECTRICAL LOCATIONS

For proper dishwasher operation and appearance, ensure that the enclosure is square and has the dimensions shown. Plumbing and electrical service must enter shaded area.

Make required openings to allow for passage of the water, drain and electrical line. In order to avoid interference with the dishwasher when sliding it into the cabinet, place your openings within the dimensions shown.

Select a location as close to the sink as possible for easy access to water supply and drain lines.

NOTE: Plumbing installations will vary—refer to local codes. The maximum length of the drain hose, including hose leading to air gap (if any) is 150" (381 cm). Ensure a portion of the drain hose is raised at least 20" (51 cm) above the floor to ensure proper draining.

TOPAZ®, SAPPHIRE® AND STAR SAPPHIRE™ SERIES

NOTE: if the incoming electric supply, water supply and drain connections are all in the same cabinet, the one 4 1/2" x 2 1/2" hole will be large enough for all three to pass through.


The dishwasher electrical supply junction box and dedicated receptacle must be mounted in an accessible cabinet adjacent to the dishwasher (do not mount the junction box or receptacle behind the dishwasher). You will need a 4 1/4" x 2" (108 x 51 mm) opening through the cabinet in order to pass the junction box through.

The electrical supply can be connected in one of two ways:

- Use the included 3-wire plug and junction box to connect to a dedicated household receptacle.
- Permanently connect to household or field wiring

WATER AND ELECTRICAL LOCATION DIMENSIONS

EMERALD® SERIES REQUIRED OPENINGS:





TOPAZ®, SAPPHIRE® AND STAR SAPPHIRE™ SERIES REQUIRED OPENINGS:

 $4\,^{1/4}$ " x 2" (108 x 52 mm)–To pass the included electrical supply junction box through to an adjacent cabinet


 $4" \times 2" (100 \times 50 \text{ mm})$ –To pass the included water supply line toward the water supply


1 $^{1/4}$ " (32 mm) diameter–To pass the dishwasher drain hose toward the drain connection





Electrical and Water Connection









DISHWASHER & CUTOUT DIMENSIONS

EMERALD DWHD440MFP & DWHD440MFM



CUSTOM PANEL EMERALD DWHD440MPR


(16-22 mm)




DISHWASHERSINSTALLATION

DISHWASHER & CUTOUT DIMENSIONS

TOPAZ DWHD640JFP & DWHD640JFM SAPPHIRE DWHD650JFP & DWHD650JFM




CUSTOM PANEL TOPAZ DWHD640JPR & SAPPHIRE DWHD650JPR






DISHWASHER & CUTOUT DIMENSIONS

STAR-SAPPHIRE DWHD651JFP & DWHD651JFM



CUSTOM PANEL STAR-SAPPHIRE DWHD651JPR



EXPERIENCE THERMADOR®

Thermador is committed to giving you an enjoyable, creative and rewarding cooking experience. Whether you would like to research our products, watch a video of our chef searing the perfect scallop, or have questions on the use and care of your product, simply browse our online resource library at **thermador.com**.



CONNECT WITH US

- B thermador.com/blog
- pinterest.com/thermador
- instagram.com/thermadorhome
- f facebook.com
- youtube.com/thermadorhome
- twitter.com/thermador

VISIT THE ABOVE SITES TO SHARE PHOTOS OF YOUR NEW KITCHEN AND CREATIVE DISHES.

TAKE US WITH YOU

Visit the App Store™ or Google Play™ to download our Innovations app, including the Thermador Kitchen Ideas & Lookbook and the Thermador Kitchen Design and Planning Guide.





CUSTOMER SERVICE

For dedicated customer service on any Thermador product, please call: 1-800-735-4328 or contact us at

thermador.com

PRODUCT WARRANTY

PROFESSIONAL RANGES

Limited warranty, entire appliance, parts and labor (2 year)

PROFESSIONAL RANGETOPS

Limited warranty, entire appliance, parts and labor (2 year)

BUILT-IN OVENS

Limited warranty parts and labor (2 year)

INDUCTION COOKTOPS

Limited warranty, entire appliance, parts and labor (2 year)

Limited warranty for glass ceramic surface/electronic elements and switches; parts only (3rd to 5th year)

GAS COOKTOPS

Limited warranty, entire appliance, parts and labor (2 year)

ELECTRIC COOKTOPS

Limited warranty, entire appliance, parts and labor (2 year)

Limited warranty for glass ceramic surface/electronic elements and switches; parts only (3rd to 5th year)

VENTILATION

Limited warranty, entire appliance, parts and labor (2 year)

WARMING DRAWERS

Limited warranty, entire appliance, parts and labor (2 year)

BUILT-IN MICROWAVES

Limited warranty, entire appliance, parts and labor (2 year)

REFRIGERATION

Limited two-year warranty, entire appliance, parts and labor on any part of the refrigerator that fails because of a manufacturing defect

Limited warranty for sealed refrigeration system*; parts and labor (3rd to 6th year)

Limited warranty for sealed refrigeration system*; parts only (7th to 12th year)

*Sealed refrigeration system includes compressor, evaporator, condenser, dryer/strainer and connection tubing

DISHWASHERS

Limited warranty, entire appliance, parts and labor (2 year)

Limited warranty for microprocessor or printed circuit board; parts only (3rd to 5th year)

Limited warranty for racks (does not include rack components); parts only (3rd to 5th year)

Limited warranty for rust-through on inner tub liner; parts only (Lifetime)

BUILT-IN COFFEE MACHINES

Limited warranty, entire appliance, parts and labor (2 year)



These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited Warranty from Date of Purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador® indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

©2015 BSH Home Appliances Corporation



Thermador.**

1 800 735 4328

USA THERMADOR.COM CANADA THERMADOR.CA

©2015 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED. #13-THD-0250 MG 10/15