



7 SERIES INTEGRATED 36"W. ALL FREEZER

Viking 7 Series – FFI

PRO CHILL™ TEMPERATURE MANAGEMENT SYSTEM

- *Variable-Speed High-Efficiency Overdrive™ Compressor* quickly chills food and saves energy
- One of the quietest, most technologically advanced compressors available with electronic controls
- Maintains temperature to within 1°F to keep food fresher longer
- Compressor is now located on the bottom allowing for full integration of the product

DESIGN FEATURES

- *Proprietary Fully Articulating Hinge* has three dimensional adjustability for a perfect fit in integrated installations, and the hinge damper allows for smoothness when opening and closing door
- *Capacitive Touch Controls* with intuitive user interface
- *Brilliant Led Lighting* ensures all items are in clear view with bright, energy efficient, ramp-on theater LED lighting from top and sidewalls
- Three separate heavy-duty wire shelves and baskets provide storage flexibility



Shown with optional stainless steel door panel kit

AUTOMATIC ICE MAKER

- Ice maker uses filtered water for fresh ice.
- Separate removable ice bucket with handle

MODEL NUMBERS

- FFI7360W(R/L) – 36"W. All Freezer accepts wood panel or optional stainless steel/color door panel

ACCESSORIES

- VICDP36** – door panel kit with handle
- RWFDISP – Replacement water filter
- PHK528-SS – Professional Stainless Steel handle (1 piece / 28")

DESIGN OPTIONS

- Order as right or left mounted hinge

DOOR PANEL COLOR FINISHES**

- Stainless Steel (SS)



- Volume 1 Color Finishes include Antique Bronze (AN), Blush (BH), Cast Black(CS), Damascus Gray (DG), Eucalyptus (EU), Ivy (IV), Martini (MA), November Sky (NS), Slate Blue (SB), Spiced Cider (SC), Splash (SP)



- Volume 2 Color Finishes include Daffodil (DA), Golden Hour (GH), Nantucket (NA), Onyx (ON), Pure White (PW), Squall (SQ), Valentine (VA)



WARRANTY

- 2-year full covers complete unit
- 6-year full – sealed refrigeration system
- 90-day full – cosmetic parts such as glass, painted items, and decorative items
- 12-year limited – sealed refrigeration system




7 SERIES INTEGRATED 36"W. ALL FREEZER

Viking 7 Series – FFI

36" INTEGRATED ALL FREEZER		
DESCRIPTION	FFI7360 (WITH OPTIONAL DOOR PANEL)	FFI7360 (WITH CUSTOM PANEL)
Overall Width	36" (91.4 cm)	
Overall Height (from bottom)	83-15/16" (213.2 cm) min to 84-3/4" (215.7 cm) max	
Overall Depth (from rear)	To front edge kickplate: 22-1/16" (56.0 cm) To front of door panel: 24" (61.0 cm)	
	To front of handle endcap: 27-11/16" (70.3 cm)	To front of handle endcap: 27-5/16" (69.4 cm)
Cutout Width	36" (91.4 cm)	
Cutout Height	84" (213.4 cm) min to 85-3/16" (216.3 cm) max	
Cutout Depth	25" (63.5 cm) min.	
Electrical Requirements	115 volt, 60 Hz, 15 amp dedicated circuit; 3-wire cord with grounded 3-prong plug attached to product	
Maximum Amp Usage	9.9 amps	
Inlet Water Requirements	1/4" copper tubing inlet waterline; minimum 20 psi; maximum 120 psi	
Overall Interior Capacity Freezer	20.1 cu. ft.	
Approximate Shipping Weight	517 lbs. (234.5 kg)	

Please do not prepare installation from brochure data only. See installation instructions for important clearance/installation information.




VIKING RANGE, LLC 111 FRONT STREET GREENWOOD, MISSISSIPPI 38930 USA


For detailed product information, model numbers, or to request a quote call 1-888-845-4641 or visit vikingrange.com
 © 2023 Viking Range, LLC All rights reserved. Specifications subject to change without notice.








C: 0
M: 0
Y: 0
K: 0
RGB:
24 39 56
#182741



C: 0
M: 0
Y: 0
K: 0
RGB:
152 179 172
code: SP
#98b3ac


C: 0
M: 0
Y: 0
K: 0
RGB:


C: 0
M: 0
Y: 0
K: 0
RGB:
122 137 140
code: NS
#7b898e



C: 0
M: 0
Y: 0
K: 0
RGB:
2 54 36
code: IV
#023624



C: 0
M: 0
Y: 0
K: 0
RGB:
114 122 103
code: EU
#727a67



C: 0
M: 0
Y: 0
K: 0
RGB:
code: VA



code:


C: 0
M: 0
Y: 0
K: 0
RGB:



C: 0
M: 0
Y: 0
K: 0
RGB:
38 41 39
code: AN
#262927


C: 0
M: 0
Y: 0
K: 0
RGB:
76 77 51
code: MA
#4d53


C: 0
M: 0
Y: 0
K: 0
RGB:
code: ON


C: 0
M: 0
Y: 0
K: 0
RGB:
64 66 69
code: CS
#404245


C: 0
M: 0
Y: 0
K: 0
RGB:
94 90 88
code: DG
#5e5a58


C: 0
M: 0
Y: 0
K: 0
RGB:
code: NA


code: