

Frigidaire



Single Wall Oven

27" Single Electric Wall Oven with Fan Convection

FCWS2727AS, FCWS2727AW, FCWS2727AB

Available Colors : Stainless Steel, White, Black

Version : 01/22

Cooking Controls

| | |
|---------------------|-----|
| Bake | Yes |
| Bake Time | Yes |
| Broil | Yes |
| Cancel | Yes |
| Clock | Yes |
| Convection Bake | Yes |
| Cook Time | Yes |
| Delay Start | Yes |
| Keep Warm | Yes |
| Kitchen Timer | Yes |
| Light | Yes |
| Off | Yes |
| Oven Light | Yes |
| Preheat | Yes |
| Quick Preheat | Yes |
| Self Clean | Yes |
| Start | Yes |
| Temperature Display | Yes |
| Timer On / Off | Yes |

Cooking Controls Function

| | |
|---|-----|
| Change between Continuous Bake Setting or 12-Hour Energy Saving Feature | Yes |
| Delayed Bake | Yes |
| Program Fahrenheit or Celsius | Yes |
| Silent Control Panel | Yes |

Oven

| | |
|--------------------|-------------|
| Bake Element | 2,500 Watts |
| Bake Element Pass | 8 |
| Bake Element Type | Hidden |
| Broil Element | 4,000 Watts |
| Broil Element Pass | 6 |
| Broil System | Yes |
| Cleaning System | Yes |
| Convection | Yes |

| | |
|---------------------------|----------------|
| Convection Type | Fan |
| Number of Convection Fans | 1 |
| Number of Rack Positions | 5 |
| Oven Interior Color | Midnight Black |
| Oven Light Quantity | 1 |
| Oven Light Type | Halogen |
| Oven Light Watts | 40 Watts |
| Rack Position Type | Embossed |
| Rack Type 1 | Handle |
| Rack Type 1 Quantity | 2 |

Controls

| | |
|--------------|-----|
| Control Lock | Yes |
| Sabbath Mode | Yes |

Display

| | |
|-------------------------|-------|
| Control Location | Front |
| Display Interface Color | White |
| Display Light Color | White |
| Display Type | LED |

Dimensions and Volume

| | |
|--------------------------|-------------|
| Height | 29 1/2" |
| Width | 27" |
| Depth | 24 3/4" |
| Depth With Door 90° Open | 45 3/4" |
| Depth With Handle | 27 7/16" |
| Oven Interior Height | 17" |
| Oven Interior Width | 20 1/2" |
| Oven Interior Depth | 18 3/4" |
| Minimum Cutout Height | 27 1/4" |
| Minimum Cutout Width | 24 7/8" |
| Maximum Cutout Height | 28 1/4" |
| Maximum Cutout Width | 25 1/4" |
| Oven Capacity | 3.8 Cu. Ft. |

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes.

Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

27" Single Electric Wall Oven with Fan Convection

FCWS2727AS, FCWS2727AW, FCWS2727AB

Version : 01/22

Electrical Specifications

| | |
|--------------------------|---------|
| Amps @ 240 Volts | 20 Amps |
| Connected Load @ 240V | 4.5 kW |
| Minimum Circuit Required | 20 Amps |
| Voltage Rating | 240 V |

Installation

| | |
|----------------------------------|----------|
| Power Supply Connection Location | Top Left |
|----------------------------------|----------|

General Specifications

| | |
|------------------------|--------|
| Prop 65 Label | Yes |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |
| Frigidaire Fit Promise | Yes |

Certifications and Approvals

| | |
|----------------------|-----|
| ADA Compliant | Yes |
| Star-K Certification | Yes |

Safety Certifications and Approvals

| | |
|------------|-----|
| CSA Listed | Yes |
| UL Listed | Yes |
| RoHS | Yes |

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes.

Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca


Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

Frigidaire

27" Single Electric Wall Oven with Fan Convection

FCWS2727AS, FCWS2727AW, FCWS2727AB

Version : 01/22



NOTES:

1. Allow at least 21" (53.3 cm) clearance in front of oven for door depth when it is open.
2. Dimension G (cutout depth) is critical to the proper installation of the built-in oven. If the oven trim does not butt against the cabinet, or if noise is heard on convection models, verify dimension G to assure it is the required depth.
3. For a cutout height greater than 27³/₄" (70.5) add 2" (5 cm) wide wood shims of appropriate height to each side of the opening under the appliance side rails. You can order a larger bottom trim through a service center.
4. If the junction box is below the oven, longer conduit cables are available through a service center.

| PRODUCT DIMENSIONS | | | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|--|---------------------------------------|---|
| A | B | C | D | | E |
| 27 (68.6) | 29 ¹ / ₂ (74.9) | 24 ⁵ / ₈ (62.5) | 24 ³ / ₄ (62.9) | | 27 ¹ / ₄ (69.2) |
| CUTOUT DIMENSIONS AND CABINET WIDTH | | | | | |
| F | | G | H. Standard Height (**Others, see note 3) | | I |
| Min. | Max. | Min. | Min. | Max. | |
| 24 ⁷ / ₈ (63.2) | 25 ¹ / ₄ (64.1) | 24 (61.0) | 27 ¹ / ₄ (69.2) | 28 ¹ / ₄ (71.8) | 27 ¹ / ₈ (68.9) Min |

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes.

Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca