




# Dishwasher Dimensions Document



Futura Classic Plus: G 4925 U, G4925 SCU, G4925 SCi  
Futura Crystal: G 6105 U, G6105 SCU  
Futura Dimension: G 6305 U, G 6305 SCU  
Futura Lumen: G 6505 SCi  
Futura Diamond: G 6915 SCi



Location Codes
C - Cutout ( $1\frac{3}{8}" \times 1\frac{3}{4}"$ ) for water, drain and electric pass-through. Adjust according to water and drain location.
D - 5 foot flexible drain hose connects lower center rear.
E - 5 foot - 120 Volt - 15 Amp 3-wire molded plug power supply connects front terminal or can be hardwired.
W - 5 foot flexible water intake hose with a $\frac{3}{8}"$ compression fitting nut connects lower center rear.
Notes
• All installations must be done in accordance with local codes



Location Codes
C - Cutout (34mm x 35mm) for water, drain and electric pass-through. Adjust according to water and drain location.
D - 1.5 m flexible drain hose connects lower center rear.
E - 1.5 m - 120 Volt - 15 Amp 3-wire molded plug power supply connects front terminal or can be hardwired.
W - 1.5 m flexible water intake hose with a 3/8" compression fitting nut connects lower center rear.
Notes
• All installations must be done in accordance with local codes


# Dishwasher Dimensions Document



## Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Panel size is determined in the following manner:



**Width:** 23 7/16" (595mm) in all cases

**Thickness:** 3/4" in all cases

**Height:** Determined using the following calculation:

$$\text{Panel Height} = \text{HTC} - \text{CPH} - \text{TKH}$$

**HTC** = Height to the underside of countertop

**CPH** = Control panel height (Note 1)

**TKH** = Toe-kick height

**Note 1:** Control Panel Height is determined by the height of the drawers in the cabinets. This height is adjustable between 4 5/8" and 5 7/8" (116-150mm) with spacer strips provided.

**Maximum panel height:** 27 1/4" (692 mm)

**Minimum panel height:** 21 1/4" (540 mm)

**Maximum panel weight:**


White / Black 23 Pounds (10.4 kg)

Stainless Steel 19 Pounds (8.6 kg)

## GDU Kit Installations

In lieu of a custom front, Miele offers a decorative panel system called a GDU kit. GDU kits vary depending upon the model chosen. Each GDU kit contains a front panel and a toe-kick cover.

### GDU 60/65-1 4" Toekick



Exposed toe-kick


This GDU accepts a custom insert:

Height: 25 11/16" (650 mm)

Width: 23 1/8" (587 mm)

Thick: 1/8" (3 mm)

### GDU 60/60-1 -6" Toekick



Exposed toe-kick

This GDU accepts a custom insert:

Height: 23 5/8" (600 mm)

Width: 23 1/8" (587 mm)

Thick: 1/8" (3 mm)