


# Product and Cut-out Dimensions

## Futura Crystal G 5105 Prefinished Dishwasher



### Location Codes

**C** - Cutout 1 3/8" x 1 3/4" (34 mm x 35 mm) for water, drain and electric pass-through.

Adjust according to water and drain location.

**D** - 5 foot (1.5 meter) flexible drain hose connects lower center rear.

**E** - 5 foot (1.5 meter)– 120 Volt – 15 Amp 3-wire molded plug power supply connects front terminal or can be hardwired.

**W** - 5 foot flexible water intake hose with a 3/8" compression fitting nut connects lower center rear.

**Shipping weight 132 lbs (60 kg)**

**Shipping dimensions 27 3/16" (690 mm) L x 26 3/8" (670 mm) W x 38 3/16" (970 mm) H**


### Notes

All installations must be done in accordance with local codes.

Drawing is not to scale

# Product and Cut-out Dimensions

## Futura Crystal G 5105 Prefinished Dishwasher

**Panel and control Prefinished**

**Width:** 23 7/16" (598 mm)

**Thickness:** 3/4" (19 mm)

**Height:** 30 3/16" (767 mm)

**Calculating the toe kick height**

$$30 \frac{3}{16}'' - \text{HTC} = \text{TKH}$$

**HTC** = Height to the underside of countertop

**TKH** = Toe kick height

Product and Cut-out Dimensions  
 Futura Crystal G 5105 Prefinished Dishwasher

		Height to underside of countertop										
		33 3/4	34	34 1/4	34 1/2	34 3/4	35	35 1/4	35 1/2	35 3/4	36	
Toe Kick Height	2 1/2	Acceptable combinations										
	3	Acceptable combinations										
	3 1/2	Acceptable combinations										
	4	Acceptable combinations										
	4 1/2	Acceptable combinations										
	5	Acceptable combinations										
	5 1/2	Acceptable combinations										
	6	Acceptable combinations										
	6 1/2	Acceptable combinations										
	7	Acceptable combinations										
	7 1/2	Acceptable combinations										
	8										Typical American installation	
8 1/2												

Acceptable combinations  
 Typical American installation