

Futura Series
Integrated Dishwashers

DIMENSION G 5605 SCi

DIAMOND G 5915 SCi

AjMadison
Your Appliance Authority
800-570-3355

Futura Series Dishwashers

Model Overview




		CLASSIC	CRYSTAL	DIMENSION	DIMENSION SLIMLINE	DIAMOND	PROFI LINE
Baskets	FlexiCare	•					
	FlexiCare Plus		•		•		
	FlexiCare Premium			•			
	FlexiCare Deluxe					•	•
Cutlery	Cutlery basket	•	•		•		
	Cutlery tray	•	•		•		
	3D cutlery tray			•		•	•
Convenience	AutoClose					•	•
	BrilliantLight					•	•
	Delay Start	•	•	•		•	•
	RemoteVision™					•	
	ComfortClose	•	•	•		•	•
	Perfect GlassCare		•	•	•	•	•
	Water softener		•	•	•	•	•
	ADA compliant*	•*		•*	•		
	Q Acoustic ratings	Q1	Q2	Q4	Q3	Q5	Q1
Sensors	AutoSensor	•	•	•	•	•	
	SensorDry			•		•	
	Automatic Load-Size Sensor					•	
Finishes	Pre-finished (Black or White)	•	•	•	•	•	•
	Pre-finished (Clean Touch Steel™)	•	•	•	•	•	•
	Integrated - I (Clean Touch Steel™)	•	•	•	•	•	•
	Fully Integrated - Vi (Custom Panel)	•	•	•	•	•	•
	Fully Integrated - SC SF (Clean Touch Steel™)	•	•	•	•	•	•
Programs	Normal	•	•	•	•	•	•
	Express	•	•	•	•	•	•
	Rinse & Hold	•	•	•	•	•	•
	SaniWash	•	•	•	•	•	•
	Pots & Pans	•	•	•	•	•	•
	Economy	•	•	•	•	•	•
	China & Crystal	•	•	•	•	•	•
	Turbo Mode	•	•	•	•	•	•
	Intensive Mode	•	•	•	•	•	•
Diamond Programs	ExtraQuiet			•		•	
	Heavy Soil					•	
	SensorWash					•	
	Light					•	
	Energy Saver					•	
	Plastics					•	•
	Starch/Cheese					•	
	Tall Items					•	
	Glass - No Rinse Aid (Warm)					•	
	Glass - No Rinse Aid (Cold)					•	
ProfiLine Programs	ProSpeed 23 minute cycle						•
	Universal						•
	Sanitize						•
	Beer Glasses						•
Drying	CleanAir™	•	•	•	•	•	•
	Advanced CleanAir™					•	•
	AutoOpen™ Drying			•		•	•

* Classic G 4281 SCVi and Dimension G 5670 SCVi are ADA compliant

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.



Width: 23 9/16" (598 mm) in all cases

Thickness: 3/4" (19 mm) in all cases

Height: Determined using the following calculation:

$$\text{Panel Height} = \text{HTC} - \text{CPH} - \text{TKH}$$

HTC = Height to the underside of countertop

CPH = Control panel height (**Note 1**)

TKH = Toe kick height

Note: Control panel height is determined by the height of the adjoining drawers in the cabinets. The height is adjustable between 4 5/8" and 5 7/8" (116-150 mm) with spacer strips provided.

Maximum panel height: 27 1/4" (692 mm)

Minimum panel height: 21 1/4" (540 mm)

Maximum panel weight: 23 Pounds (10.4 kg)

GDU Kit Installations

Miele offers pre-fabricated panels for all integrated units called GDU kits. These panels are designed for various toe-kick heights and include a black plastic toe kick cover.

GDU 60/65-1 4" Toekick

This GDU accepts a custom insert:
 Height: 25 11/16" (650 mm)
 Width 23 1/8" (587 mm)
 Thick 1/8" (3 mm)

Exposed toe-kick

GDU 60/60-1 6" Toekick


This GDU accepts a custom insert:
 Height: 23 5/8" (600 mm)
 Width 23 1/8" (587 mm)
 Thick 1/8" (3 mm)

Exposed toe-kick


Drawing is not to scale

Specification Sheets OJS 11012011

		Height to underside of countertop									
		33 3/4	34	34 1/4	34 1/2	34 3/4	35	35 1/4	35 1/2	35 3/4	36
Toe Kick Height	2 1/2										
	3										
	3 1/2										
	4										
	4 1/2										
	5										
	5 1/2										
	6										
	6 1/2										
	7										
	7 1/2										
	8										
	8 1/2										



 Your Appliances Authority™



 Typical American installation