



GE® 115 Volt Built-In Heat Pump Room Air Conditioners

Model# AJHQ08AWH



- True Built In Design - The ultimate fit & finish for more usable space and the best in built-in installation. Sleeve and chassis are perfectly integrated, creating a seamless fit without leaks or gaps
- Premium Finish - Bright, clean color & a decorative metallic silver accent encasing the air discharge louver, provide an overall sleek appearance
- Electronic Cap Touch Controls - Controls offer a high-end and smooth to-the-touch panel
- Large LCD Auto-Dimming Display - Intuitive & large white LCD display can be easily seen from anywhere in the room. Convenient Auto-Dimming feature provides ambient lighting during the night
- Slim Room Front - A slim room front provides more usable space in the room. It's the sleekest design in the industry
- ECO Mode - Innovative mode where the fan cycles off during cooling intervals, creating energy savings while keeping the room comfortable
- Dry Mode - Designed for humid environments, it helps provide a dryer & more comfortable atmosphere with room-air dehumidification
- Auto Mode - Automatically select heating or cooling mode and fan speed to maintain the current temperature setpoint. It monitors the room temperature for optimal comfort
- 6-Way Directional Airflow - Direct where the air flows with up to 6 directional vents—cooling and /or heating the areas of the room that need it the most

FEATURES

Louver Style	6-Way
Control Type	Electronic
Fan Speed Selections	3 Cooling 3 Fan Only
Product Type	Built-In
Refrigerant Type	R410A
Air Discharge	Over / Under
Line Cord Recommended Circuit Prot. (time delay)	15 Amps
Filter Type	Rigid Washable
Style	Wall Mount Only
Chassis Type	Slide-In
Plug Type	Parallel/Right Angle LCDI
WiFi Connect	Built-In
Remote Control	Yes
Cord Length	75"
Airflow (cfm) Roomside (hi/low)	265/225
Rotary Compressor	Yes
Outdoor Vent / Exhaust	Yes
Unit Type	Heat Pump
Room Air Conditioner Features	Batteries Included Remote Control Smart Fan Switch Timer

- Washable Filter - Easy to remove and rinse clean, the filter helps remove dust and other particles from transmitting in the air—providing a cleaner environment
- Remote Control Included - Slim, intuitive and easy to use, the remote control enables adjusting temperatures and settings conveniently from anywhere in the room
- Quiet Performance - Designed & engineered by GE Appliances for ultra-quiet comfort
- Commercial Grade - Designed for durability with high-grade components and tested for long performance

Have more questions? Please contact 1-800-626-2000



GE® 115 Volt Built-In Heat Pump Room Air Conditioners Model# AJHQ08AWH

APPROXIMATE DIMENSIONS(HxDxW)

- 15 5/8 H x 26 W x 21 13/16 D

CAPACITY

- Cooling BTUH (MAX) - 8200.000000Btu
- Heating - Electric - BTUH - AHAM - 1R - 3900
- Dehumidification (pts./hr.) - 1.9

APPEARANCE

- Installation - Wall Mounted

WEIGHTS & DIMENSIONS

- Overall Width (in) - 26in
- Approximate Shipping Weight (lb) - 85lb
- Depth to Louvers (in) - 5in
- Overall Height (Excludes Sleeve) (in) - 14 7/8in
- Overall Height (in) - 15 5/8in
- Overall Depth (Excludes Sleeve) (in) - 19 29/32in
- Overall Depth (in) - 21 13/16in
- Overall Width (Excludes Sleeve) (in) - 24 13/16in
- Net Weight (lb) - 85lb

POWER / RATINGS

- Cooling - Rated Cooling Amps AHAM - 7.4
- Cooling - Watts - 820
- Voltage/Hertz/Phase - 115/60/1
- Heating - Electric - Heater Watts - 1250
- Heating - Reverse Cycle - COP - 3.1
- CEER - 9.8
- Voltage (MAX) - 115.000000V
- Heating - Reverse Cycle - BTUH - AHAM - H.P. - 6000 /5800
- Heating - Electric - Heater Amps - 11.0

ACCESSORIES

- Optional Grill - RAG13/RAG13A/RAG14E
- Wall Case - RAB46/47/48/26 Required At Additional Cost

WARRANTY

- Warranty Notes - See written warranty for full details
- Labor Warranty - Limited 2-year entire appliance
Limited 5-year sealed refrigerating system
- Parts Warranty - Limited 2-year entire appliance
Limited 5-year sealed refrigerating system

CERTIFICATIONS

- Claims & Certifications - California Prop 65
AHAM
EEV

CUL
UL

Have more questions? Please contact 1-800-626-2000