

The **HCB 2062 French Door** fully-integrated 36" wide refrigerator-freezer combination offers the ultimate in design flexibility with the ability to completely hide the appliance behind your kitchen cabinetry.

In the interior, GlassLine shelving with aluminum trim offers plenty of storage space for all your food. On the inner door, gallon holders and additional storage racks offer space for beverages and sauces. The spacious vegetable drawers as well as the double freezer drawers are illuminated by numerous LED lights, for beautiful soft lighting as soon as you open the door. Liebherr's automatic IceMaker that is located in the top freezer drawer completes the outstanding appliance.



LED light column




Digital Display



| | |
|---|--|
| Capacity | 535 liters / 18.9 cu. ft. |
| Refrigerator Compartment | 295 liters / 10.5 cu. ft. |
| Biofresh Drawers | 69 liters / 2.4 cu. ft. |
| Freezer Compartment | 170 liters / 6.0 cu. ft. |
| Energy Star | Yes |
| Energy consumption per year | 556 KWH/Y |
| Estimated yearly Energy Cost | \$67 USD * |
| Climate rating | SN-T 10°C to 43°C(50°F to 110°F) |
| Power | 115v at 60hz 2.5 amps/300 watt |
| Shipping weight | 180 kg /397 lbs. |
| Refrigerator Compartment | |
| Refrigerator Door HC 2060 | Right Hand (not customer reversible) |
| Refrigerator Door HC 2061 | Left Hand (not customer reversible) |
| Interior light | LED Side and Top |
| Biofresh Drawers | Two with LED light |
| Forced air fan system | Quiet DC fan |
| Bottle shelf | Integrated and Variable |
| Adjustable Glass Door shelves | 4 |
| Gallon storage door shelf | 2 |
| Glass Shelves Adjustable | 3 |
| Freezer compartment | |
| Interior light | LED |
| Icemaker | Connected water supply |
| Ice cube production in 24 hr. | 1.3 kg / 3 lbs. |
| Ice cube storage capacity | 2.7 kg / 6 lbs. |
| *Your Energy Costs will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per KWh. | |

THIS IS A QUICK REFERENCE GUIDE FOR HCB 2062, FOR COMPLETE INSTRUCTIONS, PLEASE REFER TO THE DESIGN GUIDE OR VISIT <http://www.liebherr-appliances.com>




Energy Star:
Energy consumption p. a.:
Energy Supply:
Total capacity:
Refrigerator:
Freezer:
Ice cube capacity:
Ice cube stock:
Climate Rating:

qualified
452 kWh
115V / 60Hz / 2.5A
19.5 cu ft (552 L)
13.5 cu ft (382 L)
6 cu ft (170 L)
3 pd./24h
6 pd.
SN-T

- Automatic refrigerator defrosting
- Automatic freezer compartment defrosting
- Automatic IceMaker can be switched off
- Maximum door opening angle is 105°

Unit Dimensions



Overall height can be increased on HC 20 and HCS 20 units by 1-1/2" (40 mm) by adjusting the roller base.


Cabinet Opening Dimensions

| | Cabinet Height C | Framed cabinet Depth B | Frameless cabinet Depth B |
|---------|------------------|------------------------|---------------------------|
| HC 2062 | 80" | 24 3/4" | 24" |
| | 84" | 24 3/4" | 24" |

A = 36" (914 mm)

IMPORTANT

Do not install the shut-off valve behind the appliance.



IMPORTANT

At 24" cabinets, the water line opening must be in the location as shown.

At cabinets deeper than 24" there is room to fit the pipe behind the appliance and the wall so there are no requirements for the water line lead out position.

IMPORTANT

The free length of the water supply line must be at least 31 - 1/2" (800 mm) when the tube comes out of the prescribed opening.


- A. 3" (76 mm)
- B. 79-13/16" (2027 mm)
- C. 35-13/16" (910 mm)
- D. 3" (76 mm)
- E. 24" (610 mm)
- G. 42-7/16" (1078 mm)
- H. 37-1/8" (943 mm)

Please allow for door swing clearance at locations next to a wall.

The illustrated measurement for HC 2062 is without mounted front panels. Be sure to add your panel thickness and handle depth to this measurement in order to avoid interferences.

Ventilation Requirements 36" Models

It is important to use the provided cover grille for the ventilation opening. This opening must not be covered with a cabinet base.



It is important to use the provided cover grille for the ventilation opening. This opening must not be covered with a cabinet base.