

VENTILATION AND GAS COOKTOP PAIRINGS

GAS COOKTOPS						
MODELS	60,000 BTU TOTAL OR MORE			LESS THAN 60,000 BTU TOTAL		
	36"		30"	36"	30"	
	JGC7636B	JGC3536G	JGC7530B	JGC2536EB	JGC2530EB	JGC3530G
<b>VENTILATION STYLE</b>						
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>						
JXD7836BS	■	■	■	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>						
JXD7030YS	—	—	■	—	■	■
JXD7036YS	—	■	■	■	■	■
<b>PROFESSIONAL-STYLE HOODS</b>						
JXU9130WP / JXU9130HP	—	—	■	—	■	■
JXW9030WP / JXW9030HP	—	—	■	—	■	■
JXW9036WP / JXW9036HP	—	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>						
UXL5430BSS	—	—	—	—	■	■
JXL6536CSS	1,200 CFM only	■	■	■	■	■
JXL6536HS	1,200 CFM only	■	■	■	■	■
UXL6036YSS	1,200 CFM only	—	■	■	■	■
UXL6048YSS	1,200 CFM only	—	■	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>						
JXI8536HS	—	■	■	■	■	■
JXI8936DS	■	■	■	■	■	■
<b>ISLAND-MOUNT HOODS</b>						
JXI8736DS / JXI8536DS	■	■	■	■	■	■
JXI8742DS	■	■	■	■	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>						
JXW8530HS	—	—	■	—	■	■
JXW8536HS	—	■	■	■	■	■
JXW8936DS	■	■	■	■	■	■
<b>WALL-MOUNT HOODS</b>						
JVR0430H	—	—	■	—	■	■
JXW8530DS	—	—	■	—	■	■
JVR0436H	—	■	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■	■	■
<b>MICROWAVE / HOOD COMBOS</b>						
JMV8208CS	—	—	■	—	■	■
JMV9196CS	—	—	■	—	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

## VENTILATION AND INDUCTION COOKTOP PAIRINGS

INDUCTION					
MODELS	36"		30"		24"
	JIC4536X	JIC4736H	JIC4430X	JIC4730H	JIC4724H
<b>VENTILATION STYLE</b>					
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>					
JXD7836BS	■	■	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>					
JXD7030YS	—	—	■	—	—
JXD7036YS	■	■	■	■	■
<b>PROFESSIONAL-STYLE HOODS</b>					
JXU9130WP / JXU9130HP	—	—	■	—	—
JXW9030WP / JXW9030HP	—	—	■	—	—
JXW9036WP / JXW9036HP	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>					
UXL5430BSS	—	—	■	—	■
JXL6536CSS	■	■	■	■	■
JXL6536HS	■	■	■	■	■
UXL6036YSS	■	■	■	■	■
UXL6048YSS	■	■	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>					
JXI8536HS	■	■	■	■	■
JXI8936DS	■	■	■	■	■
<b>ISLAND-MOUNT HOODS</b>					
JXI8736DS / JXI8536DS	■	■	■	■	■
JXI8742DS	■	■	■	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>					
JXW8530HS	—	—	■	■	■
JXW8536HS	■	■	■	■	■
JXW8936DS	■	■	■	■	■
<b>WALL-MOUNT HOODS</b>					
JVR0430H	—	—	■	■	■
JXW8530DS	—	—	■	—	—
JVR0436H	■	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■	■
<b>MICROWAVE / HOOD COMBOS</b>					
JMV8208CS	—	—	■	■	■
JMV9196CS	—	—	■	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND RADIANT COOKTOP PAIRINGS

RADIANT			
MODELS	36"		
	JEC4536H	JEC3536B	JEC3536H
<b>VENTILATION STYLE</b>			
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>			
JXD7836BS	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>			
JXD7030YS	—	—	—
JXD7036YS	■	■	■
<b>PROFESSIONAL-STYLE HOODS</b>			
JXU9130WP / JXU9130HP	—	—	—
JXW9030WP / JXW9030HP	—	—	—
JXW9036WP / JXW9036HP	■	■	■
JXU9136WP / JXU9136HP	■	■	■
JXW9048WP / JXW9048HP	■	■	■
<b>CUSTOM HOOD LINERS*</b>			
UXL5430BSS	—	—	—
JXL6536CSS	■	■	■
JXL6536HS	■	■	■
UXL6036YSS	■	■	■
UXL6048YSS	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>			
JXI8536HS	■	■	■
JXI8936DS	■	■	■
<b>ISLAND-MOUNT HOODS</b>			
JXI8736DS / JXI8536DS	■	■	■
JXI8742DS	■	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>			
JXW8530HS	—	—	—
JXW8536HS	■	■	■
JXW8936DS	■	■	■
<b>WALL-MOUNT HOODS</b>			
JVR0430H	—	—	—
JXW8530DS	—	—	—
JVR0436H	■	■	■
JXW8736DS / JXW8536DS	■	■	■
<b>MICROWAVE / HOOD COMBOS</b>			
JMV8208CS	—	—	—
JMV9196CS	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND RADIANT COOKTOP PAIRINGS

RADIANT					
MODELS	30"				24"
	JEC4430B	JEC4430H	JEC3430B	JEC3430H	JEC4424H
<b>VENTILATION STYLE</b>					
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>					
JXD7836BS	■	■	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>					
JXD7030YS	■	■	■	■	■
JXD7036YS	■	■	■	■	■
<b>PROFESSIONAL-STYLE HOODS</b>					
JXU9130WP / JXU9130HP	■	■	■	■	■
JXW9030WP / JXW9030HP	■	■	■	■	■
JXW9036WP / JXW9036HP	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>					
UXL5430BSS	■	■	■	■	■
JXL6536CSS	■	■	■	■	■
JXL6536HS	■	■	■	■	■
UXL6036YSS	■	■	■	■	■
UXL6048YSS	■	■	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>					
JXI8536HS	■	■	■	■	■
JXI8936DS	■	■	■	■	■
<b>ISLAND-MOUNT HOODS</b>					
JXI8736DS / JXI8536DS	■	■	■	■	■
JXI8742DS	■	■	■	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>					
JXW8530HS	■	■	■	■	■
JXW8536HS	■	■	■	■	■
JXW8936DS	■	■	■	■	■
<b>WALL-MOUNT HOODS</b>					
JVR0430H	■	■	■	■	■
JXW8530DS	■	■	■	■	■
JVR0436H	■	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■	■
<b>MICROWAVE / HOOD COMBOS</b>					
JMV8208CS	■	■	■	■	■
JMV9196CS	■	■	■	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE RANGETOP PAIRINGS

JENNIR®

PROFESSIONAL-STYLE RANGETOPS				
MODELS	60,000 BTU TOTAL OR MORE			
	48"			
	JGCP548WP	JGCP548H	JGCP648H	JGCP748H
<b>VENTILATION STYLE</b>				
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>				
JXD7836BS	—	—	—	—
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>				
JXD7030YS	—	—	—	—
JXD7036YS	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>				
JXU9130WP / JXU9130HP	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—
JXW9036WP / JXW9036HP	—	—	—	—
JXU9136WP / JXU9136HP	—	—	—	—
JXW9048WP / JXW9048HP	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>				
UXL5430BSS	—	—	—	—
JXL6536CSS	—	—	—	—
JXL6536HS	—	—	—	—
UXL6036YSS	—	—	—	—
UXL6048YSS	■	—	—	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>				
JXI8536HS	—	—	—	—
JXI8936DS	—	—	—	—
<b>ISLAND-MOUNT HOODS</b>				
JXI8736DS / JXI8536DS	—	—	—	—
JXI8742DS	—	—	—	—
<b>WALL-MOUNT PERIMETRIC HOODS</b>				
JXW8530HS	—	—	—	—
JXW8536HS	—	—	—	—
JXW8936DS	—	—	—	—
<b>WALL-MOUNT HOODS</b>				
JVR0430H	—	—	—	—
JXW8530DS	—	—	—	—
JVR0436H	—	—	—	—
JXW8736DS / JXW8536DS	—	—	—	—
<b>MICROWAVE / HOOD COMBOS</b>				
JMV8208CS	—	—	—	—
JMV9196CS	—	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE RANGETOP PAIRINGS

JENN AIR®

PROFESSIONAL-STYLE RANGETOPS					
MODELS	60,000 BTU TOTAL OR MORE				LESS THAN 60,000 BTU TOTAL
	36"				
	JGCP436WP	JGCP436H	JGCP536H	JGCP636H	JGCP536WP
<b>VENTILATION STYLE</b>					
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>					
JXD7836BS	■	—	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>					
JXD7030YS	—	—	—	—	—
JXD7036YS	—	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>					
JXU9130WP / JXU9130HP	—	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—	—
JXW9036WP / JXW9036HP	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>					
UXL5430BSS	—	—	—	—	—
JXL6536CSS	1,200 CFM only	1,200 CFM only	■	■	■
JXL6536HS	1,200 CFM only	1,200 CFM only	■	■	■
UXL6036YSS	■	■	■	■	■
UXL6048YSS	■	—	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>					
JXI8536HS	—	—	—	—	■
JXI8936DS	—	—	■	—	■
<b>ISLAND-MOUNT HOODS</b>					
JXI8736DS / JXI8536DS	—	—	—	—	■
JXI8742DS	—	—	■	—	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>					
JXW8530HS	—	—	—	—	—
JXW8536HS	—	—	■	—	■
JXW8936DS	—	—	■	—	■
<b>WALL-MOUNT HOODS</b>					
JVR0430H	—	—	—	—	—
JXW8530DS	—	—	—	—	—
JVR0436H	—	—	■	—	■
JXW8736DS / JXW8536DS	—	—	■	—	■
<b>MICROWAVE / HOOD COMBOS</b>					
JMV8208CS	—	—	—	—	—
JMV9196CS	—	—	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

# VENTILATION AND PROFESSIONAL-STYLE RANGETOP PAIRINGS

JENNIR®

PROFESSIONAL-STYLE RANGETOPS		
MODELS	60,000 BTU TOTAL OR MORE	LESS THAN 60,000 BTU TOTAL
	30"	
	JGCP430WP	JGCP430H
<b>VENTILATION STYLE</b>		
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>		
JXD7836BS	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>		
JXD7030YS	—	—
JXD7036YS	—	—
<b>PROFESSIONAL-STYLE HOODS</b>		
JXU9130WP / JXU9130HP	■	■
JXW9030WP / JXW9030HP	■	■
JXW9036WP / JXW9036HP	■	■
JXU9136WP / JXU9136HP	■	■
JXW9048WP / JXW9048HP	■	■
<b>CUSTOM HOOD LINERS*</b>		
UXL5430BSS	■	■
JXL6536CSS	■	■
JXL6536HS	■	■
UXL6036YSS	■	■
UXL6048YSS	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>		
JXI8536HS	■	—
JXI8936DS	■	■
<b>ISLAND-MOUNT HOODS</b>		
JXI8736DS / JXI8536DS	■	—
JXI8742DS	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>		
JXW8530HS	■	■
JXW8536HS	■	■
JXW8936DS	■	■
<b>WALL-MOUNT HOODS</b>		
JVR0430H	■	■
JXW8530DS	■	■
JVR0436H	■	■
JXW8736DS / JXW8536DS	■	■
<b>MICROWAVE / HOOD COMBOS</b>		
JMV8208CS	■	■
JMV9196CS	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE DUAL-FUEL RANGE PAIRINGS

JENN AIR®

PROFESSIONAL-STYLE DUAL-FUEL RANGES						
MODELS	60,000 BTU TOTAL OR MORE					
	48"					
	JDRP548WP	JDRP548H	JDSP548H	JDRP648H	JDRP748H	JDRP848H
<b>VENTILATION STYLE</b>						
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>						
JXD7836BS	—	—	—	—	—	—
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>						
JXD7030YS	—	—	—	—	—	—
JXD7036YS	—	—	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>						
JXU9130WP / JXU9130HP	—	—	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—	—	—
JXW9036WP / JXW9036HP	—	—	—	—	—	—
JXU9136WP / JXU9136HP	—	—	—	—	—	—
JXW9048WP / JXW9048HP	■	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>						
UXL5430BSS	—	—	—	—	—	—
JXL6536CSS	—	—	—	—	—	—
JXL6536HS	—	—	—	—	—	—
UXL6036YSS	—	—	—	—	—	—
UXL6048YSS	■	—	—	—	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>						
JXI8536HS	—	—	—	—	—	—
JXI8936DS	—	—	—	—	—	—
<b>ISLAND-MOUNT HOODS</b>						
JXI8736DS / JXI8536DS	—	—	—	—	—	—
JXI8742DS	—	—	—	—	—	—
<b>WALL-MOUNT PERIMETRIC HOODS</b>						
JXW8530HS	—	—	—	—	—	—
JXW8536HS	—	—	—	—	—	—
JXW8936DS	—	—	—	—	—	—
<b>WALL-MOUNT HOODS</b>						
JVR0430H	—	—	—	—	—	—
JXW8530DS	—	—	—	—	—	—
JVR0436H	—	—	—	—	—	—
JXW8736DS / JXW8536DS	—	—	—	—	—	—
<b>MICROWAVE / HOOD COMBOS</b>						
JMV8208CS	—	—	—	—	—	—
JMV9196CS	—	—	—	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.



# VENTILATION AND PROFESSIONAL-STYLE DUAL-FUEL RANGE PAIRINGS



PROFESSIONAL-STYLE DUAL-FUEL RANGES						
MODELS	60,000 BTU TOTAL OR MORE					LESS THAN 60,000 BTU TOTAL
	36"					
	JDRP436WP	JDRP436H	JDRP536H	JDSP536H	JDRP636H	JDRP536WP
<b>VENTILATION STYLE</b>						
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>						
JXD7836BS	■	—	■	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>						
JXD7030YS	—	—	—	—	—	—
JXD7036YS	—	—	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>						
JXW9030WP / JXU9130WP	—	—	—	—	—	—
JXU9130HP / JXW9030HP	—	—	—	—	—	—
JXW9036WP / JXU9136WP	■	■	■	■	■	■
JXU9136HP / JXW9036HP	■	■	■	■	■	■
JXW9048HP / JXW9048WP	■	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>						
UXL5430BSS	—	—	—	—	—	■
JXL6536CSS	1,200 CFM only	1,200 CFM only	■	■	■	■
JXL6536HS	1,200 CFM only	1,200 CFM only	■	■	■	■
UXL6036YSS	■	■	■	■	■	■
UXL6048YSS	■	—	■	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>						
JXI8536HS	—	—	—	—	—	■
JXI8936DS	—	—	■	■	—	■
<b>ISLAND-MOUNT HOODS</b>						
JXI8736DS / JXI8536DS	—	—	—	—	—	■
JXI8742DS	—	—	■	■	—	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>						
JXW8530HS	—	—	—	—	—	—
JXW8536HS	—	—	■	■	—	■
JXW8936DS	—	—	■	■	—	■
<b>WALL-MOUNT HOODS</b>						
JVR0430H	—	—	—	—	—	—
JXW8530DS	—	—	—	—	—	—
JVR0436H	—	—	■	■	—	■
JXW8736DS / JXW8536DS	—	—	■	■	—	■
<b>MICROWAVE / HOOD COMBOS</b>						
JMV8208CS	—	—	—	—	—	—
JMV9196CS	—	—	—	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE DUAL-FUEL RANGE PAIRINGS



PROFESSIONAL-STYLE DUAL-FUEL RANGES		
MODELS	60,000 BTU TOTAL OR MORE	LESS THAN 60,000 BTU TOTAL
	30"	
	JDRP430H	JDRP430WP
<b>VENTILATION STYLE</b>		
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>		
JXD7836BS	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>		
JXD7030YS	—	—
JXD7036YS	—	—
<b>PROFESSIONAL-STYLE HOODS</b>		
JXU9130WP / JXU9130HP	■	■
JXW9030WP / JXW9030HP	■	■
JXW9036WP / JXW9036HP	■	■
JXU9136WP / JXU9136HP	■	■
JXW9048WP / JXW9048HP	■	■
<b>CUSTOM HOOD LINERS*</b>		
UXL5430BSS	■	■
JXL6536CSS	■	■
JXL6536HS	■	■
UXL6036YSS	■	■
UXL6048YSS	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>		
JXI8536HS	—	■
JXI8936DS	■	■
<b>ISLAND-MOUNT HOODS</b>		
JXI8736DS / JXI8536DS	—	■
JXI8742DS	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>		
JXW8530HS	■	■
JXW8536HS	■	■
JXW8936DS	■	■
<b>WALL-MOUNT HOODS</b>		
JVR0430H	■	■
JXW8530DS	■	■
JVR0436H	■	■
JXW8736DS / JXW8536DS	■	■
<b>MICROWAVE / HOOD COMBOS</b>		
JMV8208CS	■	■
JMV9196CS	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE NATURAL GAS AND LP RANGE PAIRINGS



PROFESSIONAL-STYLE NATURAL GAS AND LP RANGES					
MODELS	60,000 BTU TOTAL OR MORE				
	48"				
	JGRP548WP	JLRP548WP	JGRP548H	JGRP648H	JGRP748H
<b>VENTILATION STYLE</b>					
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>					
JXD7836BS	—	—	—	—	—
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>					
JXD7030YS	—	—	—	—	—
JXD7036YS	—	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>					
JXU9130WP / JXU9130HP	—	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—	—
JXW9036WP / JXW9036HP	—	—	—	—	—
JXU9136WP / JXU9136HP	—	—	—	—	—
JXW9048WP / JXW9048HP	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>					
UXL5430BSS	—	—	—	—	—
JXL6536CSS	—	—	—	—	—
JXL6536HS	—	—	—	—	—
UXL6036YSS	—	—	—	—	—
UXL6048YSS	■	—	—	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>					
JXI8536HS	—	—	—	—	—
JXI8936DS	—	—	—	—	—
<b>ISLAND-MOUNT HOODS</b>					
JXI8736DS / JXI8536DS	—	—	—	—	—
JXI8742DS	—	—	—	—	—
<b>WALL-MOUNT PERIMETRIC HOODS</b>					
JXW8530HS	—	—	—	—	—
JXW8536HS	—	—	—	—	—
JXW8936DS	—	—	—	—	—
<b>WALL-MOUNT HOODS</b>					
JVR0430H	—	—	—	—	—
JXW8530DS	—	—	—	—	—
JVR0436H	—	—	—	—	—
JXW8736DS / JXW8536DS	—	—	—	—	—
<b>MICROWAVE / HOOD COMBOS</b>					
JMV8208CS	—	—	—	—	—
JMV9196CS	—	—	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE NATURAL GAS AND LP RANGE PAIRINGS

JENN AIR®

PROFESSIONAL-STYLE NATURAL GAS AND LP RANGES							
MODELS	60,000 BTU TOTAL OR MORE					LESS THAN 60,000 BTU TOTAL	
	36"						
	JGRP436WP	JLRP436WP	JGRP436H	JGRP536H	JGRP636H	JGRP536WP	JLRP536WP
<b>VENTILATION STYLE</b>							
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>							
JXD7836BS	■	■	—	■	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>							
JXD7030YS	—	—	—	—	—	—	—
JXD7036YS	—	—	—	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>							
JXU9130WP / JXU9130HP	—	—	—	—	—	■	■
JXW9030WP / JXW9030HP	—	—	—	—	—	—	—
JXW9036WP / JXW9036HP	■	■	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>							
UXL5430BSS	—	—	—	—	—	—	—
JXL6536CSS	1,200 CFM only	1,200 CFM only	1,200 CFM only	■	■	■	■
JXL6536HS	1,200 CFM only	■	1,200 CFM only	■	■	■	■
UXL6036YSS	■	■	■	■	■	■	■
UXL6048YSS	■	■	—	■	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>							
JXI8536HS	—	—	—	—	—	■	■
JXI8936DS	—	—	—	■	—	■	■
<b>ISLAND-MOUNT HOODS</b>							
JXI8736DS / JXI8536DS	—	—	—	—	—	■	■
JXI8742DS	—	—	—	■	—	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>							
JXW8530HS	—	—	—	—	—	—	—
JXW8536HS	—	—	—	■	—	■	■
JXW8936DS	—	—	—	■	—	■	■
<b>WALL-MOUNT HOODS</b>							
JVR0430H	—	—	—	—	—	—	—
JXW8530DS	—	—	—	—	—	—	—
JVR0436H	—	■	—	■	—	■	■
JXW8736DS / JXW8536DS	—	—	—	■	—	■	■
<b>MICROWAVE / HOOD COMBOS</b>							
JMV8208CS	—	—	—	—	—	—	—
JMV9196CS	—	—	—	—	—	—	—

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE NATURAL GAS AND LP RANGE PAIRINGS

JENNIR®

PROFESSIONAL-STYLE NATURAL GAS AND LP RANGES			
MODELS	60,000 BTU TOTAL OR MORE	LESS THAN 60,000 BTU TOTAL	
	30"		
	JGRP430H	JGRP430WP	JLRP430WP
<b>VENTILATION STYLE</b>			
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>			
JXD7836BS	■	■	■
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>			
JXD7030YS	—	—	—
JXD7036YS	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>			
JXU9130WP / JXU9130HP	■	■	■
JXW9030WP / JXW9030HP	■	■	■
JXW9036WP / JXW9036HP	■	■	■
JXU9136WP / JXU9136HP	■	■	■
JXW9048WP / JXW9048HP	■	■	■
<b>CUSTOM HOOD LINERS*</b>			
UXL5430BSS	■	■	■
JXL6536CSS	■	■	■
JXL6536HS	■	■	■
UXL6036YSS	■	■	■
UXL6048YSS	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>			
JXI8536HS	—	■	■
JXI8936DS	■	■	■
<b>ISLAND-MOUNT HOODS</b>			
JXI8736DS / JXI8536DS	—	■	■
JXI8742DS	■	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>			
JXW8530HS	■	■	■
JXW8536HS	■	■	■
JXW8936DS	■	■	■
<b>WALL-MOUNT HOODS</b>			
JVR0430H	■	■	■
JXW8530DS	■	■	■
JVR0436H	■	■	■
JXW8736DS / JXW8536DS	■	■	■
<b>MICROWAVE / HOOD COMBOS</b>			
JMV8208CS	■	■	■
JMV9196CS	■	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND 30" RANGE PAIRINGS

30" RANGES				
MODELS	DUAL-FUEL AND GAS LESS THAN 60,000 BTU TOTAL		INDUCTION	RADIANT
	JDS1450F	JGS1450F	JIS1450D	JES1450F
<b>VENTILATION STYLE</b>				
<b>ACCOLADE® DOWNDRAFT SYSTEM</b>				
JXD7836BS	—	—	—	—
<b>TELESCOPING DOWNDRAFT SYSTEMS</b>				
JXD7030YS	—	—	—	—
JXD7036YS	—	—	—	—
<b>PROFESSIONAL-STYLE HOODS</b>				
JXU9130WP / JXU9130HP	■	■	■	■
JXW9030WP / JXW9030HP	■	■	■	■
JXW9036WP / JXW9036HP	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■
<b>CUSTOM HOOD LINERS*</b>				
UXL5430BSS	■	■	■	■
JXL6536CSS	■	■	■	■
JXL6536HS	■	■	■	■
UXL6048YSS	■	■	■	■
UXL6048YSS	■	■	■	■
<b>ISLAND-MOUNT PERIMETRIC HOODS</b>				
JXI8536HS	■	■	■	■
JXI8936DS	■	■	■	■
<b>ISLAND-MOUNT HOODS</b>				
JXI8736DS / JXI8536DS	■	■	■	■
JXI8742DS	■	■	■	■
<b>WALL-MOUNT PERIMETRIC HOODS</b>				
JXW8530HS	■	■	■	■
JXW8536HS	■	■	■	■
JXW8936DS	■	■	■	■
<b>WALL-MOUNT HOODS</b>				
JVR0430H	■	■	■	■
JXW8530DS	■	■	■	■
JVR0436H	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■
<b>MICROWAVE / HOOD COMBOS</b>				
JMV8208CS	■	■	■	■
JMV9196CS	■	■	■	■

\*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.