

## 48" Rangetop with Grill Model: KMR 1355 G / KMR 1355 LP



## KMR 1355 G / KMR 1355 LP Features:

- Stainless Steel backlit knobs
- M Pro dual stacked burner system with TrueSimmer
- M Pro Grill
- ComfortClean dishwasher-safe grates
- Clean Touch Steel<sup>™</sup> front




SPECIFICATIONS	
KMR 1355 G — Item 26135550USA	
KMR 1355 LP — Item 26135551USA	110
Overall Unit Width	48" (1219.2mm)
Overall Height from the base of the appliance to top, not including grates	7 <sup>1</sup> / <sub>2</sub> " (191mm)
Overall Unit Depth to the front of control panel	26 <sup>1</sup> / <sub>2</sub> " (673mm)
Niché	
Minimum Cabinet Width	48 <sup>1</sup> / <sub>16</sub> " + <sup>1</sup> / <sub>16</sub> " (1220.8 — 1219.8mm)
Minimum Cabinet Depth to back of control panel	25 <sup>1</sup> / <sub>16</sub> " (636.6mm)
Burners	
Gas Burners:	(2) 12,000 BTU; (4) 19,000 BTU
Grill:	(1) 15,000 BTU
Electrical	
Electrical Requirements	120V, 60Hz, 10 Amps
Power Cord	Yes - NEMA 5-15 plug, 4ft. long
Shipping	
Shipping Weight	174.2 lbs. (79kg)
Support	
Call	800.843.7231
20/20	√62020technologies.com




## **PRODUCT VIEWS**


Front View



Side View



Rear View



Length of power cord is 4 ft.


E = Electrical connection

G = Gas connection



## **PRODUCT VIEWS**

Cabinet View



Position	Dimension	Description
1	13" (330 mm)	Maximum depth of top cabinet
<b>②</b>	6" (152 mm)	Minimum distance (left and right) to flammable surfaces
3	18" (547 mm)	Minimum distance to bottom edge of top cabinet
4	7 <sup>1</sup> / <sub>2</sub> " (191mm)	Distance top edge of worktop to top edge of platform
(5)		Platform <sup>1)</sup>
6	30" (762 mm)	Minimum distance between the top of the cooking area and the bottom of an unprotected wooden or metal cabinet
<b>A</b> *	48 <sup>1</sup> / <sub>16</sub> "+ <sup>1</sup> / <sub>16</sub> " (1220.8 + 1.58mm)	Opening width

The gray areas represent the minimum distance from flammable surfaces.

1) The Platform must be  $^3/_4$ " (19.05 mm) thick. It must include a cut-out of  $5^1/_8$ " x  $3^1/_8$ " (130 mm x 80 mm) (gas connection) at the rear right and a cut-out of  $4^3/_4$ " x  $1^9/_{16}$ " (120 mm x 40 mm) (elctrical connection) at the rear left.

For gas, electric and water connections, see Rear Product View