

LSPU8653X

Dishwashers, Under counter built-in, 24", Number of place settings: 13, Stainless steel





































TYPE

Product family: Dishwashers • Commercial height: 86 cm • Number of place settings: 13 • Installation: Under counter built-in • Width: 24" • EAN code: 8017709303754

AESTHETIC

Color: Stainless steel • Control panel color: Fingerprint-proof stainless steel • Door color: Fingerprint-proof stainless steel • LED display color: White • Buttons color: Silver

PROGRAMS / FUNCTIONS

Number of programs: 10+1 • Soak: Yes • Express 27': Yes • Mix: Yes • Sterilize: Yes • Self Clean: Yes • Daily (half load): Yes • Delicates: Yes • Auto: Yes • Crystal & China: Yes • Eco express: Yes • Pots & Pans: Yes • Washing temperatures: 100, 113, 122, 130, 150, 158, 167 °F

OPTIONS

Dry Assist option: Yes • Delay start: Up to 24 hours • FlexiZone half-load option: Yes • Special programs option: Yes

BASKETS

N° baskets: 3, FlexiDuo • Basket components finish: Gray • Upper basket: 3 foldable racks • Upper basket height adjustment: On 3 levels • Sliding Guides Extra Glide: Yes • Lower basket: With 4 foldable racks • Largest loadable dish in upper basket: 9 1/4 inches • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 13 3/4 inches • Cutlery basket: Yes • Colour Inner Components: Blue

TECHNICAL FEATURES

Display: Delay start, Program progress indicator, Time-to-end indicator • Door opening system: Yes • Display type: OLED • On /off indicator: Yes • Salt indicator: Light • Rinse aid indicator: Light • Program progress indicator: Yes • End-of-cycle indicator: On display, with acoustic signal • Washing system: Planetarium • Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle • Engine: Single phase • Third spray arm: Single • Water softener: With electronic setting • Turbidity sensor Aquatest: Yes • Flood protection system: Total Aquastop • Max water hardness: 100°fH;58° dH • Internal lighting: White LED • Tub material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Min. and max plinth height: 3.9" - 6.6" • Hinges: Self-balancing with variable hinges • Adjustable feet: 2 3/4", from 33 7/8" to 36 5/8"

PERFORMANCE / ENERGY LABEL

Noise level: 44 dB(A) re 1pW • Energy Star: Yes

ELECTRICAL CONNECTION

Connected power: 1800 W • Voltage: 110-120 V • Connection type: Single-phase • Frequency (Hz): 60 Hz • Power supply cable length: 55 "

OPTIONAL

KITPL60X: Toe kick, DishwashersKITPL60B: Toe kick, DishwashersKITPL60N: Toe kick, Dishwashers



