QUICK REFERENCE GUIDE > OR36SCI6X1

# Induction Range, 36", 5 Zones with SmartZone, Self-cleaning

Series 9 | Classic

Stainless Steel



Heritage styling meets modern performance, including an induction cooktop with the ability to pair zones to create a large cook zone.

- Five induction cooking zones that can be bridged to form two "SmartZones"
- Convection oven with 4.9 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

### **DIMENSIONS**

Height 35 3/4 - 37 1/4"

Width 35 7/8"

Depth 25 1/4"

#### **FEATURES & BENEFITS**

## **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake. The AeroTech™ system circulates air evenly throughout the entire oven, perfect for multi-shelf cooking.

#### Power & control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Large capacity

The large 4.9 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

#### Quality and durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

#### Easy to clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

#### Safe and sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a quadruple-glazed CoolTouch door, and a child lock. Induction cooktops heat only the cookware, not the elements, so they are much safer in family kitchens.

#### **SPECIFICATIONS**

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Full Extension Telescopic	2 sets (part 578744)
Full extension sliding shelves	2 sets (part 578755)
Kick strip, stainless steel	Part 81659
Capacity	
Shelf positions	7
Total capacity	4.9L
Usable capacity	4.3L
Cleaning	
Acid resistant graphite enamel	•
Drop down broil element	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

QUICK REFERENCE GUIDE > OR36SCI6X1 Date: 07.04.2022 > 2

Automatic cooking/minute	Controls		Aero Broil	•	Induction cooking technology	•
Automatic pre-set   Number of functions   9   Septembre   Septembr	Audio feedback	•	Aero™ Pastry with Pizza mode	•	SmartZone	1
Repliator former	Automatic cooking/minute	•	Bake	•	Zone bridging	•
Relation of Colock	Automatic pre-set	•	Number of functions	9		
High resolution display	Celsius/Fahrenheit	•	Rapid proof	•	Rangetop Performance	
Automatic rapid pre-heat   Foundament   Fo	Electronic clock	•	Roast	•	Centre	2600W
Precise electronic temperature	High resolution display	•	Self-clean	•	Number of cooking zones	5
Sabbath mode  Doven performance  Broil A300 BTU ADA compliant  Advanced cooling system Advanced coolin	Laser etched graphics	•	True Aero	•	PowerBoost	•
Toughened fused glass	Precise electronic temperature	•				
Turned stainless steel clock  Broil power  Combined warming/storage  C	Sabbath mode	•	Oven performance		Safety	
Broll power   Advanced cooling system   Advanced cooling system   Advanced cooling system   Anti-tilt bracket   Combined warming/Storage   220W   Anti-tilt bracket	Toughened fused glass	•	Broil	4300 BTU	ADA compliant	•
Combined warming/storage  Warming drawer power  Warming drawer  Concealed element  Amperage  A	Turned stainless steel clock	•	Broil power	4300W	Advanced cooling system	•
Over features     Warming drawer power     220W     Catalytic venting system        Aero Tech*** technology     Child lock        Automatic rapid pre-heat     Power requirements     CoolTouch door        Bright chromed, cast zinc dials     Amperage     65A     Full extension telescopic        Concealed element     Supply frequency     60Hz     Non-tip shelves        Convection     Product dimensions     Pan detection system        Electronic oven control     Depth     25 1/4**     Spill containment     38 BTU       Internal light     4 x 25W halogen (2 side & 2     Height     35 3/4 - 37 1/4**     Spillage auto off        Soft open/close door     Width     35 3/8**     Surface hot indicators        Turned stainless steel clock     Width     35 3/8**     Surface hot indicators        Twin cavity fans     Auto heat reduce      KU     81956       Warming drawer     Dual zones      The product dimensions and specifications in this page apoly to the specific product	Turned stainless steel clock	•	Combined warming/Storage	220W	Anti-tilt bracket	•
Aero Tech*** technology Automatic rapid pre-heat Automatic rapid pre-heat Automatic rapid pre-heat Automatic rapid pre-heat Bright chromed, cast zinc dials Concealed element Concealed element Concealed element Convection Convection Full extension telescopic Full extension teles			CoolTouch door	Quadruple glazed	Balanced oven door	•
Automatic rapid pre-heat  Power requirements  Amperage  Amperage  Amperage  Amperage  Amperage  Amperage  Amperage  Amperage  Conceded element  Convection  Convection  Electronic oven control  Full extension telescopic  Product dimensions  Full extension telescopic  Product dimensions  Full extension telescopic  Depth  25 1/4"  Spill containment  Spill containment  Spill containment  Spill extension telescopic  Depth  35 3/4 - 37 1/4"  Spill ge auto off  Agrage to to indicators  Turned stainless steel clock  Twin cavity fans  Warming drawer  Auto heat reduce  Dual zones  Gentle heat  Gentle heat  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product  The product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the specific product dimensions and specifications in this page apply to the spe	Oven features		Warming drawer power	220W	Catalytic venting system	•
Bright chromed, cast zinc dials	AeroTech™ technology	•			Child lock	•
Amperage 65A Full extension telescopic Concealed element Supply frequency 60Hz Non-tip shelves .  Convection Pan detection system Pan d	Automatic rapid pre-heat	•	Power requirements		CoolTouch door	•
Supply frequency Supply	Bright chromed, cast zinc dials	•	Amperage	65A	Full extension telescopic	•
Electronic oven control  Product dimensions  Full extension telescopic  Depth	Concealed element	•	Supply frequency	60Hz	Non-tip shelves	•
Full extension telescopic  Product dimensions  Depth D	Convection	•			Pan detection system	•
Depth 25 1/4" Spill containment 38 BTU  Internal light 4 x 25W halogen (2 side & 2  Height 35 3/4 - 37 1/4" Spillage auto off •  Soft open/close door • Width 35 7/8" Surface hot indicators •  Turned stainless steel clock • Rangetop features  Warming drawer • Auto heat reduce • SKU 81965  Oven functions  Aero Bake	Electronic oven control	•	Product dimensions		Safety time out	•
Soft open/close door  Vidth  Turned stainless steel clock  Twin cavity fans  Warming drawer  Auto heat reduce  Dual zones  Gentle heat  Gentle heat  Soft open/close door  Width  35 3/4 - 37 1/4"  Splinage auto off  Surface hot indicators  Surface hot indicators  SKU  SKU  81965  The product dimensions and specifications in this page apply to the specific product	Full extension telescopic	•	Depth	25 1/4"	Spill containment	38 BTU
Turned stainless steel clock  Twin cavity fans  Warming drawer  Page 1  Dual zones  Gentle heat  Width  35 7/8"  Surrace not indicators  SKU  81965  The product dimensions and specifications in this page apply to the specific product	Internal light	4 x 25W halogen (2 side & 2	Height	35 3/4 - 37 1/4"	Spillage auto off	•
Twin cavity fans  Warming drawer  Auto heat reduce  Dual zones  Gentle heat  Gentle heat  SKU  SKU  SKU  81965  The product dimensions and specifications in this page apply to the specific product	Soft open/close door	•	Width	35 7/8"	Surface hot indicators	•
Warming drawer  Auto heat reduce  Dual zones  Gentle heat  SKU  SKU  SKU  81965  The product dimensions and specifications in this page apply to the specific product	Turned stainless steel clock	•				
Auto heat reduce  Dual zones  Gentle heat  SKU  SKU  81965  The product dimensions and specifications in this page apply to the specific product	Twin cavity fans	•	Rangetop features			
Oven functions  Gentle heat  Aero Bake  • The product dimensions and specifications in this page apply to the specific product	Warming drawer	•			SKU	81965
Aero Bake  Gentle heat  The product dimensions and specifications in this page apply to the specific product			Dual zones	•		
Aero Bake			Gentle heat	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and	
Heat settings 9 and model. Under our policy of continuous improvement, these dimensions and			Heat settings	9		

**QUICK REFERENCE GUIDE >** OR36SCI6X1 Date: 07.04.2022 > 3

specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



User Guide



Installation Guide

