


Product and Cut-out Dimensions

Futura Profi-Line PG8080i Integrated Dishwasher

Page 1 of 3



Location Codes

C – Cutout 2 1/4" x 4" (57 mm x 102 mm) for water, drain and electric pass-through.
Adjust according to water and drain location.

D - 5 foot (1.5 meter) flexible drain hose connects lower center rear.

E - 5 foot (1.5 meter) power supply connects lower left. Depending on version ordered (please specify) units come with:

- 1) 1N AC 120V 3 wire molded plug – NEMA 5-15P (Miele article number: 61808052USA)
- 2) 2N AC 208-240V 4 wire molded plug – NEMA 14-30P (Miele article number: 61808051USA)

W - 5 foot (1.5 meter) "Double Waterproof" flexible water intake hose connects lower center rear. The water hose comes equipped with a 3/4" female hose thread connector.

Notes

All installations must be done in accordance with local codes.

Drawing is not to scale

Specification Sheets OJS 05152013


Product and Cut-out Dimensions

Futura Profi-Line PG8080i Integrated Dishwasher

Page 2 of 3

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.



Width: 23 7/16" (598 mm) in all cases

Thickness: 3/4" (19 mm) in all cases

Height: Determined using the following calculation:

$$\text{Panel Height} = \text{HTC} - \text{CPH} - \text{TKH}$$

HTC = Height to the underside of countertop

CPH = Control panel height (**Note 1**)

TKH = Toe kick height

Note: Control panel height is determined by the height of the adjoining drawers in the cabinets. The height is adjustable between 4 5/8" and 5 7/8" (116-150 mm) with spacer strips provided.

Maximum panel height: 27 1/4" (692 mm)


Minimum panel height: 21 1/4" (540 mm)

Maximum panel weight: 23 Pounds (10.4 kg)


Product and Cut-out Dimensions

Futura Profi-Line PG8080i Integrated Dishwasher

Page 3 of 3



Water Connection



Waterproof System

Temperature: 110° - 130° F

Pressure: 4.5 - 145 PSI

Drain hose: 7/8" ID - 5 feet (1.5 meters) long