

PureLine Brilliant White 24" Speed Oven

Miele
H 6200 BM BRWS



PureLine 24" Speed Oven H 6200 BM BRWS




H 6200 BM BRWS

Features:


- DirectSelect controls offer turn dial operation with a 7-segment liquid crystal display
- 9 operating modes
- Rapid Preheat
- PerfectClean interior
- 1,000 watt microwave
- Popcorn button
- Minute Plus button - time and power individually programmable
- Timer
- The simple yet sleek Silhouette chrome handle seems to float enhancing its modern design lines

Comfort Handle:
Optional with ContourLine
(DS 6708 Item #09828380)

ComfortSwivel Handle:
Standard with ContourLine
Optional for PureLine
(DS 6718 Item # 09828390)



Silhouette Handle:
Standard with Pureline
Optional for Contourline
(DS 6808 Item # 09828400)



Silhouette Handle (Chrome):
Standard with BrilliantWhite
(DS 6808 Item # 09828410)



Silhouette Handle:
Standard with Truffle Brown
(DS 6808 Item # 09870690)

PureLine 24" Speed Oven

H 6200 BM BRWS



SPECIFICATIONS

H 6200 BM BRWS – Item 22620014USA

Overall Unit Width - Excluding Fascia Dimension	22 ¹ / ₁₆ " (560mm)
Overall Height - Excluding Fascia Dimension	17 ¹ / ₂ " (445mm)
Overall Unit Depth - Excluding Fascia Dimension	21 ⁹ / ₁₆ " (549mm)
Oven Door Clearance	34 ¹³ / ₁₆ " (885mm)
Overall Fascia Dimensions	23 ⁷ / ₁₆ " (595mm) W x 17 ⁵ / ₁₆ " (455.5mm) H x 7 ⁷ / ₈ " (22mm) D

Built-In

Cabinet Width	22 ¹ / ₁₆ " – 22 ³ / ₈ " (561mm – 568mm)
Minimum Cabinet Depth	min. 21 ⁷ / ₈ " (550mm)
Minimum Cabinet Opening Height	17 ³ / ₄ " – 17 ¹³ / ₁₆ " (448 – 452mm)
Minimum Base Support	125 lbs
Additional Cut-outs Required	No

Electrical

Electrical Requirements	240/208V AC, 60Hz, 20A circuit
Power Cord	Molded NEMA 14-30 configured plug
Cut out for power cord	Minimum 3" square
Electrical Rating	2.9kW (240V), 2.2kW (208V)
Total Amps	12A on 240V, 10.5A on 208V

Shipping

Shipping Weight	126 lbs
Shipping Dimensions	25 ⁵ / ₈ " W (727mm) x 24 ¹³ / ₁₆ " (630mm) H x 27" (686mm) L

Support


Call	800.843.7231
20/20	☎2020technologies.com

PureLine 24" Speed Oven H 6200 BM BRWS




PRODUCT VIEWS

Fascia



Top View




PureLine 24" Speed Oven H 6200 BM BRWS




PRODUCT VIEWS

Rear View



Side View



* Oven with glass front


** Oven with metal front

PureLine 24" Speed Oven H 6200 BM BRWS




INSTALLATION SPECIFICATIONS

Install in Tall Cabinet



* Oven with glass front
** Oven with metal front

Undercounter Installation




* Oven with glass front
** Oven with metal front

PureLine 24" Speed Oven H 6200 BM BRWS



INSTALLATION SPECIFICATIONS


Over 24" Installation



INSTALLATION SPECIFICATIONS

Door Swing

Front dimensions



A H67xx: 2 3/4" (69 mm)

H68xx: 1 5/8" (42 mm)

B Speed Oven with glass front: 1/16" (2.2 mm)

Speed Oven with metal front: 1/16" (1.2 mm)