Integrated Column Refrigerator, 24", Water

Series 11		Integrated
-----------	--	------------

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless integration – this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS





FEATURES & BENEFITS

Variable temperature zones

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

Internal water dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a

FISHER & PAYKEL

continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever energy

ActiveSmart[™] makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design quality

<>

Perfect fit

SPECIFICATIONS

Accessories

24" Stainless steel toe kick	AKRS2404
42" Stainless steel toe kick	AKRS4204
48" Stainless steel toe kick	AKRS4804
54" Stainless steel toe kick	AKRS5404
60" Stainless steel toe kick	AKRS6004
66" Stainless steel toe kick	AKRS6604
72" Stainless steel toe kick	AKRS7204

QUICK REFERENCE GUIDE > RS2484SRHK1

78" Stainless steel toe kick	AKRS7804
84" Stainless steel toe kick	AKRS8404
Contemporary round handle	AHS-RD84
Contemporary square handle	AHD3-RD84
Hinge change (from left hinge	848188
Hinge change (from right hinge	848187
Joiner kit	AJ-RS84LF
Professional round flush handle	AHP3RDSF
Professional round handle kit	AHC-RD84
Professional square handle kit	AHV2-RD84
Replacement water filter	FWC3
Square fine aluminium handle	AHD5RDSF
Square fine black handle kit	AHD5RDSFE
Stainless steel door panel	24" Right hinge RD2484R4D
Capacity	
Volume	10.4 6
	12.4cu fi
Volume refrigerator	12.4cu fi
Volume refrigerator	
Volume refrigerator	
Volume refrigerator Consumption Energy rating	12.4cu ft
Volume refrigerator Consumption Energy rating	12.4cu ft
Volume refrigerator Consumption Energy rating Features	12.4cu fi
Volume refrigerator Consumption Energy rating Features Adjustable door shelves	12.4cu fi
Volume refrigerator Consumption Energy rating Features Adjustable door shelves Adjustable glass cantilevered	12.4cu fi Energy star
Volume refrigerator Consumption Energy rating Features Adjustable door shelves Adjustable glass cantilevered Covered door shelves	12.4cu fi Energy star
Volume refrigerator Consumption Energy rating Features Adjustable door shelves Adjustable glass cantilevered Covered door shelves Door alarm	12.4cu fi Energy star

LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at	•
Soft-close fruit and vegetable	• 4
Stackable bottle holders	
Performance	
ActiveSmart™ technology	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes	Pantry; Fridge; Chill
Variable temperature zones	2
Power requirements	
Rated current	10A
Supply frequency	60Hz
Supply voltage	115V
Product dimensions	
Depth	24″
Height	84″
Width	23 3/4"
Warranty	
Parts and labor	2 years
Sealed system parts and labor	additional 3 years

SKU 26165

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020 Other product downloads available at fisherpaykel.com

▲ Energy Label

↓ Install Guide - Water Filter Replacement



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com