Integrated Column Refrigerator, 30"

Series 11 | Integrated

Panel Ready | Right Hinge

Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature

- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	29 3/4"
Depth	24"

FEATURES & BENEFITS

Variable Temperature Zones
Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

Mix & match
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever energy
Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality
The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

Easy install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect fit
These models fit flush and have only ⅛" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories

30" Stainless steel toe kick	AKRS3004
48" Stainless steel toe kick	AKRS4804
54" Stainless steel toe kick	AKRS5404
60" Stainless steel toe kick	AKRS6004
66" Stainless steel toe kick	AKRS6604

FISHER & PAYKEL

72" Stainless steel toe kick	AKRS7204	Gallon door shelves	1	
78" Stainless steel toe kick	AKRS7804	LED bin lighting	•	
84" Stainless steel toe kick	AKRS8404	LED ceiling lighting	•	
Contemporary round handle	AHS-RD84	LED side lighting	•	
Contemporary square handle	AHD3-RD84	SmartTouch interface at	•	
Hinge change (from left hinge	848190	Soft-close fruit and vegetable	•	
Hinge change (from right hinge	848189	Stackable bottle holders	4	
Joiner kit	AJ-RS84LR			
Matching Replacement Water	FWC3			
Professional round flush handle	AHP3RDSF			
Professional round handle kit	AHC-RD84			
Professional square handle kit	AHV2-RD84			
Square fine aluminium handle	AHD5RDSF			
Square fine black handle kit	AHD5RDSFB			
Stainless steel door panel	30" Right hinge RD3084R4D			

Sealed system parts and labor — **additional 3 years**

SKU — 26130

Capacity

Volume	**16.3cu ft**
Volume refrigerator	**16.3cu ft**

Consumption

Energy rating	**Energy star**
Energy usage	**247kWh/year**

Features

Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Fruit and vegetable bins	4

Performance

ActiveSmart™ technology	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes	**Pantry; Fridge; Chill**
Variable temperature zones	**2**

Power requirements

Rated current	**10A**
Supply frequency	**60Hz**
Supply voltage	**115V**

Product dimensions

Depth	**24"**
Height	**84"**
Width	**29 3/4"**

Warranty

Parts and labor	**2 years**

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

↓ User Guide

↓ User Guide

↓ Energy Label

↓ Installation Guide

↓ Installation Guide

↓ Installation Guide

↓ Install Guide - Water Filter Replacement

↓ Specification Guide Integrated Column Refrigerator

↓ Data Sheet Integrated Column Refrigerator

↓ Data Sheet Integrated Column Refrigerator Dual Install (18"
+ 30")

↓ Data Sheet Integrated Column Refrigerator Dual Install
(24" + 30")

↓ Data Sheet Integrated Column Refrigerator Dual Install
(30" + 30")

↓ Planning Guide Integrated Columns

↓ Key Purchase Decisions Integrated Columns

24/7

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W** www.fisherpaykel.com

FISHER & PAYKEL