24" Custom Panel Dishwasher

Benchmark - Custom Panel SHV9PCM3N





SHV9PCM3N **Custom Panel**

PowerControl™ spray arm targets your dirtiest dishes with a deeper clean, no matter where you load them on the bottom rack.

Features & Benefits

So quiet at 39 dBA, TimeLight® shines time remaining on the floor so you know the dishwasher is running.

Patented CrystalDry™ technology transforms moisture into heat to get dishes, including plastics, 60% drier.†

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

Enhance your cleaning experience with Wi-Fi enabled Home Connect®. Access additional wash cycles and options or choose the right one for your needs using Smart Cycle.

General Properties	
Number of wash cycles	5 + 4 additional in Home Connect®
Number of options	4 + 4 additional in Home Connect®
dBA	39 dBA
Wash system	PowerControl™ wit PrecisionWash®
Drying system	CrystalDry™
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Touch Controls
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
Home Connect® (WiFi enabled)	Yes
NSF®-certified** sanitize option	Yes
Water softener	Yes
Five-level wash	Yes
Child Lock button suspension	No
Anti-Fingerprint Finish	N/A
Special features	CrystalDry™ Option TimeLight®, Interio Light, EasyGlide® Plus rack system
Efficiency	
Water usage per cycle	3.2
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption	239 kWh

○ Home Conr	nect
-------------	------





Number of place settings16Technical DetailsWatts1440 WCurrent12 AmpsVolts120 VFrequency60 HzPower cord full length67"Power cord install length from edge of unit when facing the doorLeft - 45" Right - 56"Minimum water pressure14 lb/sinLength outlet hose79"Dimensions & WeightOverall appliance dimensions (HxWxD)33 7/8" x 23 9/16" x 23 1/16"Required cutout size (HxWxD)33 7/8" x 24" x 24" x 24" x 24"Adjustable feetYesNet weight114 lbsJunction BoxSMZPCJB1UCJunction Box + Supply Hose KitSMZSH002UCBosch Dishwasher Water Supply HoseSMZSH002UCDrain Hose Extension KitSGZ1010UCDishwasher Accessory KitSMZ5000Anti-Tarnish Silverware CassetteSMZ5002UCEdge Protector + Power Cord Clip Install KitSMZEPCC1UCWater Softener SaltSGZ9091UC	Capacity		
Watts 1440 W Current 12 Amps Volts 120 V Frequency 60 Hz Power cord full length 67" Power cord install length from edge of unit when facing the door Minimum water pressure 14 lb/sin Length outlet hose 79" Dimensions & Weight Overall appliance dimensions (HxWxD) 33 7/8" x 23 9/16" x 23 1/16" Required cutout size (HxWxD) Adjustable feet Yes Net weight 114 lbs Accessories—Optional Junction Box SMZPCJB1UC Junction Box SMZPCJB1UC Junction Box SMZSH002UC Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Number of place settings	16	
Current 12 Amps Volts 120 V Frequency 60 Hz Power cord full length 67" Power cord install length from edge of unit when facing the door Minimum water pressure 14 lb/sin Length outlet hose 79" Dimensions & Weight Overall appliance 33 7/8" x 23 9/16" x 23 1/16" Required cutout size (HxWxD) x 23 1/16" Required cutout size (HxWxD) Adjustable feet Yes Net weight 114 lbs Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply Hose SMZ3IN1UC Bosch Dishwasher Water SMZSH002UC Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Technical Details		
Volts Frequency Frequency Fower cord full length From edge of unit when facing the door Minimum water pressure Length outlet hose Dimensions & Weight Overall appliance dimensions (HxWxD) Required cutout size (HxWxD) Adjustable feet Net weight Ves Net weight Junction Box Accessories—Optional Junction Box + Supply Hose Drain Hose Extension Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit Power cord install length Fried Capter (Fried Cord Clip Install Kit) Left - 45" Required - 45" Right - 56" Right - 56" Silverware Silverware Silverware Silverware Cord Clip Install Kit	Watts	1440 W	
Frequency 60 Hz Power cord full length 67" Power cord install length from edge of unit when facing the door Minimum water pressure 14 lb/sin Length outlet hose 79" Dimensions & Weight Overall appliance dimensions (HxWxD) 33 7/8" x 23 9/16" x 23 1/16" Required cutout size (HxWxD) Adjustable feet Yes Net weight 114 lbs Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply Hose SMZSH002UC Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Current	12 Amps	
Power cord full length Power cord install length from edge of unit when facing the door Minimum water pressure Length outlet hose Dimensions & Weight Overall appliance dimensions (HxWxD) Required cutout size (HxWxD) Adjustable feet Net weight Accessories—Optional Junction Box Junction Box Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Power Cassette Edge Protector + Power Cord Clip Install Kit Pight - 45" Right - 45" Right - 45" Right - 56" Right - 45" Right - 56" Right - 45" Right	Volts	120 V	
Power cord install length from edge of unit when facing the door Minimum water pressure 14 lb/sin Length outlet hose 79" Dimensions & Weight Overall appliance dimensions (HxWxD) 33 7/8" x 23 9/16" x 23 1/16" Required cutout size (HxWxD) 33 7/8" x 24" x	Frequency	60 Hz	
from edge of unit when facing the door Minimum water pressure 14 lb/sin Length outlet hose 79" Dimensions & Weight Overall appliance dimensions (HxWxD)	Power cord full length	67"	
Dimensions & Weight Overall appliance dimensions (HxWxD) Required cutout size (HxWxD) Adjustable feet Net weight Junction Box Junction Box Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit 33 7/8" x 23 9/16" x 23 1/16" 33 7/8" x 24" x 24" x 24" X 24	from edge of unit when		
Dimensions & Weight Overall appliance dimensions (HxWxD) Required cutout size (HxWxD) Adjustable feet Net weight Junction Box Junction Box Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit 33 7/8" x 24" x 24" X	Minimum water pressure	14 lb/sin	
Overall appliance dimensions (HxWxD) Required cutout size (HxWxD) Adjustable feet Yes Net weight 114 lbs Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Length outlet hose	79"	
dimensions (HxWxD) x 23 1/16" Required cutout size (HxWxD) Adjustable feet Yes Net weight 114 lbs Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Dimensions & Weight		
(HxWxD) Adjustable feet Yes Net weight 114 lbs Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply SMZ3IN1UC Hose Kit Bosch Dishwasher Water SMZSH002UC Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit			
Net weight Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit		33 7/8" x 24" x 24"	
Accessories—Optional Junction Box SMZPCJB1UC Junction Box + Supply SMZ3IN1UC Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Adjustable feet	Yes	
Junction Box SMZPCJB1UC Junction Box + Supply SMZ3IN1UC Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Net weight	114 lbs	
Junction Box + Supply Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Accessories—Optional		
Hose Kit Bosch Dishwasher Water Supply Hose Drain Hose Extension Kit Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	Junction Box	SMZPCJB1UC	
Supply Hose Drain Hose Extension Kit SGZ1010UC Dishwasher Accessory SMZ5000 Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit	117	SMZ3IN1UC	
Dishwasher Accessory Kit Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit		SMZSH002UC	
Anti-Tarnish Silverware Cassette Edge Protector + Power Cord Clip Install Kit SMZ5002UC SMZEPCC1UC	Drain Hose Extension Kit	SGZ1010UC	
Cassette Edge Protector + Power Cord Clip Install Kit	3	SMZ5000	
Cord Clip Install Kit		SMZ5002UC	
Water Softener Salt SGZ9091UC	9	SMZEPCC1UC	
	Water Softener Salt	SGZ9091UC	

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

[†] Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry®. Drying performance may vary by dish type. *Compared to a Bosch dishwasher with 2 racks.


^{**}Certification to NSF/ANSI Standard 184 for residential dishwashers.

24" Custom Panel Dishwasher

Benchmark - Custom Panel SHV9PCM3N



Installation Details





* measured from the bottom edge of the countertop panel thickness recommended 3/4" (20 mm).


This dishwasher can accept custom door panel weights ranging from 7 to 24 lbs; however, the dishwasher comes from the factory ready for custom panel door weights from 11 to 18 lbs. If you plan on using a door panel that is not 11 to 18 lbs. please contact customer service at (800) 944-2904.


** 24" (610 mm) wide panel may be used depending on cabinet design

Note: Refer to installation template for mounting hardware locations measurements in inches (mm)









Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Custom Panel Dishwasher

Benchmark - Custom Panel SHV9PCM3N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.