

Specialised for 35 years in the production of electrical cooking appliances, always succeeding in being innovative in functional proposals and design.

In this catalogue you will find an infinity of solutions for equipping your kitchen with appliances at the top of world production.

Our mission is to offer the widest possible choice in the specific field of cooking, trying to satisfy the greatest number of user requirements from the point of view of both design and functionality.

To achieve this you will find a vast range of products offering: dimensions from 24" to 60";

6 colours with 3 types of finish;

4 sizes and 6 types of oven.

On the hobs: 4 types of burners, fry top, "coup de feu". Numerous accessories for the most refined cooking activities.



INDEX

General characteristicspaş	ge	3
Optionals	."	8
Professional Plus cookers	."	12
JAG wall hoods	. "	43
Majestic cookers		
JAM wall hoods	. "	63

OVENS


Wide choice of ovens. The range comprises 4 ovens with different volumes:

- maxi oven 90 available in both the electric multifunction and ventilated gas versions;
- standard oven 60 available in both the electric multifunction and the ventilated gas version;
- midi oven 40 available in the static electric versions;
- mini oven 30 available in the static electric version;

All ovens have a removable triple-glass for easy internal cleaning. It allows better heat insulation and energy saving.




MINI OVEN 30





MIDI OVEN 40





STANDARD OVEN 60



MAXI-OVEN 90

MULTIFUNCTION ELECTRIC OVEN (CONVECTION & BAKE)





I Defrost function and Quick start

Defrosting of frozen food is accelerated by means of fan driven air circulation. The advantage of defrosting at room temperature is that it does not alter the taste and appearance of the food. Quick Start, available only on certain models, is a fast pre-heating oven function.





2 Convection oven

This provides a more even heat than a conventional oven and food is «sealed» very quickly. Pre-heating is generally unnecessary. As there is no top or bottom heat the whole area of the oven can be utilized. This setting is ideal for batch baking or cooking a complete meal.





3 Convection bake

A fast intensive form of cooking, suitable for a variety of dishes. It replaces the spit and can be used for baked fish, braised vegetables, kebabs, roast chicken, duck etc.





4 Convection broil

An energy-saving method for deep cooking. Suitable for chops, sausages, kebabs etc.





5 Grill-baking

Suitable for roast meats in general e.g. fillet steak, grilled fish and vegetables. And also for cooking «au gratin» e.g. cauli-flower cheese.





6 Upper element

Especially suitable for browning and to add the finishing touches of colour to different dishes. We sug-gest this setting when browning lasagne, melting cheese toppings etc.





7 Lower element

As the heat comes from the lower element, this setting is particularly suitable for pastry and cakes e.g. flans, pizzas, biscuits, fruit cakes etc.





8 Bake

This operates like a conventional electric oven and can be used accordingly. Suitable for pork, chops, sausage, game, roast veal, meringues and biscuits, baked fruit, etc.

CONVECTION GAS OVEN



I Convection oven

This provides a more even heat than a conventional oven and food is «sealed» very quickly. This setting is ideal for batch baking or cooking a complete meal. Several different dishes can be cooked using various shelf positions.



2 Lower element

A fast intensive form of cooking, suitable for a variety of dishes. It replaces the spit and can be used for baked fish, braised vegetables, kebabs, roast chicken, duck etc.



3 Convection broil

An energy-saving method for deep cooking. Suitable for chops, sausages, kebabs etc.



4 Broil

Suitable for roast meats in general e.g. fillet steak, grilled fish and vegetables. And also for cooking «au gratin» e.g. cauliflower cheese.

STANDARD ELECTRIC OVEN (BAKE)



5 Broil

Suitable for roast meats in general e.g. fillet steak, grilled fish and vegetables. And also for cooking «au gratin» e.g. cauliflower cheese.



6 Upper element

Especially suitable for browning and to add the finishing touches of colour to different dishes. We sug-gest this setting when browning lasagne, melting cheese toppings etc.




7 Lower element

As the heat comes from the lower element, this setting is particularly suitable for pastry and cakes e.g. flans, pizzas, biscuits, fruit cakes etc.



8 Bake

This operates like a conventional electric oven and can be used accordingly. Suitable for pork, chops, sausage, game, roast veal, meringues and biscuits, baked fruit, etc.



HEAT-INSULATED DOOR

Three special glasses keep the heat inside the oven allowing the temperature on the outer glass to remain low. Internal glasses and door can be easily removed for cleaning.

INSULATION

It is obtained through the use of high-density glass -wool panels and reflecting alluminium sheets. All this has been studied to guarantee uniformity of temperature and energy saving.



Class A for performance and consumption (according to European standards)

The design solutions that characterise the ovens are now extended to the whole range. This is demonstrated by the Energy Label, the European standard introduced in January 2003, which classifies ovens according to their energy consumption.



Electronic programmer



WORKING TOP

TECHNICAL CHARACTERISTICS

ELECTRIC IGNITION INCLUDED IN THE KNOBS

... just press a knob and the burner will light up.

MULTI-GAS BURNERS

With stabilized flame, they eliminate eventual flame extincions due to draught or liquid overflow. Enamelled grilles.

Triple ring burner ø 120 - 15.500 Btu

Big burner ø 70 - 10.500 Btu

Small burner ø 55 - 7.000 Btu

Fish burner / Fry-Top burner 10.500 Btu

Enamelled removable burner cup for easy cleaning.

Sturdy cast iron grates.



Fry-Top - Professional, Majestic, Quadra, Classic

GAS FRY-TOP (GRIDDLE) Thick plate of stainless steel $({}^{5}/{}_{16}{}^{"})$ to obtain uniform temperature all over the surface for natural cooking of meat, fish, vegetables, etc.



Coup de Feu

COUP DE FEU

The large cast iron "Coup de Feu" is fed by a gas burner (8.500 Btu). Designed to have an indirect heating, thus enabling genuine cooking. Perfect for any sauces, for grilling and browning. It can be used as dish-warmer.

STOP GAS

THERMOCOUPLE

All cookers are fitted with thermocouple as standard supply. Upon request some appliances will be supplied without thermocouple.

OPTIONALS



OVEN SLIDING TRAYS (cod. KGS30C - mini oven 30, KGS40C midi oven 40, KGS60C - standard oven 60, KGS90C - maxi oven 90)

To ensure safety when moving the baking-pans and tray inside the oven. Also for more usefulness and improved ergonomic properties. The kit is composed of three pairs of sliding trays running on ball bearings to easily remove and position the baking pans. These sliding trays are self setting for added safety. The kit is equipped also with two pairs of fixed trays with 5 positions in total.





PIZZA PLATE

A/418/04 - For mini-oven 30

A/418/00 - For standard oven 60

A/418/02 - For maxi-oven 90



BAKING PLATE

S/146/18 - For standard oven 60

S/146/08 - For maxi-oven 90



MESH INSERT

For broiling meat and fish, vegetables, toast, bruschetta, etc. (cod. A/092/59 - mini oven 30, A/092/49 - midi oven 40, A/092/60 - standard oven 60, A/092/61 - maxi oven 90)

OVEN TYPE	CODE
Mini oven 30	G/170/18
Midi oven 40	G/170/24
Standard Multifunction oven 60	G/170/22
Standard Fan Gas oven 60	G/170/25
Maxi Multifunction oven 90	G/170/23
Maxi Fan Gas oven 90	G/170/26

SELF-CLEANING PANELSA special coating with the property to burn all greases deposited on the panels, so that the oven is always clean.



Small burner Large burner Triple ring burner Fish burner

	CODE	Burners number	Fish burner included
	KCT 45	4/5	No
BURNER CUP	KCT 5PC	5	Yes
COVERS	KCT 6	6	Yes
	KCT 7	7	Yes
	KCT 8	8	Yes

OPTIONALS



GAS BARBECUE (GRILL) (cod. G/419/03)

(for models with Fry-top only). The gas barbecue pan support is interchangeable with the Fry-top plate when grilling. The small reservoir tray collects the grease thus ensuring a genuine cooking.



COVER FOR FRY-TOP (cod.A/040/01).The cooking steam remains inside the cover so that the food is more tender. An indispensable accessory for those who are fond of Japanese cooking "Tepanyaki".



CHOPPING BOARD (cod.A/484/01)

Solid, 15/16" thickness. It fits perfectly into fry-top plate when cool.



BASINS FOR STEAM COOKING (cod. G/002/02).

It's composed from two containers with two lids. The steam cookings is a healthy method.

Ideal for vegetables, rice, flesh and fish.



FISH COOKING GRATES INTERCHANGEABLE WITH THE FRY-TOP (cod. G/092/81).



STAINLESS STEEL BASINS WITH LIDS FOR HEATING FOOD IN BAIN-

MARIE (cod. G/002/01). For models wirh Fry-top only. The kit requires the fish grill for the Fry-top (G/092/81). This consists of three baskets with covers and one container.



CAST IRON STEAK PAN

For low-fat cooking of hamburgers, steaks, etc. over a gas flame.







CAST IRON STEAK PAN FLAT LARGE: CODE A/006/08



CAST IRON STEAK PAN RIBBED SMALL: CODE A/006/04





CAST IRON STEAK PAN FLAT SMALL: CODE A/006/06

CAST IRON WOK SUPPORT (cod. A/092/34)

OPTIONALS PROFESSIONAL



STAINLESS STEEL PLINTH KIT h=4³/₄" - h=5¹/₂"

DEALERS

DISPLAY UNIT WITH ALL ACCESSORIES SUITABLE FOT FRY-TOP (COD. E/OPT0001)



Professional Plus



PLATE WARMING DRAWER

Ideal for warming plates when the oven is in use.

COLOUR RANGE



STAINLESS-STEEL

HI-TECH



STAINLESS-STEEL



GRAPHITE - MATT

COLOUR RANGE





EMERALD GREEN



MIDNIGHT BLUE



BURGUNDY RED



GRAPHITE - MATT



ANTIQUE WHITE





KNOBS AND HANDLES IN BRASS AS STANDARD





KNOBS AND HANDLES IN CHROME UPON REQUEST

TRIM

HI-TECH





STAINLESS STEEL KNOBS AND HANDLE

OPTIONALS



STAINLESS-STEEL FEET Height 3¹⁵/₁₆" ÷ 6⁵/₁₆"



BRASS FEET (A/422/12) CHROME FEET (A/422/16) Height 57/8"

STANDARD

OPTIONAL



BRASS OR CHROME-PLATED HANDRAIL




STAINLESS STEEL HANDRAIL (Standard on Professional Plus)

Cooker's width	HANDRAIL	HANDRAIL	HANDRAIL Hi-Tech / Classic
(cm / inch)	Nostalgie (brass)	Nostalgie (chrome)	(st. steel)
60 / 235/8"	AMC-60	AMC-60X	AQC-60
90 / 357/16"	AMC-90	AMC-90X	AQC-90
100 / 39³/ ₈ "	AMC-100	AMC-100X	AQC-100
120 / 471/4"	AMC-120	AMC-120X	AQC-120
150 / 59 ¹ / ₁₆ "	AMC-150	AMC-150X	AQC-150


TECHNICAL CHARACTERISTICS

Standard 60 multifunction or convection gas oven.



Multifunction oven UPL-60-MP UPW-60-MP UPF-60-MP

Convection gas oven **UPL-60-VG** UPW-60-VG UPF-60-VG



















TECHNICAL CHARACTERISTICS

Maxi oven 90 in the multifunction or convection gas oven.

6 burners	Multifunction oven UPL-906-MP UPW-906-MP UPF-906-MP	Convection gas oven UPL-906-VG UPW-906-VG UPF-906-VG
Fish burner	Multifunction oven UPL-90-MP UPW-90-MP UPF-90-MP	Convection gas oven UPL-90-VG UPW-90-VG UPF-90-VG
Fry-Top	Multifunction oven UPL-90F-MP UPW-90F-MP UPF-90F-MP	Convection gas oven UPL-90F-VG UPW-90F-VG UPF-90F-VG













36" «PROFESSIONAL PLUS» COOKING BLOCK HI-TECH UPD-90

TECHNICAL CHARACTERISTICS

Oven on the left: standard 60 in the multifunction or convection gas oven. Oven on the right: mini 30 electric bake oven.

6 burners	Multifunction oven UPDL-906-MP UPDW-906-MP UPDF-906-MP	Convection gas oven UPDL-906-VG UPDW-906-VG UPDF-906-VG
Fish burner	Multifunction oven UPDL-90-MP UPDW-90-MP UPDF-90-MP	Convection gas oven UPDL-90-VG UPDW-90-VG UPDF-90-VG
Fry-Top	Multifunction oven UPDL-90F-MP UPDW-90F-MP UPDF-90F-MP	Convection gas oven UPDL-90F-VG UPDW-90F-VG UPDF-90F-VG













40" «PROFESSIONAL PLUS» COOKING BLOCK HI-TECH UPD-100

TECHNICAL CHARACTERISTICS


Oven on the left: standard 60 in the multifunction or convection gas oven. Oven on the right: midi 40 electric bake oven.

6 burners	Multifunction oven UPDL-1006-MP UPDW-1006-MP UPDF-1006-MP	Convection gas oven UPDL-1006-VG UPDW-1006-VG UPDF-1006-VG
Fry-Top	Multifunction oven UPDL-100F-MP UPDW-100F-MP UPDF-100F-MP	Convection gas oven UPDL-100F-VG UPDW-100F-VG UPDF-100F-VG
Coup De Feu	Multifunction oven UPDL-100S-MP UPDW-100S-MP UPDF-100S-MP	Convection gas oven UPDL-100S-VG UPDW-100S-VG UPDF-100S-VG











48" «PROFESSIONAL PLUS» COOKING BLOCK HI-TECH UP-120

TECHNICAL CHARACTERISTICS


Oven on the left: maxi oven 90 in the multifunction or convection gas oven. Oven on the right: mini 30 electric bake oven.

7 burners	Multifunction oven UPL-1207-MP UPW-1207-MP UPF-1207-MP	Convection gas oven UPL-1207-VG UPW-1207-VG UPF-1207-VG
Fry-Top O O O O O O O O O O O O O	Multifunction oven UPL-120F-MP UPW-120F-MP UPF-120F-MP	Convection gas oven UPL-120F-VG UPW-120F-VG UPF-120F-VG
Coup De Feu	Multifunction oven UPL-120S-MP UPW-120S-MP UPF-120S-MP	Convection gas oven UPL-120S-VG UPW-120S-VG UPF-120S-VG













48" «PROFESSIONAL PLUS» COOKING BLOCK HI-TECH UPD-120

TECHNICAL CHARACTERISTICS

Oven on the left: standard 60 in the multifunction or convection gas oven. Oven on the right: standard 60 multifunction version.















60" «PROFESSIONAL PLUS» COOKING BLOCK HI-TECH UP- 150


TECHNICAL CHARACTERISTICS

Oven on the left: maxi oven 90 in the multifunction or convection gas oven. Oven on the right: standard 60 multifunction version.









59 ¹/16"



TECHNICAL CHARACTERISTICS

Standard 60 multifunction or convection gas oven.















TECHNICAL CHARACTERISTICS

Maxi oven 90 in the multifunction or convection gas oven.

6 burners	Multifunction oven UPN-906-MP	Convection gas oven UPN-906-VG
Fish burner	Multifunction oven UPN-90-MP	Convection gas oven UPN-90-VG
Fry-Top	Multifunction oven UPN-90F-MP	Convection gas oven UPN-90F-VG







36" «PROFESSIONAL PLUS» COOKING BLOCK Nostalgie UPDN-90

TECHNICAL CHARACTERISTICS

Oven on the left: standard 60 in the multifunction or convection gas oven. Oven on the right: mini 30 electric bake oven.

6 burners	Multifunction oven UPDN-906-MP	Convection gas oven UPDN-906-VG
Fish burner	Multifunction oven UPDN-90-MP	Convection gas oven UPDN-90-VG
Fry-Top	Multifunction oven UPDN-90F-MP	Convection gas oven UPDN-90F-VG








40" «PROFESSIONAL PLUS» COOKING BLOCK Nostalgie UPDN-100

TECHNICAL CHARACTERISTICS

Oven on the left: standard 60 in the multifunction or convection gas oven. Oven on the right: midi 40 electric bake oven.

6 burners	Multifunction oven UPDN-1006-MP	Convection gas oven UPDN-1006-VG
Fry-Top	Multifunction oven UPDN-100F-MP	Convection gas oven UPDN-100F-VG
Coup De Feu	Multifunction oven UPDN-100S-MP	Convection gas oven UPDN-100S-VG









48" «PROFESSIONAL PLUS» COOKING BLOCK Nostalgie UPN-120

TECHNICAL CHARACTERISTICS

Oven on the left: maxi oven 90 in the multifunction or convection gas oven. Oven on the right: mini 30 electric bake oven.

7 burners	Multifunction oven	Convection gas oven
	UPN-1207-MP	UPN-1207-VG
Fry-Top	Multifunction oven	Convertion are over
	Fidicilalication oven	Convection gas oven
	UPN-120F-MP	UPN-120F-VG
Coup De Feu	NA IVIC VI	
XIX ====	Multifunction oven	Convection gas oven
	UPN-120S-MP	UPN-120S-VG







48" «PROFESSIONAL PLUS» COOKING BLOCK Nostalgie UPDN-120

TECHNICAL CHARACTERISTICS

Oven on the left: standard 60 in the multifunction or convection gas oven. Oven on the right: standard 60 multifunction version.

7 burners	Multifunction oven UPDN-1207-MP	Convection gas oven UPDN-1207-VG
Fry-Top	Multifunction oven UPDN-120F-MP	Convection gas oven UPDN-120F-VG
Coup De Feu	Multifunction oven UPDN-120S-MP	Convection gas oven UPDN-120S-VG









60" «PROFESSIONAL PLUS» COOKING BLOCK Nostalgie UPN-150

TECHNICAL CHARACTERISTICS

Oven on the left: maxi oven 90 in the multifunction or convection gas oven. Oven on the right: standard 60 multifunction version.















Mod. / inch	Α	В
UP-60 / UPD-120	187/8"	65/16"
UP-90 / UP-120 / UP-150	29 ¹ / ₂ "	77/8"
UPD-90 / UPD-100	187/8"	77/8"

















«PROFESSIONAL» COOKERHOOD






800 mm Stainless Steel EXTENSION for UAG series Cookerhood


TECHNICAL CHARACTERISTICS

- Wall-mounted cookerhood;
- three speeds control;
- available in exhaust of filter version;
- anti-grease filter in anodised alluminium;
- halogen spotlight;
- 240V 60 Hz;
- 35.000 cubic feet/h 470 Pa.











with ladles bracket

L (cm / inch)	UAG series COOKERHOOD	BACKPANEL with ladles bracket
60 / 235/8"	UAG-60	AP4-60
90 / 357/16"	UAG-90	AP4-90
100 / 39³/ ₈ "	UAG-100	AP4-100
120 / 471/4"	UAG-120	AP4-120
150 / 591/16"	UAG-150	AP4-150





MAJESTIC COOKING BLOCK





PLATE WARMING DRAWER

Ideal for warming plates when the oven is in use.



DETAIL OF THE ROUNDED TOP

Besides giving a pleasant new appearance, it compensates the difference in depth between the kitchen units and the cooker, thus avoiding an impact between the two depths.

COLOUR RANGE



EMERALD GREEN



BURGUNDY RED



GRAPHITE MATT



STAINLESS-STEEL



ANTIQUE WHITE



MIDNIGHT BLUE

TRIM Majestic





KNOBS AND HANDLES IN BRASS AS STANDARD



KNOBS AND HANDLES IN CHROME UPON REQUEST





TRIM

Majestic **Techno**



STAINLESS-STEEL FEET Height $3^{15}/_{16}$ " ÷ $6^{5}/_{16}$ "

STAINLESS STEEL KNOBS AND HANDLE (TECHNO ONLY)



OPTIONALS

Majestic



BRASS FEET (A/422/12) CHROME FEET (A/422/16) Height 5¹⁴/₁₆"



BRASS OR CHROME-PLATED HANDRAILFor UM90 - UMD100 - UM120 - UM150 models

OPTIONALS

Majestic **Techno**



STAINLESS STEEL PLINTH KITFor UMT90 - UMTD100 - UMT120 - UMT150 models



STAINLESS STEEL HANDRAILFor UMT90 - UMTD100 - UMT120 - UMT150 models

Maxi oven 90 in the multifunction or convection gas version.

6 burners	Multifunction oven UMT-906-MP	Convection gas oven UMT-906-VG
Fish burners	Multifunction oven UMT-90-MP	Convection gas oven UMT-90-VG
Fry-Top	Multifunction oven UMT-90F-MP	Convection gas oven UMT-90F-VG










Oven on the left: standard 60 in the multifunction or convection gas version. Oven on the right: mini 30 electric bake oven.

6 burners	Multifunction oven	Convection gas oven
0 0	UMTD-1006-MP	UMTD-1006-VG
Fry-Top	Multifunction oven	Convection gas oven
	UMTD-100F-MP	UMTD-100F-VG
Coup De Feu	Multifunction oven	Convection gas oven
	UMTD-100S-MP	UMTD-100S-VG









Oven on the left: maxi oven 90 in the multifunction or convection gas version. Oven on the right: mini 30 electric bake oven.

7 burners	Multifunction oven UMT-1207-MP	Convection gas oven UMT-1207-VG
Fry-Top O	Multifunction oven UMT-120F-MP	Convection gas oven UMT-120F-VG
Coup De Feu	Multifunction oven UMT-120S5-MP	Convection gas oven UMT-120S5-VG







Oven on the left: maxi oven 90 in the multifunction or convection gas version. Oven on the right: standard 60 multifunction version.

Fry-Top	Multifunction oven UMT- I 50F-MP	Convection gas oven UMT-150F-VG
Coup De Feu	Multifunction oven UMT- I 50S-MP	Convection gas oven UMT-150S-VG
Fry-Top + Coup De Feu	Multifunction oven UMT-150FS-MP	Convection gas oven UMT-150FS-VG







Maxi oven 90 in the multifunction or convection gas version.

6 burners	Multifunction oven UM-906-MP	Convection gas oven UM-906-VG
Fish burners	Multifunction oven UM-90-MP	Convection gas oven UM-90-VG
Fry-Top	Multifunction oven UM-90F-MP	Convection gas oven UM-90F-VG








Oven on the left: standard 60 in the multifunction or convection gas version. Oven on the right: mini 30 electric bake oven.

6 burners	Multifunction oven	Convection gas oven
0 0	UMD-1006-MP	UMD-1006-VG
Fry-Top	Multifunction oven	Convection gas oven
	UMD-100F-MP	UMD-100F-VG
Coup De Feu	Multifunction oven	Convection gas oven
	UMD-100S-MP	UMD-100S-VG









Oven on the left: maxi oven 90 in the multifunction or convection gas version. Oven on the right: mini 30 electric bake oven.

7 burners	Multifunction oven UM-1207-MP	Convection gas oven UM-1207-VG
Fry-Top O O O O O O O O O O O O O	Multifunction oven UM-120F-MP	Convection gas oven UM-120F-VG
Coup De Feu	Multifunction oven UM-120S5-MP	Convection gas oven UM-120S5-VG









Oven on the left: maxi oven 90 in the multifunction or convection gas version. Oven on the right: standard 60 multifunction version.

Fry-Top	Multifunction oven UM-150F-MP	Convection gas oven UM-150F-VG
Coup De Feu	Multifunction oven UM-150S-MP	Convection gas oven UM-150S-VG
Fry-Top + Coup De Feu	Multifunction oven UM-I50FS-MP	Convection gas oven UM-150FS-VG












Mod. / inch	Α	В
UM-90 / UMT-90	29 ¹ / ₂ "	77/8"
UMD-100 / UMTD-100	18¹/₃"	9 ¹/ ₁₆ "
UM-120 / UMT-120	27 °/ ₁₆ "	117/16"
UM-150 / UMT-150	28³/ ₄ "	811/16"

















MAJESTIC COOKERHOOD








TECHNICAL CHARACTERISTICS

- Wall-mounted cookerhood;
- three speeds control;
- available in exhaust of filter version;
- anti-grease filter in anodised alluminium;
 2 infrared spotlights, 175W each, for wall-mounted warmer;
- halogen lighting;
 optional (A/092/23): plate suport grid under the hood for model AM4 panels;
 35.000 cubic feet/h 510 Pa; 240 V 60 Hz.





L (inch)	UAM series COOKERHOOD	Power Consumption	800 mm St.St. EXTENSION for UAM series cookerhood	BACKPANEL with ladles bracket
35 1/4"	UAM-90	750W	A/017/20/08	AM4-90
39 ³/ ₈ "	UAM-100	750W	A/017/20/08	AM4-100
47 ⁷ /8"	UAM-120	790 W	A/017/20/08	AM4-120
59 ¹/2"	UAM-150	790 W	A/017/20/08	AM4-150