

QUIET COOLTM BUILT-IN REFRIGERATION ALL REFRIGERATOR/ALL FREEZER











ALL REFRIGERATOR/ALL FREEZER FEATURES



ProChill™ Temperature Management System

- Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
- Electronic controls maintain even temperatures within one degree to keep food fresher longer
- Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Maintenance-free Super Clog Resistant[™] Condenser provides expense free peace of mind
- Adaptive defrost on All Freezer models control the timing of the defrost periods, instead of an electromechanical defrost timer



Filter-Free Freshness (All Refrigerator)

- EXCLUSIVE ** Plasmacluster* Ion Air Purifier uses advanced ion technology to eliminate airborne bacteria, mold, and odors to enhance food preservation
- Functions at 100% capacity, never degrades and never needs replacing



LED Lighting

- All items are in clear view with bright energy efficient LED theater lighting from top and sidewalls
- Ramp on theater lighting provides better visibility



The Latest in Spill Control Technology (All Refrigerator)

- New Spillproof Plus[™] Shelves with Nano technology create an invisible barrier to contain spills
- Seamless glass shelves make cleanup easy and maximize usable space
- 3/8" thick tempered glass shelves provide industry leading durability



Adjustable ColdZone™ Drawer (All Refrigerator)

- Adjustable temperature control keeps food fresher longer
- Intuitive icon based control displays the optimal setting for your food type
- Extra-large capacity accommodates full deli tray
- Allows storage of foods 3-5 degrees colder than main compartment
- Prolongs the life of fresh meats 3-5 days longer without freezing
- Can also be used as a quick chill area



ALL REFRIGERATOR/ALL FREEZER FEATURES



Specialized Door and Drawer Storage (All Refrigerator)

- New soft-close feature on deli and HumidityZone™ drawers delivers a smooth motion as the drawer eases into the closed position
- EXCLUSIVE adjustable metal door bins securely store heavy items



Functional Shelving and Storage (All Freezer)

- Adjustable half-width wire shelves along with one full-width metal shelf and two full-width slide-out wire baskets with tempered glass fronts allows for increased stoarge options
- EXCLUSIVE adjustable metal door bins to securely store heavy items
- Full-extension precision ball bearing slides on all baskets and drawers allow for drawers to easily glide open and close for access



Automatic Ice Maker (All Freezer)

Factory-installed automatic ice maker with full-width large-capacity ice drawer
 includes two separate ice pans for maximum ice production and storage

0-570-3355



The Industry's Best and Most Comprehensive Warranty

- 3-year full complete product
- 6-year full sealed refrigeration system
- 90-day full cosmetic parts such as glass, painted items and decorative items
- 12-year limited sealed refrigeration system

» All Freezer models are Energy Star Qualified



Available in Seven Exclusive Color Finishes

Stainless Steel (SS), Black (BK), White (WH), Apple Red (AR), Burgundy (BU), Cobalt Blue (CB), Graphite Gray (GG)

SPECIFICATIONS*

30" All Refrigerator/All Freezer			
Description	VCFB5302 (All Freezer)	VCRB5302 (All Refrigerator)	
Overall width	30" (76.2 cm)		
Overall height (from bottom)	82-3/4" (210.2 cm) min. to 84-1/16" (213.5 cm) max.		
Overall depth from rear To front edge of side trim: To front of top grille: To front of handle endcap:	22-3/16" (56.4 cm) 24" (61.0 cm) 26-1/2" (67.3 cm)		
Cutout width	29-5/8" (75.2 cm) min. to 29-3/4" (75.6 cm) max.		
Cutout height	82-7/8" (210.5 cm) min. to 84-1/16" (213.5 cm) max.		
Cutout depth	24" (61.0 cm) min.		
Electrical requirements	115 volt, 60 Hz, 15 amp dedicated circuit; 3-wire cord with grounded 3-prong plug attached to product		
Maximum amp usage	9.1 amps	5.7 amps	
Inlet water requirements	1/4" copper tubing inlet waterline; minimum 20 psi; maximum 120 psi	N/A	
Overall interior dimensions Total capacity	15.9 cu. ft. (450 liters)	18.4 cu. ft. (522 liters)	
Approx. shipping weight	530 lbs. (238.5 kg)	505 lbs. (227.3 kg)	

and the second s			
	36" All Refrigerator/All Freezer		
Description	VCFB5362 (All Freezer)	VCRB5362 (All Refrigerator)	
Overall width	36" (91.5 cm)		
Overall height (from bottom)	82-3/4" (210.2 cm) min. to 84-1/16" (213.5 cm) max.		
Overall depth from rear To front edge of side trim: To front of top grille: To front of handle endcap:	22-3/16" (56.4 cm) 24" (61.0 cm) 26-1/2" (67.3 cm)		
Cutout width	35-5/8" (90.5 cm) min. to 35-3/4" (90.8 cm) max.		
Cutout height	82-7/8" (210.5 cm) min. to 84-1/16" (213.5 cm) max.		
Cutout depth	24" (61.0 cm) min.		
Electrical requirements	115 volt, 60 Hz, 15 amp dedicated circuit; 3-wire cord with grounded 3-prong plug attached to product		
Maximum amp usage	9.5 amps	6.5 amps	
Inlet water requirements	1/4" copper tubing inlet waterline; minimum 20 psi; maximum 120 psi	N/A	
Overall interior dimensions Total capacity	19.2 cu. ft. (544 liters)	22.8 cu. ft. (646 liters)	
Approx. shipping weight	585 lbs. (263.3 kg)	570 lbs. (256.5 kg)	



