

Ascenta (WAP24200UC)





Ascenta (WAP24200UC) White

Key	Features
-----	----------

Large Capacity on Compact Footprint

15 Wash Cycles plus 6 Selectable Options

Large LED Display with Delay Start

Unique Raindrop Stainless Steel Drum

AntiVibration Technology for Second Floors Installation

Washer plugs into Bosch 240V Dryer. Space saving and Flexible Installation.

General Properties	
Tub Material	Stainless steel
Maximum spin speed (rpm)	1,200 rpm
Internal Water Heater	Yes
Stackability	Yes
Quietness	
Silence level - washing (dBA)	59
Silence level - spinning (dBA)	73
Efficiency	
Energy consumption (kWh/yr)	135
Water Consumption (gal/y)	3640
Energy Star	Yes
CEE Tier	2
Wash Cycles & Options	
Special Cycles	Quick wash 30 min. Jeans Heavy duty
Capacity	
Capacity (cu. ft.)	2.2
Relative Load	16 bath towels
Design Elements	
Door Ring	White
Control Buttons	White
Dial	White

Technical Details			
Watts (W)	2300		
Current (A)	12		
Volts (V)	208-240		
Frequency (Hz)	60		
Plug type	NEMA 6-15 (3 Prong)		
Power cord included	Yes		
Power cord length (in)	61 (Full Length)		
Drain hose length (in)	57 (Full Length)		
Inlet hose length (in)	47 (Full Length)		
Dimensions & Weight			
Overall appliance dimensions (HxWxD) (in)	33 1/4 x 23 1/2 x 24 1/4		
Net weight (lbs)	170		
Minimum Stack Height (in)	67 3/4		
ADA Compliant	Yes*		
Accessories (Optional)			
Pedestal	WMZ20490		
*When installed on a Bosch nedestal			








* For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details. Warranties: Limited warranty, entire appliance, parts and labor (1 year); Limited warranty for control board (microprocessor); parts only (1st to 2nd year); Limited warranty for motor or any component of the motor (1st year to 2nd year)

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

Copyright ©2013 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH. 13-BOS-0166 SH 6/13



Dimensions



BOSCH




* For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details. Warranties: Limited warranty, entire appliance, parts and labor (1 year); Limited warranty for control board (microprocessor); parts only (1st to 2nd year); Limited warranty for motor or any component of the motor (1st year to 2nd year)

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

Copyright ©2013 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH. 13-BOS-0166 SH 6/13




Enclosure Dimensions Closet: Stacked




Clearance requirements (Minimum)		
А	Both Sides	5/8 in.
В	Тор	6 1/4 in.
С	Rear	3 1/4 in.
D	Front	3 1/2 in.
Ventilation Area (Minimum)		
Е	Тор	63 sq. in
	Top Bottom	63 sq. in 63 sq. in.
F	•	•
F	Bottom	•
F Ve	Bottom	63 sq. in.
F Ve G	Bottom	63 sq. in. 37 in.

Closet: Stand Alone (shown) or Side by Side

BOSCH Invented for life



Under Counter: (Less Preferred)



If front of the appliance is covered, ventilation openings must be installed.

E & F are minimum area sizes		
E	63 sq. in.	
F	63 sq. in.	
G & H actual spacing dimensions for min. open area sizes		
mm. Open area sizes		
G	3 in.	




* For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Limited warranty, entire appliance, parts and labor (1 year); Limited warranty for control board (microprocessor); parts only (1st to 2nd year); Limited warranty for motor or any component of the motor (1st year to 2nd year)

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

Copyright ©2013 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH. 13-BOS-0166 SH 6/13

Under Counter: (Preferred)



Front of the appliance fully open. No doors or coverings.

Minimum opening dimensions	
a	23 % in.
b	23 ¾ in.
С	33 ½ in.