



XO

How Beautiful Kitchens Breathe
LUXURY RANGE HOODS



STYLE | INSERT

Available Widths: 21" | 27"
Depth: 11"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Silver

Duct: 6" Vertical Duct

Recirculation Option: Yes

Lighting: Twin LED Lamps 3000K

Filter: Dishwasher Safe Aluminum Mesh Filters

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOI21/27 SERIES

MODELS	WIDTH
XOI21SC	20-7/8"
XOI27SC	27-3/4"





STYLE | INSERT

Available Widths: 22" | 28"
Depth: 11 9/16"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical Duct

Recirculation Option: Yes

Lighting: Twin LED Lamps 3000 K

Filter: Dishwasher Safe Aluminum Mesh Filters

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOI22/28 SERIES

MODELS	WIDTH
XOI22SC	22"
XOI28SC	28"





STYLE | INSERT

Available Widths: 30" | 33"
Depth: 15"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical Duct

Recirculation Option: Yes

Lighting: Twin LED Lamps 3000 K

Filter: Dishwasher Safe PRO Baffle Filters

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOI3015/3315SC

MODELS	WIDTH
XOI3015SC	30"
XOI3315SC	33"





STYLE | INSERT

Available Widths: 33"
Depth: 18 7/16"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical Duct

Recirculation Option: Yes

Filter: Dishwasher Safe PRO Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOI33SC SERIES

MODELS	WIDTH
XOI33SC	33 3/4"





STYLE | INSERT

Available Widths: 33"
Depth: 18 7/16"

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 8" Vertical Duct

Recirculation Option: Yes

Filter: Dishwasher Safe PRO Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
3 Speed Push Button Control
Optional ADA Compatible Remote

XOI33KSE SERIES

MODELS	WIDTH	MUA. KIT
XOI33KSE	33 3/4"	XOMA08

PERFORMANCE:

	CFM	SONES
SPEED 1	200	2.0
SPEED 2	590	6.4
SPEED 3	1000	8.0

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection



STYLE | INSERT

Available Widths: 45 3/4"
Depth: 18 7/16"

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 8" Vertical Duct

Recirculation Option: Yes

Filter: Dishwasher Safe SS PRO Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: 3 Speed Push Button Control
5 Minute Delay Feature

XOI45KSE SERIES

MODELS	WIDTH	MUA. KIT
XOI45KSE	45 3/4"	XOMA08

PERFORMANCE:

	CFM	SONES
SPEED 1	200	2.0
SPEED 2	590	6.4
SPEED 3	1000	8.0





STYLE | INSERT

Available Widths: 30" | 36" | 42"
Depth: 19-1/4"

Also Available in 48" - 1000 CFM model

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking
Available Finishes: Stainless Steel

Duct: 6" Vertical, Rear Duct

Optional ADA Compatible Remote

Recirculation Option: Yes

Filters: Dishwasher-Safe SS Pro Baffle

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOIL SERIES

MODELS	WIDTH	RECIRC. KIT
XOIL3019SC	30"	XORFK12
XOIL3619SC	36"	XORFK12
XOIL4219SC	42"	XORFK12

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5

DESIGNED & CRAFTED IN
ITALY





STYLE | INSERT

Available Widths: 48"
Depth: 19-1/4"

Powerful 1000 CFM Maximum Airflow

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 8" Vertical

Optional ADA Compatible Remote

Recirculation Option: Yes

Filters: Dishwasher-Safe SS Pro Baffle

Lighting: High Efficiency Dimmable LED Lamps 3000 K (x4)

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOIL_KSE SERIES

MODELS	WIDTH	MUA Kit
XOIL4819KSE	48"	XOMA08

PERFORMANCE:

	CFM	SONES
SPEED 1	200	1.0
SPEED 2	590	6.4
SPEED 3	1000	8.0

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection



STYLE | WALL CHIMNEY

Available Widths: 24" | 30" | 36" | 42"
Depth: 19 3/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*

*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel, Black and White

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOB SERIES

MODELS	WIDTH	RECIRC. KIT
XOB24SC	24"	XORFK04
XOB30SC	30"	XORFK04
XOB36SC	36"	XORFK04
XOB42SC	42"	XORFK04

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL CHIMNEY

Available Widths: 30" | 36"
Depth: 19 3/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*

*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel, Black and White

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOB SERIES

MODELS	WIDTH	RECIRC. KIT
XOB30BC	30"	XORFK04
XOB36BC	36"	XORFK04

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL CHIMNEY

Available Widths: 30" | 36"
Depth: 19 3/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*

*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel, Black and White

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOB SERIES

MODELS	WIDTH	RECIRC. KIT
XOB30WC	30"	XORFK04
XOB36WC	36"	XORFK04

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL CHIMNEY

Available Widths: 30" | 36"
Depth: 19 11/16"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Glass/Stainless Steel

Duct: 6" Vertical Exhaust

Recirculation Option: Yes

Filters: Dishwasher-Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOQ SERIES

MODELS	WIDTH	RECIRC. KIT
XOQ30SC	30"	XORFK01
XOQ36SC	36"	XORFK01

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5





STYLE | WALL CHIMNEY

Available Widths: 30" | 36" | 42"
 Depth: 20-7/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
 *(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe PRO Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
 3 Speed + Power Boost
 5 Minute Delay Feature

XOJ SERIES

MODELS	WIDTH	RECIRC. KIT
XOJ30SC	30"	XORFK01
XOJ36SC	36"	XORFK01
XOJ42SC	42"	XORFK01

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4





STYLE | WALL CHIMNEY

Available Widths: 30" | 36"
Depth: 19 5/16"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*

*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Glass/Stainless Steel

Duct: 6" Vertical Exhaust

Recirculation Option: Yes

Filters: Dishwasher-Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOM SERIES

MODELS	WIDTH	RECIRC. KIT
XOM30SC	30"	XORFK01
XOM36SC	36"	XORFK01

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL CHIMNEY

Available Widths: 24" | 30" | 36" | 48"
 Depth XOR24": 19 5/16"
 Depth XOR30, 36, 48": 20-7/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
 *(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical Exhaust

Recirculation Option: Yes

Filters: Dishwasher-Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
 3 Speed + Power Boost
 5 Minute Delay Feature

XOR SERIES

MODELS	WIDTH	RECIRC. KIT
XOR24SC	24"	XORFK01
XOR30SC	30"	XORFK01
XOR36SC	36"	XORFK01
XOR48SC	48"	XORFK01

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5





STYLE | WALL CHIMNEY

Available Widths: 30" | 36"
Depth: 19-11/16"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical Exhaust

Recirculation Option: Yes

Filters: Dishwasher-Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOS SERIES

MODELS	WIDTH	RECIRC. KIT
XOS30SC	30"	XORFK05
XOS36SC	36"	XORFK05

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL CHIMNEY

Available Widths: 30" | 36" | 42"
Depth: 24"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*

*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOV SERIES

MODELS	WIDTH	RECIRC. KIT
XOV30SC	30"	XORFK02
XOV36SC	36"	XORFK02
XOV42SC	42"	XORFK02

PERFORMANCE:

	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4





STYLE | WALL MOUNT

Available Widths: 36" | 48"
Depth: 24"

Fits 8' to 9' ceiling*

*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 8" Vertical

Recirculation Option: Yes

Filters: Dishwasher-Safe SS Hybrid Mesh

Lighting: Twin Halogen Lamps (x2)

Controls: Illuminated Electronic Buttons
Electronic 3 Speed Control
5 Minute Delay Feature

XOV_KSE SERIES

MODELS	WIDTH	MUA. KIT
XOV36KSE	36"	XOMA08
XOV48KSE	48"	XOMA08

PERFORMANCE:

	CFM	SONES
SPEED 1	200	2.0
SPEED 2	590	6.4
SPEED 3	1000	8.0

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection



STYLE | DESIGNER HOOD

Available Widths: 16"
Depth: 18 5/16"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel, Black

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOCYL SERIES

MODELS	WIDTH	RECIRC. KIT
XOCYL16SC	16"	XORFK15
XOCYL16BC	16"	XORFK15

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | DESIGNER HOOD

Available Widths: 16"
Depth: 15 3/4"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel, Black

Duct: Perimeter Aspiration

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOCYLI SERIES

MODELS	WIDTH	RECIRC. KIT
XOCYLI16SC	16"	XORFK15
XOCYLI16BC	16"	XORFK15

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | ISLAND HOOD

Available Widths: 36" | 42"
Depth: 25 5/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOBI SERIES

MODELS	WIDTH	RECIRC. KIT
XOBI36SC	36"	XORFK04
XOBI42SC	42"	XORFK04

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4





STYLE | ISLAND HOOD

Available Widths: 36" | 42"
Depth: 23 5/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Glass/Stainless Steel

Duct: 6" Vertical Exhaust

Recirculation Option: Yes

Filters: Dishwasher-Safe Aluminum Mesh

Lighting: LED Lamps 3000K (x4)

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOMI SERIES

MODELS	WIDTH	RECIRC. KIT
XOMI36SC	36"	XORFK01
XOMI42SC	42"	XORFK01

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5





STYLE | ISLAND HOOD

Available Widths: 36" | 42"
Depth: 23-5/8"

Code Compliance Control (set your CFM to 395 or 600)

Fits 8' to 9' ceiling*
*(optional telescoping duct cover fits 10' ceilings)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical Exhaust

Recirculation Option: Yes

Filters: Dishwasher-Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XORI SERIES

MODELS	WIDTH	RECIRC. KIT
XORI36SC	36"	XORFK01
XORI42SC	42"	XORFK01

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5





STYLE | GLIDE-OUT VISOR

Available Widths: 24" | 30" | 36"
Depth: 12 1/16"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOC SERIES

MODELS	WIDTH	RECIRC. KIT
XOC24SC	24"	
XOC30SC	30"	XORFK12
XOC36SC	36"	XORFK12

PERFORMANCE:	CFM	SONES
SPEED 1	150	1.0
SPEED 2	250	2.4
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | UNDER CABINET

Available Widths: 30" | 36"
Depth: 20"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Top or Rear

Recirculation Option: Yes

Filters: Dishwasher Safe Aluminum Mesh

Lighting: Twin LED Lamps 3000K

Controls: Illuminated Electronic Controls
3 Speed + Power Boost
5 Minute Delay Feature

XOP SERIES

MODELS	WIDTH	RECIRC. KIT
XOP30SC	24"	XORFK04
XOP36SC	30"	XORFK04

PERFORMANCE:	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.4

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL PRO

Available Widths: 36" | 48"
Depth: 22"

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher-Safe PRO Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Buttons
3 Speed Push Button Control
5 Minute Delay Feature

XOT18_KSE SERIES

MODELS	WIDTH	MUA. KIT
XOT1836KSE	36"	XOMA08
XOT1848KSE	48"	XOMA08

PERFORMANCE:

	CFM	SONES
SPEED 1	200	2.0
SPEED 2	590	6.4
SPEED 3	1000	8.0

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection



STYLE | WALL PRO

Available Widths: 30" | 36" | 42"
Depth: 22"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Vertical

Recirculation Option: Yes

Filters: Dishwasher-Safe PRO Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOT18 SERIES

MODELS	WIDTH	RECIRC. KIT
XOT1830SC	30"	XORFK07
XOT1836SC	36"	XORFK08
XOT1842SC	42"	XORFK08

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | WALL PRO MOUNT

Available Widths: 24" | 30" | 36"
Depth: 22"

Code Compliance Control (set your CFM to 395 or 600)

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel

Duct: 6" Top or Rear

Recirculation Option: Yes

Filters: Dishwasher-Safe Baffle Filters

Lighting: Twin LED Lamps 3000 K

Controls: Illuminated Electronic Button
3 Speed + Power Boost
5 Minute Delay Feature

XOT SERIES

MODELS	WIDTH	RECIRC. KIT
XOT24SC	24"	XORFK06
XOT30SC	30"	XORFK06
XOT36SC	36"	XORFK06

PERFORMANCE:

	CFM	SONES
SPEED 1	160	1.0
SPEED 2	250	2.5
SPEED 3	395	4.0
POWER BOOST	600	6.5

DESIGNED & CRAFTED IN
ITALY
Fabriano Collection





STYLE | UNDER CABINET

Available Widths: 30" | 36"
Depth: 22 1/8"

Mounting Height: 27" to 32" Above Cooking

Available Finishes: White or Black

Duct: Top or Rear Ducting Available

Recirculation Option: Yes

Lighting: High Efficiency Halogen (x2)

Controls: Electronic 6 Speed Controls
New "FilterLess" Design
Adjustable Delay Shutoff Timer

XOA SERIES

MODELS	WIDTH	MUA KIT
XOA30SC	30"	XOMA06
XOA36SC	36"	XOMA06

PERFORMANCE:

	CFM	SONES
SPEED 1	130	0.5
SPEED 2	210	1.4
SPEED 3	300	2.8
SPEED 4	390	3.7
SPEED 5	420	4.8
SPEED 6	550	5.5



STYLE | UNDER CABINET

Available Widths: 30"
Depth: 21"

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Stainless Steel, White
or Black

Duct: Top or Rear Venting

Recirculation Option: Yes

Lighting: Two Level Halogen Lights (x2)

Controls: Two Speed Rocker Switch
ADA Compatible Alternative
Wiring

XOE SERIES

MODELS	WIDTH	RECIRC. KIT
XOE30SC	30"	XORFK10

PERFORMANCE:

	CFM	SONES
SPEED 1	190	1.0
SPEED 2	350	5.5



STYLE | OVER THE RANGE

Available Widths: 24"

Depth: 16-3/16"

Mounting Height: 27" to 32" Above Cooking

Available Finishes: Glass/Stainless Steel

Duct: Top or Rear Venting

Recirculation Option: Yes

Watts: 1000W

Filters: Dishwasher-Safe Grease Filters

Lighting: 2 Level LED Lighting

Controls: Touch Controls w 10 Power Levels
Sensor Cooking and Auto-Defrost
2 Speed Blower 105 / 300 CFM

XOOTR24BS SERIES

MODELS	WIDTH	RECIRC. KIT
XOOTR24BS	24"	

PERFORMANCE:

	CFM	SONES
SPEED 1	105	1.0
SPEED 2	300	5.5



XOILINER



MODELS	WIDTH	DEPTH
XOLINER30	30"	17 1/2" to 20 1/2"
XOLINER36	36"	17 1/2" to 20 1/2"

WORKS WITH MODELS:

- XO127SC
- XO128SC

CUSTOM INSERT LINER

Fabricated at the Factory to Fit

Flexible Design- 17 1/2" to 20 1/2" depth adjustment

Fits Custom Hood Widths: 30" or 36"

4" Depth for Excellent Capture

Wipes Clean Easily

For Indoor Use Only

Meets Building Code Standards

No Need for Custom Liner Fabrication

XOMA_



MODELS	DIAMETER
XOMA06	6"
XOMA08	8"

MAKE UP AIR SYSTEM

Commercial quality make up air systems designed to work with all residential range hoods

Easy installation

No modifications to existing cabinets or special wiring needed

Unique airflow feather switch will not false trip

Designed to handle exhaust from professional-style cooking appliances

Heavy duty true commercial construction backed by a 5 year warranty

XO recommends a make-up air system to match hood exhaust duct size.

CODE COMPLIANCE CONTROL



The majority of XO hoods are set to operate at 600 CFM from the factory but local building codes may require you to limit hood performance to 400 CFM or install special dampers to bring fresh air into your home (see our XOMA make-Up Air kits).

In either case, XO has a solution to provide you with the look you want and the performance you need.

HOW CODE COMPLIANCE CONTROL HELPS:

Code Compliance Control (CCC) enables the installer to easily re-program your XO hood to limit the amount of air it can move while it is being installed.

The re-programming is accomplished quickly and requires no tools. After conversion, the installer affixes a label stating the unit is now limited to 395 CFM maximum. Once done the hood cannot be changed back.

WHY CHOOSE XO VENTILATION?

INNOVATION, TOP DESIGN, ADVANCED TECHNOLOGY, CREATIVE THINKING WITH EXTRAORDINARY CUSTOMER SERVICE

We decided to develop a new company with a goal of 100% customer satisfaction. From beginning to end, XO will deliver more. We will be here to help specify and design the right ventilation for your home. We are ventilation experts.

All XO quality products are backed by an unmatched, comprehensive warranty program. Problems happen, they always do. It could be a dent while handling, a defective part or an improper installation.

Don't worry XO will be there to help resolve the issue.

Your total satisfaction is our main concern.

We believe in extraordinary customer service with a personal touch. We are putting into practice our vision of becoming the most innovative, customer oriented appliance company in the world.

XO IS MORE THAN BRAND, XO IS A CUSTOMER EXPERIENCE





For detailed warranty and product information including model numbers, specifications and user manuals visit xoappliance.com

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU

xoappliance.com | 800.966.8300