

Model: HT-400

On demand hot water when you need it.

Little Butler HT400 Heating Tank

Save time and water by eliminating the wait for hot water to reach the faucet. Franke HT-400 Little Butler heating tank fits under your sink to provide precise, instant hot water between 176°F to 208°F right when you need it.

HT-400 Instant Hot Water Tank

- 7 preset temperatures with back-lit dial
- Control temperature from 176°F to 208°F
- Accurate temperature control within +/- 1.0°F
- 1100 W heating element provides a fast recovery
- Produces up to 60 cups of hot water per hour
- Water level sensor and dual temperature sensors prevent the tank from starting up dry
- Encased heating element eliminates direct contact with water, preventing mineral build up
- Stainless steel internal tank
- Industry leading 5 year warranty



FRANKE



Save water

As it takes time to boil water, we usually boil more than we actually need. With the Instant Hot Water Tank you just take the amount of hot water you need.




Reduce wait time

To have almost boiling water coming out of your faucet is not only very convenient but time saving. It maintains a consistent and reliable supply of hot water for when you need it.

Energy efficient

Even though the heating tank permanently heats water, it uses less energy throughout the day than a regular light bulb or than boiling a kettle three times a day.



Simplify tasks

Easily remove labels, thaw frozen foods or warm up baby bottles are just a few tasks how on demand hot water can make life easier.



perfect pairings

Hot Filtration Faucets



Absinthe
LB15100



Ambient
LB10100



Ambient
LB7100C



Farm House
LB12100



Farm House
LB6100C



Logik
LB9100C



Pescara
LB16100



Steel
LB13150

Hot/Cold Filtration Faucets



Absinthe
LB15200



Ambient
LB10200



Ambient
LB7200C



Farm House
LB12200



Farm House
LB6200C



Logik
LB9200C



Pescara
LB16200



Steel
LB13250

Visit Franke.us/ks to see our complete selection of filtration faucets and water filters.

Franke Kitchen Systems | 800-626-5771



LITTLE BUTLER

FRANKE LITTLE BUTLER HEATING TANK

Model HT-400

Save time and water by eliminating the wait for hot water to reach the faucet. Franke HT-400 Little Butler heating tank fits under your sink to provide precise, Instant hot water between 176°F to 208°F right when you need it.

FEATURES

- 7 preset temperatures with back-lit dial
- Control temperature from 176°F to 208°F
- Accurate temperature control within +/- 1.0°F .
- Patented internal water management design solves dripping / spitting of tank during heat cycles.
- Water level sensor and dual temperature sensors prevent the tank from starting up dry.
- Encased heating element eliminates direct contact with water, preventing mineral build up.

TECHNICAL FEATURES

Temperature Control	7 preset settings
Temperature Range	176°F-208°F
Hot Water Supply Rate	60 cups / hr
Tank Capacity	5/8 Gal (2.4L)
Heating Output	1100w
Cold Start Up Time	8-10 mins
Reheat Time	4-5 mins
Recommended Operating Pressure	60psi
Compatibility	RO filtration systems and all Franke Little Butler hot water faucets and filtration products
Tank Material	304 Stainless Steel
Certification	UL 499; CSA C22.2#64
Weight	8 lbs
Warranty	5 years

Product Image



Dimensional Drawing

