



# Now up to 40% more energy efficient Many of our Marvel Refrigeration products are ENERGY STAR® certified

# **Cools up to 3X Faster Than Competing Models**





# Dynamic Cooling Technology™ delivers rapid cool down and the industry's best temperature stability

The distinctive Marvel design features a thermal-efficient cabinet and door combined with Dynamic Cooling Technology™ for the most precise temperature stability, faster cooling times and speedy temperature recovery even with high frequency.

# THE MARVEL ADVANTAGE



# Close Door Assist™

The Close Door Assist™ is designed into our hinge system, automatically drawing the door to a gentle close when it is accidentally left ajar to protect your food and energy consumption. It also prevents the door from swinging into cabinetry.



# Soft-Close Integrated Hinge

Most Marvel Professional models and Marvel panel-overlay models are specially designed with a soft-close integrated hinge, allowing for truly integrated, zero clearance fit to blend with your kitchenscape. Plus, overlay panels are a breeze to install, no kit required.





# IT'S ALL IN THE LUXURY DETAILS



# **Designer Details**

Experience the difference quality craftsmanship makes in the elegant styling, smart design and infallible durability, built into each unit. We know the quality of the whole is in the sum of its parts, and we leave no detail overlooked.



# Quieter Than Ever Before

This new generation Marvel line is by far our quietest thanks to proprietary design enhancements to buffer and minimize sound.

# **Door Alarm**

Signals when the door is left ajar for more than 5 minutes

# **Power Loss Alarm**

Notifies when power goes out to ensure optimum food safety

# **Vacation/Sabbath Mode**

Reduces energy consumption during no or low usage periods

# Sleep/Wake Mode

Conserves energy on the controls display

# **Interior Display Lighting**

Touch once for full illumination, twice for softer lighting and three times for no light

# Power On/Off

Enables refrigeration system and displays cabinet temperature

# **Control Lockout**

Controls can be locked to avoid unintentional changes


# **System Indicator**

Confirms the unit is at the temperature set point


# **Fahrenheit to Celsius Display**

Set to your preferred temperature measurement and toggle between the two





# MORE DESIGN OPTIONS. MORE CONVENIENT PLACES.





# Get a true built-in look

# without the installation headaches

Installing your custom panel door and handle is a breeze with Marvel Overlay Panel models. Equipped with soft-close integrated hinges, these panel-ready collections allow for a fully integrated built-in installation to blend seamlessly with cabinetry – no complicated kits or additional parts required.

Soft-close integrated hinge



Easy installation — No kits or extra parts necessary



Beautifully seamless presentation










# 24" Marvel Professional Beverage Refrigerator with MaxStore™ Bin

Model #MP24BR

A refrigerator, beverage center and wine cellar in one elegant package—our most popular model!



# Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 3-in-1 Slide-Out Convertible Shelf™ features removable glass pane with wine rack option to store beverages, food, or wine
- 5.5 cu. ft. capacity, stores 20 wine bottles total (7 flat) and up to (162) 12-oz cans
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Cantilevered, fully adjustable glass shelving system with stainless steel shelf fronts

# **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- Professional styling: stainless-steel framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Two-stage, soft blue theater-style LED lighting and sophisticated midnight black interior
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience

- Close Door Assist System™ gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# Ordering Options

Stainless Frame, Glass Door with Lock, Integrated Right Hinge, Professional Handle	MP24BRG3RS
Stainless Frame, Glass Door with Lock, Integrated Left Hinge, Professional Handle	MP24BRG3LS
Panel-Ready Framed Glass Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP24BRF3RP
Panel-Ready Framed Glass Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP24BRF3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 3-IN-1 SLIDE OUT CONVERTIBLE SHELF







Beverages

Foo

VVine

# LIVE MARVELOUSLY TIP

Make hosting parties a breeze without stressing over where to store the extra food and drinks. Capable of storing a combination of extra-large food platters, wine pottles, 12-oz cans, 2-L bottles, 6-packs and more, Warvel offers plenty of solutions to make you the host with the most







Stainless Steel



Framed Overlay (Panel Ready)\*

# 24" Marvel Professional Beverage Center with 3-in-1 Convertible Shelves and Display Wine Rack

Model # MP24BCG3

# Dynamic food, beverage, and wine storage









Stainless Ste



Framed Overlay (Panel Ready)\*

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 5.3 cu. ft. capacity, stores 19 wine bottles total (14 flat, 5 cradled) and holds (108) 12-oz cans
- (2) 3-in-1 Slide-Out Convertible Shelves™ feature removable glass pane with wine rack option to store beverages, food or wine
- Display wine rack glides out for easy access and holds 5 wine bottles, including magnum sizes
- Cantilevered, fully adjustable glass shelving system with stainless steel shelf fronts

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- Professional styling: stainless-steel framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Two-stage, soft blue theater-style LED lighting and sophisticated midnight black interior
- Finish options: stainless steel or overlay (panel ready)

# **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door with Lock, Integrated Right Hinge, Professional Handle	MP24BCG3RS
Stainless Frame, Glass Door with Lock, Integrated Left Hinge, Professional Handle	MP24BCG3LS
Panel-Ready Framed Glass Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP24BCF3RP
Panel-Ready Framed Glass Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP24BCF3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 3-IN-1 SLIDE OUT CONVERTIBLE SHELVES



Food







# 15" Marvel Professional Beverage Center

Model # MP15BC

# A compact size capable of storing nearly three 12-packs!



# LIVE MARVELOUSLY TIP

Even mild dehydration can impact your focus and energy throughout the day. Keep hydrated with a fully stocked Marvel Professional Beverage Center with water, juice and other refreshing beverages to have on hand in a pinch



Finish Options



Stainless Steel



(Panel Ready)\*

Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- 2.7 cu. ft. capacity, stores up to (35) 12-oz cans and/or 5 wine bottles
- Fully adjustable shelving system with two cantilevered, full-width steel-framed glass shelves
- Stainless steel shelf fronts

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Professional styling: stainless-steel framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Two-stage, soft blue theater-style LED lighting and sophisticated midnight black interior
- Finish options: stainless steel or overlay (panel ready)

# **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door with Lock, Integrated Right Hinge, Professional Handle	MP15BCG3RS
Stainless Frame, Glass Door with Lock, Integrated Left Hinge, Professional Handle	MP15BCG3LS
Panel-Ready Framed Glass Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP15BCF3RP
Panel-Ready Framed Glass Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP15BCF3LP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





# 24" Marvel Professional All Refrigerator with MaxStore™ Bin

Model # MP24RAS3



# Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 5.1 cu. ft. capacity, stores up to (115) 12-oz cans
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Tall item storage: half-width interior shelf and extra door storage allows for high-clearance vertical storage
- Also includes (1) full-width smooth glide stainless steel shelf, (1) half-width cantilevered, fully adjustable stainless-steel shelf and (1) fixed stainless-steel-framed glass shelf

## **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Professional styling: stainless steel door, sturdy full-length handle, sleek Stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Finish: stainless steel

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

Integrated Left Hinge, Professional Handle

# **Ordering Options**

Solid Stainless Steel Door with Lock, Integrated Right Hinge, Professional Handle	MP24RAS3RS
Solid Stainless Steel Door with Lock,	MP24RAS3LS

# Multi-faceted storage for tall items, bottles, fresh produce and more












# LIVE MARVELOUSLY TIP







Stainless Steel



# Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Insulated thermal-efficient cabinet and drawer fronts ensure optimum efficiency and preservation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

• 5.0 cu. ft. capacity, stores up to (108) 12-oz cans in two large-capacity smooth-glide drawers

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

# Aesthetics

- Specially designed for a truly flush, zero clearance fit with adjoining cabinetry
- Professional styling: sleek stainless steel drawers, sturdy fulllength handles and stainless steel toe kick adjustable to 4"
- Efficient white LED lighting brightly illuminates interior
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically brings drawers to a close, ensuring they're never ajar
- Lock provides added safety and security for both drawers
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Drawer Fronts with Lock, Professional Handle	MP24RDS2NS
Panel-Ready Solid Overlay Drawer Fronts with Lock (Handle Not Included)*	MP24RDP2NP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.


# Stores 12-OZ CANS



# LIVE MARVELOUSLY TIP



# Finish Options





Solid Overlay (Panel Ready)\*



#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Insulated thermal-efficient cabinet and drawer fronts ensure optimum efficiency and preservation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- Keep bulky items organized and within easy reach with commercial-grade chrome wire bins on the fully extendable Smooth Glide System™
- Three commercial-grade chrome wire freezer baskets are tested to hold up to 200 lbs of frozen goods
- 4.6 total cubic feet of food storage

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from -10° F to 10° F
- Vacation mode conserves energy during times when unit is not in use.
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Professional styling: stainless steel door, sturdy full-length handle, sleek chrome baskets and stainless steel toe kick adjustable to 4"
- Pristine arctic white interior is easy to wipe clean, even in the corners
- Efficient white LED lighting brightly illuminates interior for better viewing of contents
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Door with Lock, Integrated Right Hinge, Professional Handle	MP24FAS3RS
Solid Stainless Steel Door with Lock, Integrated Left Hinge, Professional Handle	MP24FAS3LS
Panel-Ready Solid Overlay Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP24FAP3RP
Panel-Ready Solid Overlay Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP24FAP3LP


<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# LIVE MARVELOUSLY TIP

Perfect for frozen meats and desserts, make-ahead freezer meals, frosty mugs and more, Marvel Undercounter Freezers give you more freezer storage capacity, all within the convenience of your kitchen. No more trips to the garage or the basement to access a hard-to-reach chest freezer.





handle



Stainless Steel



(Panel Ready)\*



# 24" Marvel Professional High-Efficiency Dual Zone Wine Cellar

Model # MP24WD

# Engineered to target the 5 critical principles of proper wine storage



**True Dual Zone** 



**Ultimate Temperature Control** 




**Neutralizes Vibrations** 



**Protects Against Light** 



**Properly Canted to Keep Corks Moist** 



# Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Two independently monitored zones store your wine collection at separate temperatures
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Heavy-gauge wine racks are shaped to safely cradle each wine bottle
- Full-extension ball bearing smooth-glide shelf system prevents jarring
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- 4.9 cu. ft. capacity, stores 40 bottles of wine total
- Upper zone includes (3) 8-bottle smooth-glide full wine racks
- Lower zone includes (1) 8-bottle smooth-glide full wine rack and (2) 4-bottle smooth-glide half-depth wine racks

## **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 45° F to 55° F in the lower zone and 55° F to 62° F in the upper zone
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## **Aesthetics**

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Professional styling: stainless steel framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience


- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# Ordering Options

Stainless Frame, Glass Door with Lock, Integrated Right Hinge, Professional Handle	MP24WDG4RS
Stainless Frame, Glass Door with Lock, Integrated Left Hinge, Professional Handle	MP24WDG4LS
Panel-Ready Framed Glass Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP24WDF4RP
Panel-Ready Framed Glass Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP24WDF4LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





LIVE MARVELOUSLY TIP

f your palette favors red and white wines with equal enthusiasm, get the best of both with a Marvel Professional Dual Zone Wine Cellar. Highly recommended for storing many varietals of wine, you can host a wine tasting and pairing party or enjoy the selection all to yourself.





23 <sup>7</sup>/<sub>8</sub>" W

marvelrefrigeration.com | 800.223.3900

25 <sup>5</sup>/<sub>8</sub>" D

including

handle

Stainless Steel

Stainless Steel



Framed Overlay (Panel Ready)\*

# 24" Marvel Professional High-Efficiency Single Zone Wine Cellar

Model # MP24WS

# 48-bottle wine preservation up to 2x more efficient than others









Stainless Steel



Framed Overlay (Panel Ready)

## Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Heavy-gauge wine racks are shaped to safely cradle each wine bottle
- Full-extension ball bearing smooth-glide shelf system prevents jarring
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- 5.2 cu. ft. capacity, stores 48 bottles of wine total
- Includes (5) 8-bottle smooth-glide full wine racks
- Includes (2) 4-bottle smooth-glide half-depth wine racks

## **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### **Aesthetics**

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Professional styling: stainless steel framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Two-stage, soft blue theater-style LED lighting and sophisticated midnight black interior
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door with Lock, Integrated Right Hinge, Professional Handle	MP24WSG4RS
Stainless Frame, Glass Door with Lock, Integrated Left Hinge, Professional Handle	MP24WSG4LS
Panel-Ready Framed Glass Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP24WSF4RP
Panel-Ready Framed Glass Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP24WSF4LP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

# Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Heavy-gauge wine racks are shaped to safely cradle each wine bottle
- Full-extension ball bearing smooth-glide shelf system prevents jarring
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

• 2.7 cu. ft. capacity, stores 24 bottles of wine total with (6) 4-bottle smooth-glide wine racks

#### **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Professional styling: stainless steel framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4"
- Two-stage, soft blue theater-style LED lighting and sophisticated midnight black interior
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Height adjustment up to 1" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door with Lock, Integrated Right Hinge, Professional Handle	MP15WSG3RS
Stainless Frame, Glass Door with Lock, Integrated Left Hinge, Professional Handle	MP15WSG3LS
Panel-Ready Framed Glass Door with Lock, Integrated Right Hinge (Handle Not Included)*	MP15WSF3RP
Panel-Ready Framed Glass Door with Lock, Integrated Left Hinge (Handle Not Included)*	MP15WSF3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

# 15" Marvel Professional High-Efficiency Single Zone Wine Cellar

Model # MP15WS



# Slim, sophisticated 24-bottle wine preservation







Finish Options





Framed Overlay (Panel Ready)

handle



# Impeccably clear ice for the connoisseur




# The quietest ice machine

Never to be outdone, we improved sound suppression and buffered operating noise to make Marvel Clear Ice Machines quieter than most dishwashers.



# Unrivaled clarity and quality

Our fractional freezing process removes dissolved solids for pure, clear ice that won't impart flavor to your drinks. Other "clear ice" brands reuse residual water with high impurity content.



# The optimal shape for faster, longer cooling

Engineered to the perfect size, shape and density for immediate cooling and slower melt, while taking up less space in your glass.



# **Energy-saving options**

New Eco Ice™ and Vacation/Delay Start modes conserve up to 25% water and electricity.



# Produces up to 39 lbs a day

That's the equivalent of nearly eight convenience-store bags of ice daily!

Sapphire Illuminice



# **Storage Capabilities**

- Large-capacity bin stores 35 pounds of clear ice, while preserving quality and assuring fresh ice production
- Sleek scoop design is positioned for easy reach
- Easy-to-clean, hygienic interior surface

## **Touchscreen Controls**

- Marvel Intuit<sup>TM</sup> Integrated Controls feature all-new settings for ultimate programmability
- Eco Ice<sup>TM</sup> mode moderates ice production to conservative usage, saving 25% water (111 gallons monthly) and 25% energy (\$45 annually)\*\*
- Delay Start/Vacation option automatically postpones operation by 1/4/6/8 (hour or day) intervals, preventing wasteful water and energy use
- Audible alerts and programmed cleaning reminders

## Aesthetics

- New Illuminice<sup>™</sup> feature projects sapphire blue LED light through clear ice for a dazzling illumination effect
- Midnight black interior adds drama to the ice presentation, perfect for entertaining
- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Finish options: stainless steel or overlay panel\*

#### Additional Convenience

- Close Door Assist System™ prevents energy loss by automatically drawing door to a gentle close
- Stainless steel toe kick adjustable to 4" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

# **Gravity Drain**

Solid Stainless Steel Door, Right Hinge, Professional Handle	MP15CLS2RS
Solid Stainless Steel Door, Left Hinge, Professional Handle	MP15CLS2LS
Panel Ready Solid Overlay Door, Integrated Right Hinge*	MP15CLP2RP
Panel Ready Solid Overlay Door, Integrated Left Hinge*	MP15CLP2LP

# Factory Installed Pump

Solid Stainless Steel Door, Right Hinge, Professional Handle	MP15CPS2RS
Solid Stainless Steel Door, Left Hinge, Professional Handle	MP15CPS2LS
Panel Ready Solid Overlay Door, Integrated Right Hinge	MP15CPP2RP
Panel Ready Solid Overlay Door, Integrated Left Hinge	MP15CPP2LP

#### Accessories

Clear Ice Machine Cleaner, 4-oz bottle S41013789

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options

\*\*Based on national average of \$0.12 kWh at 100% operation Note: Ice production rate optimal when ambient air and water temperature is at or below 72° F.



# LIVE MARVELOUSLY TIP

Ice to a cocktail is what flame is to food – use it wisely, and the results can be phenomenal, use it incorrectly and you can completely alter a drink's taste. Expert bartenders insist that ice is the most important ingredient in making a great cocktail and choosing the right kind can make or break your drink. The purer the ice, the better a drink will taste as the ice melts. And, clarity is the best indicator for purity, as is the case with the Marvel Professional Clear Ice Machine, considered the clearest, most pure ice available for residential use.




Designed for zero clearance installations with soft-close integration hinge and overlay options.

# Proper Ice Machine Care


Each model is programmed with manufacturer-recommended cleaning reminders. To ensure maximum performance and ice quality, clean your ice machine once every 6 months or more depending on use and water quality. For Marvel-approved cleaning accessories, see Ordering Options.





arior rioday





24" Marvel Beverage Refrigerator with 60/40 Split Convertible Shelf™ and MaxStore™ Bin

Model # ML24BR

Flexible 3-in-1 storage configurations of food, wine and beverage storage

## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 60/40 Split Convertible Shelf<sup>™</sup> offers cantilevered glass shelving, wine racks, or hybrid options
- 5.2 cu. ft. capacity, stores up to (162) 12-oz cans and 7 bottles of wine
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans

## **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 45° F to 62° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## Aesthetics

- Two-stage, white theater lighting and midnight black interior
- Solid black-stained maple shelf fronts (natural maple available, (see page 83)
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML24BRG2RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML24BRG2LS
Smooth Black Frame, Glass Door, Right Hinge, Black Designer Handle	ML24BRG2RB
Smooth Black Frame, Glass Door, Left Hinge, Black Designer Handle	ML24BRG2LB
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML24BRF3RP
Panel-Ready Framed Glass Door, Integrated Left Hinge (Handle Not Included)*	ML24BRF3LP
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24BRP3RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24BRP3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 60/40 Split Convertible Shelf™

Choose glass shelving, wine rack with a Vibration Neutralization System™ or all-in-one configuration, allowing storage for 3, 4, or 7 wine bottles.







and Wine Rack





Finish Options





(Panel Ready)\*





Solid Overlay (Panel Ready)

Black Frame

28



# 24" Marvel Beverage Center with Two 60/40 Split Convertible Shelves™

Model # ML24BCG1

# 6-in-1 configurations of food, wine and beverage storage



# LIVE MARVELOUSLY TIP

If you live in a household of beer drinkers and wine lovers, this model offers the most versatility between wine, beverage and food storage.



Finish Options



Stainless Steel Framed



Framed Overlay (Panel Ready)\*

Solid Overlay (Panel Ready)\*

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 5.5 cu. ft. capacity, stores (162) 12-oz cans or 18 wine bottles
- Features (2) 60/40 Split Convertible Shelves<sup>™</sup> cantilevered with glass shelving that converts to wine racks with a Vibration Neutralization System<sup>™</sup> or both configurations all in one
- Roller-glide 4-bottle wine rack

# **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 35° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## Aesthetics

- Two-stage, soft white theater-style LED lighting and midnight black interior
- Solid black-stained maple shelf fronts (natural maple available, (see page 83)
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel or overlay (panel ready)

# Additional Convenience

- Close Door Assist System™ gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML24BCG1RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML24BCG1LS
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML24BCF2RP
Panel-Ready Framed Glass Door, Integrated Left Hinge (Handle Not Included)*	ML24BCF2LP
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24BCP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24BCP2LP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





# 15" Marvel Beverage Center

Model # ML15BC

# Stores up to four 12-packs in one slim footprint





Finish Options



Stainless Steel





Framed Overlay

(Panel Ready)\*





Solid Overlay (Panel Ready)<sup>3</sup>

Black Frame

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 2.7 cu. ft. capacity, stores (48) 12-oz cans
- (2) black steel-framed shelves are cantilevered and fully adiustable

## **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### **Aesthetics**

- Two-stage, soft white theater-style LED lighting and midnight black interior
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML15BCG1RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML15BCG1LS
Smooth Black Frame, Glass Door, Right Hinge, Black Designer Handle	ML15BCG1RB
Smooth Black Frame, Glass Door, Left Hinge, Black Designer Handle	ML15BCG1LB
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML15BCF2RP
Panel-Ready Framed Glass Door, Integrated Left Hinge (Handle Not Included)*	ML15BCF2LP
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML15BCP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML15BCP2LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 2.7 cu. ft. capacity, stores (48) 12-oz cans
- (2) white steel-framed glass shelves are cantilevered and fully adjustable

## **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Pristine arctic white interior easily wipes clean
- Efficient white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	ML15RAS1RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	ML15RAS1LS
Smooth Black Frame, Glass Door, Right Hinge, Black Designer Handle	ML15RAS1RB
Smooth Black Frame, Glass Door, Left Hinge, Black Designer Handle	ML15RAS1LB
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML15RAP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML15RAP2LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 15" Marvel All Refrigerator

Model # ML15RA

# Extra refrigeration storage in a slim 15" footprint





Finish Options



(Panel Ready)

33

32 marvelrefrigeration.com | 800.223.3900 marvelrefrigeration.com | 800.223.3900

# 24" Marvel Beverage Center

Model # ML24BCG0

# Maximum beverage storage for up to 190 cans!



# Performance

- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 5.5 cu. ft. capacity, stores (190) 12-oz cans
- (2) cantilever, fully adjustable FreshFlo<sup>™</sup> black commercial-grade steel shelves
- Designed for maximum storage with full-depth shelves

#### Controls

- Marvel Prime™ Controls allow you to set cabinet temperature from 34° F to 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

# Aesthetics

- White incandescent display lighting and midnight black interior
- Finish: stainless steel

# **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML24BCG0RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML24BCG0LS





Finish Option



Stainless Steel

LIVE MARVELOUSLY TIP

Keep up with your thirsty family with the Ma

Center, our highest capacity model. It doubles as ex food storage, tool







# 24" Marvel **Refrigerated Drawers**

Model # ML24RD

# Convenient access, ultimate refrigeration capacity



# LIVE MARVELOUSLY TIP



Finish Options









Solid Overlay (Panel Ready)\*

Black

# Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

• 5.0 cu. ft. capacity, stores (108) 12-oz cans in two large-capacity roller-glide drawers

## **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 35° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

# Aesthetics

- Specially designed for a truly flush fit with adjoining cabinetry
- Pristine arctic white interior easily wipes clean
- Efficient white LED lighting illuminates interior for better viewing
- Finish options: stainless steel, black or overlay (panel ready)

## **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically brings drawers to a close, ensuring They're never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Drawer Front, Stainless Designer Handle	ML24RDS2NS
Solid Black Drawer Front, Black Designer Handle	ML24RDS2NB
Panel-Ready Solid Overlay Drawer Front, (Handle Not Included)*	ML24RDP2NP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.









# 24" Marvel All Refrigerator with MaxStore™ Bin

Model # ML24RA

# Convenient door storage included





## Finish Options





Solid Overlay (Panel Ready)\*



Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 5.1 cu. ft. capacity, stores (115) 12-oz cans
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Tall item storage: half-width interior shelf and extra door storage allows for high-clearance vertical storage
- Also includes (1) cantilevered, fully adjustable white steel-framed glass shelf and (1) fixed steel-framed glass shelf

#### **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 35° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## **Aesthetics**

- Pristine arctic white interior easily wipes clean
- Efficient white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	ML24RAS2RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	ML24RAS2LS
Solid Smooth Black Door, Right Hinge, Black Designer Handle	ML24RAS2RB
Solid Smooth Black Door, Left Hinge, Black Designer Handle	ML24RAS2LB
Solid Panel Overlay Ready Door, Integrated Right Hinge*	ML24RAP3RP
Solid Panel Overlay Ready Door, Integrated Left Hinge*	ML24RAP3LP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

# Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- 5.3 cu. ft. capacity, stores (190) 12-oz cans
- (2) FreshFlo<sup>™</sup> white commercial-grade steel shelves are cantilevered and fully adjustable
- Flat interior door allows for full-depth storage

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 35° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## Aesthetics

- Pristine arctic white interior easily wipes clean
- Efficient white LED lighting illuminates interior for better viewing
- Finish: stainless steel

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	ML24RAS1RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	ML24RAS1LS



# LIVE MARVELOUSLY TIP



# 24" Marvel All Refrigerator

Model # ML24RAS1

# Max-capacity refrigeration storage





Stainless Steel

39

marvelrefrigeration.com | 800.223.3900 marvelrefrigeration.com | 800.223.3900



#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- 4.9 cu. ft. capacity, refrigerator stores (72) 12-oz cans
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Self-closing freezer can store 12 pints of ice cream
- Crescent ice maker produces up to 7 lbs of ice in 24 hours and ice bucket stores 13 lbs of ice (select models)
- Also includes (2) half-width cantilever, fully adjustable steel-framed glass shelves and (1) full width fixed position steel-framed glass shelf

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls ensure precise refrigeration temperature management from 34°F to 42°F and a freezer temperature between -6° F and 6° F to keep contents evenly frozen throughout
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# Ordering Options: Refrigerator + Ice Maker

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle <sup>†</sup>	ML24RIS3RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle <sup>†</sup>	ML24RIS3LS
Solid Smooth Black Door, Right Hinge, Black Designer Handle <sup>†</sup>	ML24RIS3RB
Solid Smooth Black Door, Left Hinge, Black Designer Handle <sup>†</sup>	ML24RIS3LB
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24RIP4RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24RIP4LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

† ENERGY STAR® Certified

# 24" Marvel Refrigerator and Freezer and MaxStore™ Bin

Model # ML24RF & ML24RI

# Refrigerator + freezer + optional ice maker, all-in-one



Models available with ice maker capable of producing 7 lbs of ice (see ordering options)









Plant

Solid Overlay Black (Panel Ready)\*

# Ordering Options: Refrigerator + Freezer (No Ice Maker)

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle <sup>†</sup>	ML24RFS2RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle <sup>†</sup>	ML24RFS2LS
Solid Smooth Black Door, Right Hinge, Black Designer Handle <sup>†</sup>	ML24RFS2RB
Solid Smooth Black Door, Left Hinge, Black Designer Handle <sup>†</sup>	ML24RFS2LB
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24RFP3RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24RFP3LP



# 24" Marvel All Freezer

Model # ML24FA

# Commercial-strength frozen food storage for your home



# LIVE MARVELOUSLY TIP

Eat seasonal fruits and vegetables all year round – simply buy them fresh, cut them into smaller portions and preserve in airtight containers in your Marvel All Freezer.



Finish Options





Stainless Steel

Solid Overlay (Panel Ready)\*

## Performance

- Tested to hold up to 200 lbs of frozen goods
- Dynamic Cooling Technology<sup>™</sup> delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Adjustable FreshFlo<sup>™</sup> stainless-steel shelf helps efficiently circulate cold air and ensures even temperature stability
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- Keep items organized and within easy reach with two commercial-grade chrome wire freezer bins on the fully extendable Smooth Glide System™
- 4.7 total cubic feet
- Also includes (1) full-width adjustable cantilever FreshFlo<sup>™</sup> stainless-steel shelf (removable)

#### **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from -10° F to 10° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

# Aesthetics

- Pristine arctic white interior easily wipes clean
- Efficient white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, or overlay (panel ready)

# **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	ML24FAS1RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	ML24FAS1LS
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24FAP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24FAP2LP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# Marvel Protects Your Wine Collection Better Than the Rest, 2x More Efficiently



# The Ideal Environment

Just like any living thing, environmental conditions play a critical role in wine development and maturation process, and Marvel wine cellars are engineered to provide the optimal environment for your special vintages.



# **Defends Against Light Damage**

Light can affect the tannins in the wine, degrading the color and nose of your wine. The dual-pane, tinted, UV-resistant glass door on a Marvel wine cellar protects wine from light while artfully showcasing your bottles.



# **Neutralizes Vibrations**

Wine does not like to be disturbed, as movement disrupts the sediment and unnaturally accelerates the aging process. Marvel wine cellars have a triple-layer Vibration Neutralization System (VNS) to protect your wine from damaging movement.



# Here's the Science

Wine is a fragile and complex composition, and any physical and chemical changes in environment, particularly temperature, can greatly impact the delicate balance of ongoing chemical reactions that occur as oxygen enters the cork. And, the rate of the average chemical reaction increases with temperature For example, a vintage wine that would normally require 10 years of careful aging may quickly become past its prime in months when stored too warm.


Marvel wine cellars ensure precise and accurate temperature stability, allowing your collection to gracefully come to full maturation, an attribute others can't deliver



# Access Wine Preservation Guides on the Marvel Blog

Visit marvelrefrigeration.com/blog for proper wine storage techniques, serving temperature charts by wine type and other tips.





# Performance

- Two independently controlled-temperature compartments offer dual options for storing and serving: the top between 55°F and 62°F and the bottom between 45° and 55°
- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

4.9 cu. ft. capacity, stores 40 bottles of wine: upper zone includes (3) 8-bottle roller-glide wine racks and lower zone includes (1) 8-bottle roller-glide wine rack and (2) 4-bottle half-depth roller-glide wine racks

# **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature for dual zones
- For expanded information on all functions, open the gatefold at the beginning of this catalog

# Aesthetics

- Two-stage, white theater LED lighting and midnight black interior and natural maple shelf fronts, stainable to match cabinetry
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- Close Door Assist System™ gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" black toe kick, adjustable up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML24WDG2RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML24WDG2LS
Smooth Black Frame, Glass Door, Right Hinge, Black Designer Handle	ML24WDG2RB
Smooth Black Frame, Glass Door, Left Hinge, Black Designer Handle	ML24WDG2LB
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML24WDF3RP
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML24WDF3LP
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24WDP3RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24WDP3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 24" Marvel High-Efficiency Dual Zone Wine Cellar

Model # ML24WD

# The oenophile's match for precise dual wine preservation



# LIVE MARVELOUSLY TIP

Not only can you store both reds and whites in separate, independently-controlled compartments, but you can also opt to program one for long-term storage and another for serving temperature.



Finish Options



Stainless Steel



Framed Overlay



Solid Overlay

(Panel Ready)\*

Solid Overlay (Panel Ready)\*



24" Marvel Dual Zone Wine and Beverage Center with 50/50 Split Convertible Shelf

Model # ML24WB

Truly flexible, truly dual zone storage for wine and beverages

# **UPPER ZONE**

Wine Storage 45° F to 60° F Holds 16 wine bottles

# **LOWER ZONE**

Beverage/Food Storage 34° F to 42° F Holds as many as (112) 12-oz cans (64) longneck bottles



#### Performance

- Two independently controlled temperature zones offers dual options for wine and beverage storage
- Upper zone environment is ideal for wine storage (45° F to 60° F) and the lower zone is designed for beverages and perishables (34° F to 42° F)
- Dynamic Cooling Technology™ delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 5.1 total cu. ft.
- 1.85 cu. ft. upper zone stores 16 bottles of wine on (2) 8-bottle roller-glide wine racks
- 3.27 cu. ft. lower zone can hold (112) 12-oz cans, (64) longneck bottles or an additional 6 wine bottles
- 50/50 Split Convertible Shelf™ offers cantilevered glass shelving that converts to 3 or 6-bottle wine rack.

## Temperature Controls

- Multifunction Marvel Intuit<sup>TM</sup> Integrated Controls feature convenient settings for the ultimate programmability and allow you to select a precise temperature for each zone
- Vacation mode conserves energy during times when the unit is
- For expanded information on all functions, open the gatefold at the beginning of this catalog

# Aesthetics

- Two-stage, white theater-style LED lighting and midnight black
- Solid natural maple shelf fronts (see accessories page for other shelf front options)
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel or overlay (panel ready)

#### Additional Convenience


- Close Door Assist System<sup>TM</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# Finish



Stainless Steel







Framed Overlay Solid Overlay

# LIVE MARVELOUSLY TIP



# **Ordering Options**

Stainless Frame Glass Door, Right Hinge	ML24WBG1RS
Stainless Frame Glass Door, Left Hinge	ML24WBG1LS
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML24WBF2RP
Panel-Ready Framed Glass Door , Integrated Left Hinge (Handle Not Included)*	ML24WBF2LP
Panel-Ready Solid Overlay Door , Right Hinge	ML24WBP2RP
Panel-Ready Solid Overlay Door, Left Hinge	ML24WBP2LP

49

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

(Panel Ready)\* 48



# 24" Marvel High-Efficiency Gallery Single Zone Wine Cellar

Model # ML24WSG1

# The artful way to showcase your wine collection



LIVE MARVELOUSLY TIP

Find your favorite wine faster with the Marvel Gallery Wine Cellar, a sophisticated way to display your collection so that you can easily see the labels.





inish



Stainless Ste

# Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# **Storage Capabilities**

- 5.5 cu. ft. capacity, stores 27 bottles of wine
- Roller-glide shelf system including (2) 7-bottle gallery display racks to display your best wine, (1) 8-bottle roller-glide wine rack and (1) 5-bottle gallery display rack

## **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Sleek stainless-steel framed glass door, designer handle and adjustable black toe kick
- Natural maple shelf fronts are stainable to match cabinetry
- Two-stage, soft white theater-style LED lighting and midnight black interior
- Finish: stainless steel

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**


Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle


ML24WSG1RS

Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle

ML24WSG1LS







# Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

• 5.3 cu. ft. capacity, stores 45 bottles with (1) 5-bottle gallery wine rack to display your best wine and (5) 8-bottle roller-glide wine racks

# **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Two-stage, white theater LED lighting and midnight black interior and natural maple shelf fronts, stainable to match cabinetry
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML24WSG2RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML24WSG2LS
Smooth Black Frame, Glass Door, Right Hinge, Black Designer Handle	ML24WSG2RB
Smooth Black Frame, Glass Door, Left Hinge, Black Designer Handle	ML24WSG2LB
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML24WSF3RP
Panel-Ready Framed Glass Door, Integrated Left Hinge (Handle Not Included)*	ML24WSF3LP
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24WSP3RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24WSP3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 24" Marvel High-Efficiency Single Zone Wine Cellar

Model # ML24WS

# 45-bottle wine storage up to 2x more efficient than the rest



# LIVE MARVELOUSLY TIP

Love wine and parties? With the Marvel High-Efficiency Single Zone Wine Cellar, you'll relish in the finer things in life like more wine for special occasions, wine pairings, o quiet nights in.



# Finish Options



Stainless Steel



Framed Overlay

(Panel Ready)\*





Solid Overlay (Panel Ready)\*

Black Frame



# 15" Marvel High-Efficiency Single Zone Wine Cellar

Model # MI 15WS

# Energy and space-efficient wine preservation





## Finish Options



Stainless Steel





Framed Overlay

(Panel Ready)\*



(Panel Ready)<sup>3</sup>



Black Frame

Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

• 2.7 cu. ft. capacity, stores 24 bottles of wine with (6) 4-bottle roller-glide wine racks

#### **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

## **Aesthetics**

- Two-stage, soft white theater-style LED lighting, midnight black interior and natural maple shelf fronts, stainable to match cabinetry
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

Stainless Frame, Glass Door, Right Hinge, Stainless Designer Handle	ML15WSG1RS
Stainless Frame, Glass Door, Left Hinge, Stainless Designer Handle	ML15WSG1LS
Smooth Black Frame, Glass Door, Right Hinge, Black Designer Handle	ML15WSG1RB
Smooth Black Frame, Glass Door, Left Hinge, Black Designer Handle	ML15WSG1LB
Panel-Ready Framed Glass Door, Integrated Right Hinge (Handle Not Included)*	ML15WSF2RP
Panel-Ready Framed Glass Door, Integrated Left Hinge (Handle Not Included)*	ML15WSF2LP
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML15WSP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML15WSP2LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Tinted, UV-resistant glass protects wine from damaging ultraviolet light, while conserving energy
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 2.86 cu. ft. capacity, stores 23 bottles of wine
- (5) 4-bottle roll-out wine racks and (1) 3-bottle wine cradle

# **Temperature Controls**

 Marvel Prime<sup>™</sup> Controls allow you to set cabinet temperature from 40°F to 65°F

# Aesthetics

- White incandescent display lighting and midnight
- Sleek stainless-steel framed glass door, designer handle and 4" adjustable black toe kick
- Natural maple shelf fronts are stainable to match cabinetry
- Finish: stainless steel

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Stainless Frame Glass Door, Right Hinge Stainless Designer Handle	30WCM-BS-G-R
Stainless Frame Glass Door, Left Hinge Stainless Designer Handle	30WCM-BS-G-L




# 15" Marvel Single Zone Wine Cellar

Model # 30WCM

# 23-bottle wine preservation in a 15" footprint







Stainless Steel

55



# 24" Marvel Single Zone Wine Cellar

Model # 61WCM

# Stores up to 45 bottles







Stainless Steel

# **Ordering Options**

56

Stainless Frame Glass Door, Right Hinge Stainless Designer Handle	61WCM-BS-G-R
Stainless Frame Glass Door, Left Hinge Stainless Designer Handle	61WCM-BS-G-L
HumiDrawer™	42242728

#### Performance

- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- 6.4 cu. ft. capacity, stores 45 bottles of wine including (1) 7-bottle display wine rack, (4) 8-bottle roll-out wine racks, and (1) 6-bottle wine cradle
- Wire wine racks easily pull out to access your collection

## **Temperature Controls**

• Marvel Prime™ Controls allow you to set cabinet temperature from 40°F to 65°F

# Aesthetics

- · White incandescent display lighting and midnight black interior
- Sleek stainless-steel framed glass door, designer handle and 4" adjustable black toe kick
- Natural maple shelf fronts are stainable to match cabinetry
- · Finish: stainless steel

# **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty



# HumiDrawer™ Fine Cigar Storage

Designed exclusively for the 24" Marvel Single Zone Wine Cellar (61WCM), the Marvel HumiDrawer™ is handcrafted Spanish Cedar, recommended for fine cigar storage. Smooth Spanish Cedar dividers are adjustable into four compartments to accommodate as many as 200 cigars from 5" to 8" in length. The humidification system is discretely located, and built-in closures solidly seal the chamber.

# Performance

• Produces up to 7 lbs of crescent ice in 24 hours

# Storage Capabilities

• Stores 15 lbs of crescent ice

## Aesthetics

- Easy-to-install panel overlay option
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- No pump or drain required
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 82)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	ML15CRS1RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	ML15CRS1LS
Solid Smooth Black Door, Right Hinge, Black Designer Handle	ML15CRS1RB
Solid Smooth Black Door, Left Hinge, Black Designer Handle	ML15CRS1LB
Panel-Ready Solid Overlay Door, Right Hinge (Handle Not Included)*	ML15CRP1RP
Panel-Ready Solid Overlay Door, Left Hinge (Handle Not Included)*	ML15CRP1LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options





15" Marvel Crescent Ice Machine

# 15 lbs of crescent ice storage





Finish Options







(Panel Ready)\*





# 15" Marvel Clear Ice Machine with Arctic Illuminice™

Model # ML15C

# **Performance**

- The quietest ice machine you can buy
- New energy-saving options conserve water and energy
- Engineered to consistently produce pure, clear ice with unrivaled clarity, immediate cooling and slower melt
- Its uniform size and compact density prove to be the optimal shape to provide faster cooling, while taking up less space in your glass
- Produces up to 39 pounds of clear ice daily, the equivalent of nearly eight convenience-store bags of ice
- Streamlined componentry and single-connection water fitting for simple installation

# Storage Capabilities

- Large-capacity bin stores 35 pounds of clear ice, while preserving quality and assuring fresh ice production
- Sleek scoop design is positioned for easy reach
- Easy-to-clean, hygienic interior surface

## **Touchscreen Controls**

- Marvel Intuit<sup>™</sup> Integrated Controls feature all-new settings for ultimate programmability
- Eco Ice™ mode moderates ice production to conservative usage, saving 25% water (111 gallons monthly) and 25% energy (\$45 annually)\*\*
- Delay Start/Vacation option automatically postpones operation by 1/4/6/8 (hour or day) intervals, preventing wasteful water use
- Audible alerts and programmed cleaning reminders

- New Illuminice™ feature projects arctic white LED light through clear ice for a dazzling illumination effect
- Designer handle, stainless steel exterior and white interior
- Easy-to-install panel-ready option includes soft-close integrated
- Finish options: stainless steel, black or overlay panel\*

## Additional Convenience

- Close Door Assist System<sup>™</sup> prevents energy loss by automatically drawing door to a gentle close
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty (see owner's guide for details)

## **Ordering Options**

# **Gravity Drain**


Solid Stainless Steel Door, Right Hinge	ML15CLS1RS
Solid Stainless Steel Door, Left Hinge	ML15CLS1RS
Black Door, Right Hinge	ML15CLS1RB
Black Door, Left Hinge	ML15CLP1LB
Panel-Ready Solid Overlay Door, Integrated Right Hinge*	ML15CLP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge*	ML15CLP2LP

# Factory Installed Pump

Solid Stainless Door, Right Hinge	ML15CPS1RS
Solid Stainless Door, Left Hinge	ML15CPS1LS
Black Door, Right Hinge	ML15CPS1RB
Black Door, Left Hinge	ML15CPS1LB
Panel-Ready Solid Overlay Door, Integrated Right Hinge*	ML15CPP2RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge*	ML15CPP2LP

# Accessories

Clear Ice Machine Cleaner, 4-oz bottle S41013789



# LIVE MARVELOUSLY TIP

## Proper Ice Machine Care

Each model is programmed with manufacturer-recommended cleaning reminders. To ensure maximum performance and ice quality, clean your ice machine once every 6 months or more depending on use and water quality. For Marvel-approved cleaning accessories, see Ordering Options.













Solid Overlay (Panel Ready)\*

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options

<sup>\*\*</sup>Based on national average of \$0.12 kWh at 100% operation Note: Ice production rate optimal when ambient air and water temperature

# 24" Marvel Beer Dispensers (Built-In and Mobile)

Model # ML24BS & ML24BT

# The World's Most Versatile Beer Dispenser

33 <sup>3</sup>/<sub>4</sub>" H

Mobile model features locking casters, stainless steel mug rail and matching designer handle on a classic black cabinet.



ML24BSSMRB



# Meet Bob the Beer Engineer, homebrewer, craft beer

Solid Black Door, Single Tap, Locking Casters, Mug Rail,

expert and lead engineer of Marvel Beer Dispensers. Follow along as he shares his expertise with informative how-to's, fun beer facts, insider knowledge and more! marvelrefrigeration.com/bobthebeerengineer

# **Ordering Options**

# SINGLE TAP, MOBILE

Right Hinge, Stainless Designer Handle	
TWIN TAP, MOBILE	
Solid Black Door, Twin Tap, Locking Casters, Mug Rail, Right Hinge, Stainless Designer Handle <sup>†</sup>	ML24BTSMR
SINGLE TAP, BUILT-IN	
0 11 10 11 11 11 11 11 11 11 11 11 11 11	

SINGLE TAP, BUILT-IN	
Solid Smooth Black Door, Right Hinge, Black Designer Handle <sup>†</sup>	ML24BSS2RB
Solid Smooth Black Door, Left Hinge, Black Designer Handle <sup>†</sup>	ML24BSS2LB
Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle <sup>†</sup>	ML24BSS2RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle <sup>†</sup>	ML24BSS2LS
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24BSP3RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24BSP3LP

## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Integrated drain system keeps spillage under control and removable components make for easier cleaning
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

# Storage Capabilities

- The only beer dispenser that can store half kegs, tall quarter kegs, pony kegs, sixth barrels, Cornelius kegs, growlers, bottles or cans
- (2) stow-on-board, commercial-grade stainless-steel shelves convert unit to a full refrigerator to store perishables
- Secure CO<sub>2</sub> tank storage area and drain basin
- Rear port gives external CO<sub>2</sub> tank option
- 5.7 cu. ft. capacity

# **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 34° F to 46° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

# Aesthetics

- Built-in and mobile models available with single or twin tap options
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

# Additional Convenience

- Lo-Boy coupler makes it easier to store, tap and swap out tall U.S. type D half barrels
- Anti-scuff interior floor shield protects against cabinet wear and tear from loading and unloading kegs
- Double-insulated tower reduces foam on pour and prevents condensation
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

# TWIN TAP, BUILT-IN

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle <sup>†</sup>	ML24BTS2RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle <sup>†</sup>	ML24BTS2LS
Panel-Ready Solid Overlay Door, Integrated Right Hinge (Handle Not Included)*	ML24BTP3RP
Panel-Ready Solid Overlay Door, Integrated Left Hinge (Handle Not Included)*	ML24BTP3LP

<sup>\*</sup>Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

† ENERGY STAR® Certified



# 4-IN-1 STORAGE






Tall Quarter Barrel or Pony Keg with Beverage Storage



Two Sixth Barrels or Cornelius Kegs



Full Beverage Storage






#### 24" Marvel Low Profile Beverage Refrigerator

Model # MA24BRG3

#### Versatile refrigeration storage, universal installation





64

Finish Option



#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- 4.9 cu. ft. capacity, stores (95) 12-oz cans or (7) wine bottles
- 60/40 Split Convertible Shelf<sup>™</sup> with cantilevered glass shelving converts to a wine rack with Vibration Neutralization System™ or offers both configurations all in one
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans

#### **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Two-stage, soft white theater-style LED lighting and midnight
- Sleek stainless steel door, black steel-framed shelving and stainless-steel designer handle
- Finish: stainless steel

#### **Additional Convenience**

- Low profile, ADA-compliant height allows for universal installation applications, both commercial and residential
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Stainless Frame, Glass Door, With Lock, Right Hinge, Stainless Designer Handle	MA24BRG3RS
Stainless Frame, Glass Door, With Lock Left Hinge, Stainless Designer Handle	MA24BRG3LS

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- FreshFlo<sup>™</sup> commercial-grade cantilevered steel shelves are perforated to allow cool air to efficiently circulate throughout
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 4.9 cu. ft. capacity, stores (95) 12-oz cans or (18) wine bottles
- (2) cantilevered, full-width FreshFlo<sup>™</sup> black commercial-grade shelves

#### **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Two-stage, soft white theater-style LED lighting and midnight black interior
- Finish: stainless steel

#### Additional Convenience

- Low profile, ADA-compliant height allows for universal installation applications, both commercial and residential
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Stainless Frame, Glass Door, With Lock, Right Hinge, Stainless Designer Handle	MA24BCG1RS
Stainless Frame, Glass Door, With Lock, Left Hinge, Stainless Designer Handle	MA24BCG1LS



#### 24" Marvel Low Profile Beverage Center

Model # MA24BCG1

#### Maximum beverage storage, including up to 18 bottles of wine





Finish Option



65

marvelrefrigeration.com | 800.223.3900



#### 24" Marvel Low Profile All Refrigerator with MaxStore™Bin

Model # MA24RA

#### Versatile refrigeration storage, universal installation





#### Finish Options



Stainless Steel



marvelrefrigeration.com | 800.223.3900



Solid Overlay Black (Panel Ready)

Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- 4.6 cu. ft. capacity, stores (118) 12-oz cans
- (1) full-width and (1) half-width cantilevered, fully adjustable white steel-framed glass shelves and (1) fixed white steelframed glass shelf
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans

#### **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### Aesthetics

- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### Additional Convenience

- Low profile, ADA-compliant height allows for universal installation applications, both commercial and residential
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door, Right Hinge, With Lock, Stainless Designer Handle	MA24RAS2RS
Solid Stainless Steel Door, Left Hinge, With Lock, Stainless Designer Handle	MA24RAS2LS
Solid Smooth Black Door, Right Hinge, With Lock, Black Designer Handle	MA24RAS2RB
Solid Smooth Black Door, Left Hinge, With Lock, Black Designer Handle	MA24RAS2LB
Panel-Ready Solid Overlay Door, With Lock, Integrated Right Hinge (Handle Not Included)*	MA24RAP3RP
Panel-Ready Solid Overlay Door, With Lock, Integrated Left Hinge (Handle Not Included)*	MA24RAP3LP

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- 4.7 cu. ft. capacity, stores (190) 12-oz cans
- (2) cantilever, fully adjustable FreshFlo™ white commercial-grade steel shelves

#### **Touchscreen Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit
- For expanded information on all functions, open the gatefold at the beginning of this catalog

#### **Aesthetics**


- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Finish: stainless steel

#### **Additional Convenience**

- Low profile, ADA-compliant height allows for universal installation applications, both commercial and residential
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door, Right Hinge, With Lock, Stainless Designer Handle	MA24RAS1RS
Solid Stainless Steel Door, Left Hinge, With Lock, Stainless Designer Handle	MA24RAS1LS



Model # MA24RAS1

#### Full-depth refrigeration storage: stores as many as 190 cans!



#### LIVE MARVELOUSLY TIP






marvelrefrigeration.com | 800.223.3900



#### 15" Marvel Low Profile Clear Ice Machine with Arctic Illuminice™ Lighting

Model # MA15CL & MA15CP

## Brilliant crystal-clear ice, universal installation





#### Finish Options





Stainless Steel Solid Overlay (Panel Ready)\*

#### Performance

- The quietest ice machine you can buy
- New energy-saving options conserve water and electricity
- Engineered to consistently produce pure, clear ice with unrivaled clarity, immediate cooling and slower melt
- Produces up to 39 pounds of clear ice daily, the equivalent of nearly eight convenient-store ice bags
- Close Door Assist System™ prevents energy loss by automatically drawing door to a gentle close
- Low profile, ADA height allows for universal installation applications, both commercial and residential
- Streamlined componentry and single-connection water fitting for simple installation

#### **Storage Capabilities**

• Large-capacity bin stores 35 pounds of clear ice

#### **Touchscreen Controls**

- Multifunction Marvel Intuit™ Integrated Controls adapt ice production to usage needs
- Eco Ice<sup>™</sup> mode moderates ice production to conservative usage, saving 25% water (111 gallons monthly) and 25% energy (\$45 annually)\*\*
- Audible alerts and programmed cleaning reminders

#### **Aesthetics**

- New Illuminice™ feature projects arctic white LED lighting through clear ice for a dazzling illumination effect
- Black toe kick adjustable to 4" with leveling legs
- High-efficiency, low-maintenance condenser design for built-in zero clearance installations
- Finish options: stainless steel or overlay (panel ready)\*

#### Additional Convenience

• 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

#### **Gravity Drain**

Solid Stainless Steel Door, Right Hinge	MA15CLS1RS
Solid Stainless Steel Door, Left Hinge	MA15CLS1LS
Panel-Ready Solid Overlay Panel Door, Integrated Right Hinge*	MA15CLP2RP
Panel-Ready Solid Overlay Panel Door, Integrated Right Hinge*	MA15CLP2LP

#### Factory Installed Pump

Solid Stainless Door, Right Hinge	MA15CPS1RS
Solid Stainless Door, Left Hinge	MA15CPS1LS
Panel-Ready Solid Overlay Panel Door, Integrated Right Hinge*	MA15CPP2RP
Panel-Ready Solid Overlay Panel Door, Integrated Right Hinge*	MA15CPP2LP

#### Accessories

Clear Ice Machine Cleaner, 4-oz bottle S41013789

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options

\*\*Based on national average of \$0.12 kWh at 100% operation Note: Ice production rate optimal when ambient air and water temperature is at or below 72° F.

#### Performance

- Produces up to 7 lbs of crescent ice in 24 hours
- Insulated thermal-efficient cabinet

#### **Storage Capabilities**

- Stores 15 lbs of crescent ice
- Removable ice bucket for easy cleaning

#### Aesthetics

- Sleek stainless steel door and designer handle
- Finish: stainless steel

#### Additional Convenience

- Low profile, ADA height allows for universal installation applications, both commercial and residential
- No pump or drain required includes 20' non-kink drain hose and clamp
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" black adjustable toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	MA15CRS1RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	MA15CRS1LS

# 15" Marvel Low Profile Crescent Ice Machine ADA Height

Model # MA15CRS1







#### Performance

- Produces up to 7 lbs of crescent ice in 24 hours
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

• Stores 15 lbs of crescent ice in removable ice bucket

#### Aesthetics

• Finish options: stainless steel or black

#### **Additional Convenience**

- No pump or drain required includes 20' non-kink drain hose and clamp
- Close Door Assist System™ gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Designer Handle	MA15CRC1RS
Solid Stainless Steel Door, Left Hinge, Stainless Designer Handle	MA15CRC1LS
Solid Smooth Black Door, Right Hinge Stainless Designer Handle	MA15CRC1RB
Solid Smooth Black Door, Left Hinge Stainless Designer Handle	MA15CRC1LB

#### 15" Marvel Compact Crescent Ice Machine



Finish Options

Model # MA15CRC1







# Certified for Outdoor Performance Outdoor kitchens demand a higher level of durability, reliability and performance from the appliance schosen for the strenuous job. That's

Designed for the elements
Tested to endure



Rain



Corrosion



High Temperature



High Humidity



Commercial Grade Power Cord



MARVEL

Certified for Outdoor Performance



Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged toe kicks

to provide the industry's best temperature stability and rapid cool down proven to cool nearly 2x

faster than other outdoor models.

why world-class Marvel Outdoor Refrigeration are CSA certified for outdoor use and tested to endure the elements like rain, corrosion, humidity and temperatures as high as 115°F. Plus, each is engineered with Dynamic Cooling Technology



Security locks standard on all refrigerators and dispensers



#### 24" Marvel Outdoor All Freezer

Model # MO24FA

Cool down on hot summer days with frozen treats within fingers' reach







#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and temperatures as high as 115° F
- Tested to hold up to 200 lbs of frozen goods
- Dynamic Cooling Technology™ delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Adjustable FreshFlo<sup>™</sup> stainless-steel shelf helps efficiently circulate cold air and ensures even temperature stability
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- Keep items organized and within easy reach with two commercial-grade chrome wire freezer bins on the fully extendable Smooth Glide System™
- 4.7 total cubic feet
- Also includes (1) full-width adjustable cantilever FreshFlo™ stainless-steel shelf (removable)

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between -10° and 10° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### Additional Convenience

- Door lock provides added safety and security
- Close Door Assist System™ gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door with Lock, Right Hinge MO24FAS1RS Solid Stainless Steel Door with Lock, Left Hinge MO24FAS1LS

#### LIVE MARVELOUSLY TIP







#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### Storage Capabilities

- Refrigerator's 3.9 cu. ft. holds up to (72) 12-oz cans
- Interior 1 cu. ft. freezer with self-closing door is large enough to hold up to 12 pints of ice cream
- Optional ice maker kit available to produce and store up to 13 lbs of crescent ice (accessory part #S42418151, field installable)
- (2) partial-width cantilever, fully adjustable stainless-steel framed glass shelves, (1) full-width, fixed-position stainless-steel-framed glass shelf, (1) MaxStore<sup>™</sup> bin and (1) stainless-steel freezer shelf (removable)
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or (22) 12-oz cans
- Adjustable cantilever shelving allows easy customization to meet your changing storage needs

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 42° F and a freezer temperature between -6° F and 6° F to keep contents evenly frozen throughout
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Corrosion-resistant stainless steel exterior, commercial grade 6-foot power cord, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Pristine arctic white interior is easy to wipe clean, even in the corners
- Efficient white LED lighting brightly illuminates interior for better viewing of contents
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" adjustable stainless steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

solid Stainless Steel Door with Lock, Right Hinge, Professional Handle	MO24RFS2RS
solid Stainless Steel Door with Lock, eft Hinge, Professional Handle	MO24RFS2LS
Outdoor Ice Maker Kit, Ice Bucket Included Field Installable)	S42418151

#### 24" Marvel Outdoor Refrigerator and Freezer with Ice Maker Option

Model # MO24RF

#### The only all-in-one outdoor refrigerator freezer ice maker on the market







72

73

#### 24" Marvel Outdoor Refrigerator with MaxStore™ Bin and Door Storage

Model # MO24RAS2

#### Door storage for even more versatility





74

#### **Performance**

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity

#### Storage Capabilities

- 5.1 cu. ft. capacity, stores (146) 12-oz cans
- Easy access door storage accommodates tall bottles
- Fully-adjustable, cantilever FreshFlo<sup>™</sup> stainless-steel slide-out full width shelf
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Also includes (1) full-width roller-glide and (1) half-width cantilevered, fully adjustable perforated stainless-steel shelf and (1) fixed steel-framed glass shelf

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° and 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### **Aesthetics**

- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless-steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### Additional Convenience

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" adjustable stainless steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door with Lock, Right Hinge, Professional Handle	MO24RAS2RS
Solid Stainless Steel Door with Lock, Left Hinge, Professional Handle	MO24RAS2LS







Certified for Outdoor Use

#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity

#### Storage Capabilities

- 5.3 cu. ft. capacity, stores (154) 12-oz cans
- Two commercial-grade FreshFlo<sup>™</sup> stainless-steel shelves are cantilevered and fully adjustable

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° and 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless-steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" adjustable stainless-steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door with Lock, Right Hinge, Professional Handle	MO24RAS1RS
Solid Stainless Steel Door with Lock, Left Hinge, Professional Handle	MO24RAS1LS

#### 24" Marvel Outdoor Refrigerator

Model # MO24RAS1

#### High-capacity, full-depth storage













Stainless Steel

75


Certified for Outdoor Use

marvelrefrigeration.com | 800,223,3900 marvelrefrigeration.com | 800.223.3900

# 15" Marvel Outdoor All Refrigerator

Model # MO15RAS2

#### Compact refrigeration storage



# Finish 26 7/<sub>32</sub> D including handle Stainless Steel

#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### **Storage Capabilities**

- 2.7 cu. ft. capacity, stores (70) 12-oz cans
- Two commercial-grade FreshFlo<sup>™</sup> stainless-steel roller-glide shelves are cantilevered and fully adjustable

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### **Aesthetics**

- Pristine arctic white interior easily wipes clean and efficient white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" adjustable stainless steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door with Lock, Right Hinge, Professional Handle	MO15RAS2RS
Solid Stainless Steel Door with Lock, Left Hinge, Professional Handle	MO15RAS2LS







Certified for Outdoor Use

#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- 5.0 cu. ft. capacity, stores (133) 12-oz cans total:
- Top Drawer stores (70) 12-oz cans
- Bottom Drawer stores (60) 12-oz cans

#### Temperature Controls

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### **Aesthetics**

- Drawer interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Efficient white LED lighting
- Corrosion-resistant stainless-steel exterior, sturdy pro-style handles and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System™ gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" adjustable stainless steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Drawer Fronts with Lock, Professional Handle

MO24RDS3NS

#### LIVE MARVELOUSLY TIP

Is your home the place to be for summertime fun? You can load up Marvel Outdoor Refrigerated Drawers with case after case of beverages, so your guests can just open and grab without bending over.







#### 24" Marvel Outdoor Refrigerated Drawers

Model # MO24RDS3NS

# Convenient access to large-capacity cold storage







Certified for Outdoor Use

77

marvelrefrigeration.com | 800.223.3900



No other beer dispenser compares to the storage versatility of Marvel



Half Barrel or Slim Quarter




Full Beverage Storage



Two Sixth Barrels or Cornelius Kegs



Tall Quarter Barrel or Pony Keg with Beverage Storage



Doubleinsulated tower reduces foam on pour and prevents condensation





under control



Model # MO24BS & MO24BT





#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance
- Easy-to-clean integrated drain system keeps spillage under control
- Double-insulated tower reduces foam on pour and prevents condensation

#### Storage Capabilities

- The only beer dispenser that can store half barrel, quarter barrel (pony keg), sixth barrels or Cornelius kegs, slim quarters, growlers, bottles or cans
- Two exclusive stow-on-board shelves convert unit to an allrefrigerator capable of storing perishables
- 5.7 cu. ft. capacity
- Secure CO<sub>2</sub> tank storage area and drain basin
- $\bullet\,$  Includes tower, drain pan, 5 lb.  $\mathrm{CO_2}$  tank, hoses, connectors and floor shield
- Rear port for external CO<sub>2</sub> tank option

#### Temperature Controls

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 46° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### **Aesthetics**

- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### Additional Convenience

- Lo-Boy coupler makes it easier to store, tap and swap out tall U.S. type D half barrels
- Anti-scuff interior floor shield protects cabinet from wear and tear loading and unloading kegs
- Door lock provides added safety and security
- 4" adjustable stainless steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

#### SINGLE TAP, BUILT-IN

Solid Stainless Steel Door, Right Hinge, Stainless Professional Handle	MO24BSS2RS
Solid Stainless-Steel Door, Left Hinge, Stainless Professional Handle	MO24BSS2LS

#### TWIN TAP, BUILT-IN

Solid Stainless Steel Door, Right Hinge, Stainless Professional Handle	MO24BTS2RS
Solid Stainless Steel Door, Left Hinge, Stainless Professional Handle	MO24BTS2LS







Stainless Steel

#### SINGLE TAP, MOBILE

Solid Stainless Steel Door, Locking Casters, Mug Rail, Right Hinge, Stainless Professional Handle

MO24BSSMRS

#### TWIN TAP, MOBILE

Solid Stainless Steel Door, Locking Casters, Mug Rail Right Hinge, Stainless Professional Handle

MO24BTSMRS



#### 15" Marvel Outdoor Crescent Ice Machine

Model # 250iM-SS-F



Certified for Outdoor Use



#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Replenishes up to 7 lbs. of crescent ice cubes in 24 hours
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### Storage Capabilities

• Stores 15 lbs of crescent ice, removable ice bucket for easy serving and cleaning

#### **Aesthetics**

- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### **Additional Convenience**

- No drain required
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 4" adjustable stainless steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Door, Right Hinge, Stainless Professional Handle	250iM-SS-F-R
Solid Stainless Steel Door, Left Hinge, Stainless Professional Handle	250iM-SS-F-L



#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Produces up to 34 lbs. of clear, pure ice in 24 hours
- Stainless steel ice cutter for consistent 3/4" cube size and shape
- Sound-buffering ice deflector greatly reduces cube impact noise
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### **Storage Capabilities**

- Stores 30 lbs of clear ice
- Ice scoop included

#### Controls

• Equipped with cleaning mode

#### Aesthetics

- High-efficiency, low-maintenance condenser system designed for built-in zero clearance installations
- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Includes 20' non-kink drain hose and clamp
- Available with or without factory-installed drain pump
- 4" adjustable stainless-steel toe kick, height adjustment up to 1" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty





Certified for Outdoor Use



15" Marvel Outdoor Clear Ice Machine

Model # 30iMT



#### **Ordering Options**

3 1	
Solid Stainless Steel Door, Right Hinge, Stainless Professional Handle	30iMT-SS-F-R
Solid Stainless Steel Door, Left Hinge, Stainless Professional Handle	30iMT-SS-F-L
Solid Stainless Steel Door, Right Hinge, Stainless Professional Handle, With Factory Installed Drain Pump	30iMT-SS-F-R-P
Solid Stainless Steel Door, Left Hinge, Stainless Professional Handle With Factory Installed Drain Pump	30iMT-SS-F-L-P





Stainless Steel





#### 24" Stacking Kits

Make maximum use of your kitchen space by going vertical. We specially designed our models to stack in 24" configurations. With the Marvel Universal Stacking Kit, you can mix and match any 24" Marvel model to your ideal combination. Wine and all refrigeration, and beverage storage - anything is possible.

Note: Universal stacking kit required for proper installation (model #42249443).

#### **Ordering Options**

3 1	
Description	Model Number
Universal Stacking Kit - includes anti-tip brackets, screws and black powder-coated plate (required to stack 24" Marvel undercounter products)  Decorative Grill Options	42249443
24" Stainless Steel Stacking Grill - Right Hinge (use with part #42249443)	S41013726-SR
24" Stainless Steel Stacking Grill - Left Hinge (use with part #42249443)	S41013726-SL
24" Black Stacking Grill - Right Hinge (use with part #42249443)	S41013726-BR
24" Black Stacking Grill - Left Hinge (use with part #42249443)	S41013726-BL



















#### General Accessories

Marvel Designer Handle, Stainless	42242939
2. Marvel Designer Handle, Black	42245084
3. Low Profile ADA Door Handle, Stainless	42246370
4. 15" Professional Style Toe Grill, Stainless	Right - 42249111 Left - 42249110
5. 24" Professional Style Toe Grill, Stainless	Right - 42249109 Left - 42248108
6. LED Interior Light Bulb, Soft Blue	42219106
7. LED Interior Light Bulb, Soft White	42249105

#### Installation Accessories

8.	18" Stainless-Steel Filler Kit*	42242833
9.	18" Black Filler Kit*	42242832

#### Shelving Accessories

10. Full-Width Flat Shelf, Black-Stained Maple Fronts	S41012334-004
11. Half-Width Flat Shelf, Black-Stained Maple Fronts	S41012334-005
12. Full-Width Flat Shelf, Natural Maple Shelf Front	42248729
13. Half-Width Flat Shelf, Natural Maple Shelf Fronts	42248725
14. 7-Bottle Display Shelf, Natural Maple Shelf Fronts	42244618
15. 7-Bottle Display Shelf, Black-Stained Maple Shelf Fronts	42248869

#### Wine Cellar Accessories

16. HumiDrawer ''" Cigar Compartment	42242728
(available for 61WCM model only)	42242720

#### Ice Machine Accessories

17. Ice Machine Cleaner, 4 oz. Bottle	S41013789
18. Drain Pump	42248890

#### **Drawer Accessories**

19. Marvel Designer Drawer Handle, Stainless	42245820
20. Marvel Designer Drawer Handle, Black	42245819
21. Marvel Professional Drawer Handle, Stainless	42246072

#### Beer Dispenser Accessories

22. Twin Tap Dispenser Kit	42249103
23. Single Tap Dispenser Kit	42249104
24. CO2 Tank - Empty	42249028
25. Built-In Drain System Kit	42242374
26. Tap Cleaning Kit	42242373
27. Integrated Grate	S41014066
28. Casters, Set of 4	42249107
29. Interior Floor Shield	42242400
30. Vinyl Cover for Model with Dispenser Tower	42243155
31. Vinyl Cover for Model without Dispenser Tower	42243156

<sup>\*</sup>Not available for Marvel Low Profile and Marvel Outdoor models.

83

42249443 includes a 23" W x 21" D mounting plate and two anti-tip brackets (Not shown to scale)



#### Specifications: Marvel Professional

		Beverage Centers		Refrigerators		
	1700 T	160				
Model Number	MP24BR	MP24BCG	MP15BC	MP24RAS3	MP24RD	
Product Dimensions	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	14 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	
Interior Cabinet Finish	Black	Black	Black	White	Stainless Steel	
Cubic Feet	5.5 cu. ft.	5.3 cu. ft.	2.7 cu. ft.	5.1 cu. ft.	5.0	
Capacity	Up to 20 wine bottles Up to 162 12-oz cans	Up to 19 wine bottles Up to 108 12-oz cans	Up to 5 wine bottles Up to 35 12-oz cans	Up to 115 12-oz cans	Up to 108 12-oz cans	
Shelving System	Cantilever	Cantilever	Cantilever	Cantilever	NA	
Shelf Fronts	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	NA	
Other Storage	3-in- Slide Out Convertible Shelf MaxStore™ Bin	3-in-Slide Out Convertible Shelf	NA	MaxStore™ Bin Door Storage	Double Drawer Storage	
Interior Lighting	Blue LED	Blue LED	Blue LED	White LED	White LED	
Toe Grill Finish	Stainless Steel					
Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge	NA	
Handle	Professional (Panel Overlay Does Not Include Handle)					
Control Type	Intuit™	Intuit™	Intuit™	Intuit™	Intuit™	
Temperature Range	34° to 42° F					
Lock	Yes	Yes	Yes	Yes	Yes	
Electrical Requirements	120V / 60Hz / 15A					
Length of Power Cord	5'	5'	5'	5'	5'	
Shipping Weight	160 lbs	160 lbs	125 lbs	160 lbs	160 lbs	
Finishes	SS, O	SS, O	SS, O	SS	SS, O	
Vacation Mode	Yes	Yes	Yes	Yes	Yes	
Agency Approvals	CSA	CSA	CSA	CSA	CSA	

	Freezers	Dual Zone Wine Cellar	Single Zone	Wine Cellars	Ice Machines
		Marie Ma Marie Marie Marie Marie Marie Marie Marie Marie Marie Marie Ma Marie Marie Marie Marie Marie Marie Marie Marie Marie Marie Marie Marie Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma	100 mm		
Model Number	MP2FA	MP24WD	MP24WS	MP15WS	MP15CL / MP15CP
Product Dimensions	23 <sup>7</sup> /s" W x 33 <sup>3</sup> / <sub>4</sub> " H x 25 <sup>5</sup> /s" D	23 <sup>7</sup> /s" W x 33¾" H x 21½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	14 <sup>7</sup> /8" W x 33 ¾" H x 21 ½" D	14 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D
Interior Cabinet Finish	White	Black	Black	Black	Black
Cubic Feet	4.6 cu. ft.	4.9 cu. ft.	5.2 cu. ft.	2.7 cu. ft.	NA
Capacity	Up to 200 lbs of frozen goods	Up to 40 wine bottles: 24 Upper Zone / 16 Lower Zone	Up to 48 wine bottles	Up to 24 wine bottles	Up to 35 lbs of clear ice
Shelving System	Smooth Glide System™	Smooth Glide System™	Smooth Glide System™	Smooth Glide System™	NA
Shelf Fronts	NA	Stainless Steel	Stainless Steel Stainless Steel		NA
Other Storage	3 Wire Bins	NA	NA NA		NA
Interior Lighting	White LED	Blue LED	Blue LED Blue LED		Blue LED
Toe Grill Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge	Soft Close Integrated Hinge
Handle	Professional (Panel Overlay Does Not Include Handle)	Professional (Panel Overlay Does Not Include Handle)	Professional (Panel Overlay Does Not Include Handle)	Professional (Panel Overlay Does Not Include Handle)	Professional (Panel Overlay Does Not Include Handle)
Control Type	Intuit™	Intuit™	Intuit™	Intuit™	Intuit™
Temperature Range	-10° F to 10° F	Top: 55° to 62° F Bottom: 45° to 55° F	40° to 65° F	40° to 65° F	NA
Lock	Yes	Yes	Yes	Yes	No
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A
Length of Power Cord	5'	5'	5'	5'	5'
Shipping Weight	160 lbs	160 lbs	160 lbs	125 lbs	127 lbs
Finishes	SS, O	SS, O	SS, O	SS, O	SS, O
Vacation Mode	Yes	Yes	Yes	Yes	Yes
Agency Approvals	CSA	CSA	CSA	CSA	CSA

Finish Legend SS = Stainless Steel B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.



#### Specifications: Marvel

		Beverage	Centers		Refrigerated Drawers
	10 mm		1100		
Model Number	ML24BR	ML24BCG1	ML15BC	ML24BCG0	ML24RD
Product Dimensions	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 7/8" W x 33 3/4" H x 21 1/2" D	14 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D
Interior Cabinet Finish	Black	Black	Black	Black	White
Cubic Feet	5.2 cu. ft.	5.5 cu. ft.	2.3 cu. ft.	5.5 cu. ft.	5.0 cu. ft.
Capacity	Up to 7 wine bottles Up to 162 12-oz cans	Up to 18 wine bottles or up to 162 12-oz cans	Up to 5 wine bottles or up to 35 12-oz cans	Up to 190 12-oz cans	Up to 108 12-oz cans
Shelving System	Cantilever	Cantilever	Cantilever	Cantilever	NA
Shelf Fronts	Steel Framed	Steel Framed	Steel Framed	Steel Framed	NA
Other Storage	60/40 Split Convertible Shelf™ MaxStore™ Bin	60/40 Split Convertible Shelf™	NA	NA	NA
Interior Lighting	White LED	White LED	White LED	White LED	White LED
Toe Grill Finish	Black	Black	Black	Black	Black
Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge	NA
Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)
Control Type	Intuit™	Intuit™	Intuit™	Prime™	Intuit™
Temperature Range	34° to 42° F	34° to 42° F	34° to 42° F	34° to 42° F	34° to 42° F
Lock	No	No	No	No	No
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A
Length of Power Cord	5'	5'	5'	5'	5'
Shipping Weight	160 lbs	160 lbs	125 lbs	160 lbs	160 lbs
Finishes	SS, B, O	SS, O	SS, B, O	SS	SS, B, O
Vacation Mode	Yes	Yes	Yes	No	Yes
Agency Approvals	CSA	CSA	CSA	CSA	CSA

	270	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 3- - 3-	Fig.		
Model Number	ML15RA	ML24RA	ML24RAS1	ML24RF / ML24RI	ML24FA	
Product Dimensions	14 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	23 <sup>7</sup> /s" W x 33 ¾" H x 25 <sup>5</sup> /s" D	
Interior Cabinet Finish	White	White	White	White	White	
Cubic Feet	2.7 cu. ft.	5.1 cu. ft.	5.3 cu. ft.	4.9 cu. ft.	4.7 cu. ft.	
Capacity	Up to 48 12-oz cans	up to 115 12-oz cans	up to 190 12-oz cans	up to 72 12-oz cans 12 Pints of Ice Cream Ice Bucket capacity = 13 lbs	up to 200lbs of frozen food	
Shelving System	Cantilever	Cantilever	Cantilever	Cantilever	Cantilever	
Shelf Fronts	White Steel-Framed	White Steel-Framed	White Steel-Framed	White Steel-Framed	White Steel-Framed	
Other Storage	NA	MaxStore™ Bin Door Storage	NA	MaxStore™ Bin Freezer Storage, Ice Bucket	NA	
Interior Lighting	White LED	White LED	White LED	White LED	White LED	
Toe Grill Finish	Black	Black	Black	Black	Black	
Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge	
Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle (Panel Overlay Does Not Include Handle)	
Control Type	Intuit™	Intuit™	Intuit™	Intuit™	Intuit™	
Temperature Range	34° to 42° F	34° to 42° F	34° to 42° F	Refrigerator: 34° to 42° F Freezer: -6° to 6° F	-10° to 10° F	
Lock	No	No	No	No	No	
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	
Length of Power Cord	5'	5'	5'	5'	5'	
Shipping Weight	125 lbs	160 lbs	160 lbs	160 lbs	160 lbs	
Finishes	SS, B, O	SS, B, O	SS	SS, B, O	SS, B, O	
Vacation Mode	Yes	Yes	Yes	Yes	Yes	
Agency Approvals	CSA	CSA	CSA	CSA	CSA	

Finish Legend SS = Stainless Steel B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.



#### Specifications: Marvel



	Wine 0	Cellars	Ice Ma	achines	Beer Dispenser
	E				
Model Number	30WCM	61WCM	ML15CL / ML15CP	ML15CRS1	ML24B
Product Dimensions	14 ¾" W x 33 ¾" H x 21 ³/16 " D	23 <sup>7</sup> /s" W x 33 ¾" H x 22" D	14 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D	14 <sup>7</sup> /8" W x 33 ¾" H x 20 ½" D	23 7/8" W x 33 ¾" H x 21 ½" D
Interior Cabinet Finish	Black	Black	White	White	White
Cubic Feet	2.86 cu. ft.	6.4 cu. ft.	NA	NA	5.7 cu. ft.
Capacity	Up to 23 wine bottles	Up to 45 wine bottles	Up to 35 lbs of clear ice	Up to 15 lbs of crescent ice	Half kegs, tall quarter kegs, pony kegs, sixth barrels, cornelius kegs, growlers, bottles / cans
Shelving System	Roller-Glide System	Roller-Glide System	NA	NA	Stow-on-board
Shelf Fronts	Natural maple	Natural Maple	NA	NA	Stainless-steel
Other Storage	NA	NA	NA	Ice Bucket	CO2 tank
Interior Lighting	Incandescent	White Incandescent	NA	NA	NA
Toe Grill Finish	Black	Black	Black	Black	Black
Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge
Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)				
Control Type	Prime™	Prime™	NA	NA	Intuit™
Temperature Range	40° to 65° F	40° to 65° F	NA	NA	34° to 46° F
Lock	No	No	No	No	No
Electrical Requirements	120V / 60Hz / 15A				
Length of Power Cord	5'	5'	5'	5'	5'
Shipping Weight	121 lbs	145 lbs	160 lbs	127 lbs	160 lbs
Finishes	SS	SS	SS, B, O	SS, B, O	SS, B, O
Vacation Mode	No	No	No	No	No
Agency Approvals	CSA	CSA	CSA	CSA	CSA

Finish Legend

SS = Stainless Steel

B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.



#### Specifications: Marvel Low Profile

	Beverage	e Centers	Refrigerators			
		100000 100000 100004		MATERIAL STREET		
Model Number	MA24BRG3	MA24BCG1	MA24RA	MA24RAS1		
Product Dimensions	23 <sup>7</sup> /s" W x 31 <sup>7</sup> / <sub>2</sub> " H x 21 ½" D	23 <sup>7</sup> /s" W x 31 <sup>1</sup> / <sub>2</sub> " H x 21 ½" D	23 <sup>7</sup> /8" W x 31 <sup>1</sup> /2" H x 21 ½" D	23 <sup>7</sup> /s" W x 31 <sup>1</sup> / <sub>2</sub> " H x 21 ½" D		
Interior Cabinet Finish	Black	Black	White	White		
Cubic Feet	4.9 cu. ft.	4.9 cu. ft.	5.1 cu. ft.	5.3 cu. ft.		
Capacity	Up to 27 wine bottles Up to 95 12-oz cans	Up to 18 wine bottles or up to 95 12-oz cans	Up to 100 12-oz cans	Up to 190 12-oz cans		
Shelving System	Cantilever	Cantilever	Cantilever	Cantilever		
Shelf Fronts	Steel Framed	Steel Framed	White Steel Framed	White Steel Framed		
Other Storage	MaxStore™ Bin 60/40 Split Convertible Shelf™	MaxStore <sup>™</sup> Bin	MaxStore™ Bin Door Storage	NA		
Interior Lighting	White LED	White LED	White LED	White LED		
Toe Grill Finish	Black	Black	Black	Black		
Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge		
Handle	Slim Designer Handle	Slim Designer Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle		
Control Type	Intuit™	Intuit™	Intuit™	Intuit™		
Temperature Range	34° to 42° F	34° to 42° F	34° to 42° F	34° to 42° F		
Lock	NA	NA	NA	NA		
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A		
Length of Power Cord	5'	5'	5'	5'		
Shipping Weight	160 lbs	160 lbs	160 lbs	160 lbs		
Finishes	SS	SS	SS, B, O	SS		
Vacation Mode	Yes	Yes	Yes	Yes		
Agency Approvals	CSA	CSA	CSA	CSA		

• , ,,			
		Ice Machines	
Model Number	MA15CL	MA15CRS1	MA15CRC
Product Dimensions	14 <sup>7</sup> /s" W x 31 <sup>1</sup> /s" H x 21 ½" D	14 <sup>7</sup> /s" W x 31 <sup>1</sup> /s" H x 21 ½" D	14 <sup>7</sup> /s" W x 24 <sup>1</sup> /s" H x 21 ½" D
Interior Cabinet Finish	White	White	White
Cubic Feet	NA	NA	NA
Capacity	Up to 35 lbs of clear ice	Up to 15 lbs of crescent ice	Up to 15 lbs of crescent ice
Shelving System	NA	NA	NA
Shelf Fronts	NA	NA	NA
Other Storage	Ice Bucket	Ice Bucket	NA
Interior Lighting	White LED	NA	NA
Toe Grill Finish	Black	Black	Black
Hinge	Classic Hinge	Classic Hinge	Classic Hinge
Handle	Slim Designer Handle (Panel Overlay Does Not Include Handle)	Slim Designer Handle	Slim Designer Handle
Control Type	Intuit™	NA	NA
Temperature Range	NA	NA	NA
Lock	No	No	No
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A
Length of Power Cord	5'	5'	5'
Shipping Weight	120 lbs	120 lbs	90 lbs
Finishes	SS, O	SS	SS, B
Vacation Mode	Yes	No	No
Agency Approvals	CSA	CSA	CSA

Finish Legend

SS = Stainless Steel

B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.



#### Specifications: Marvel Outdoor



Model Number	MO24RF	MO24FA	MO24RDS	MO24B	30iMT	
Product Dimensions	23 <sup>7</sup> /s" W x 33 <sup>3</sup> / <sub>4</sub> " H x 26 <sup>7</sup> / <sub>32</sub> " D	23 <sup>7</sup> / <sub>8</sub> " W x 33 <sup>3</sup> / <sub>4</sub> " H x 26 <sup>7</sup> / <sub>32</sub> " D	23 <sup>7</sup> / <sub>8</sub> " W x 31 <sup>3</sup> / <sub>4</sub> " H x 21 ½" D	23 <sup>7</sup> / <sub>8</sub> " W x 31 <sup>3</sup> / <sub>4</sub> " H x 21 ½" D	14 <sup>7</sup> /s" W x 33 <sup>3</sup> / <sub>4</sub> " H x 21 ½" [	
Interior Finish	White	White	Stainless Steel	White	White	
Cubic Feet	3.9 cu. ft.	4.7 cu. ft.	5.0 cu. ft.	5.7 cu. ft.	NA	
Capacity	Up to 72 12-oz cans	up to 200lbs of frozen food	Up to 133 12-oz cans	Stores half barrel, quarter barrel (pony keg), sixth barrels/ Cornelius kegs, slim quarters, growlers, bottles or cans	Up to 30 lbs of clear ice	
Shelving System	Cantilever	Cantilever	NA	Stow-on-Board	NA	
Shelf Fronts	Stainless Steel	Stainless Steel	NA	Stainless Steel	NA	
Other Storage	1 cu ft. Freezer	2 Smooth Glide Baskets	Smooth Glide Baskets NA Drain pan, CO <sub>3</sub> tank, hoses, regulator, floor shield		NA	
Interior Lighting	White LED	White LED	White LED	White LED NA		
Toe Grill Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	
Hinge	Classic Hinge	Classic Hinge	NA	Classic Hinge	Classic Hinge	
Handle	Professional	Professional	Professional	Professional	Professional	
Control Type	Prime™	Prime™	Prime™	Prime™	NA	
Temperature Range	Refrigerator: 34° to 42° F Freezer: -6° to 6° F	-10° to 10° F	34° to 42° F	34° to 46° F	NA	
Lock	Yes	Yes	Yes	Yes	No	
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	
Length of Power Cord	5'	5'	5'	5'	5'	
Shipping Weight	160 lbs	160 lbs	160 lbs	160 lbs	90 lbs	
Finishes	SS	SS	SS	SS	SS	
Vacation Mode	No	No	No	No	No	
Agency Approvals	CSA	CSA	CSA	CSA	CSA	

	Ice Machine		Refrigerators	
Model Number	25OiM-SS-F	MO24RAS2	MO24RAS1	MO15RAS2
Product Dimensions	14 <sup>3</sup> / <sub>4</sub> " W x 33 <sup>3</sup> / <sub>4</sub> " H x 21 ½" D	23 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 21 ½" D	23 <sup>7</sup> / <sub>8</sub> " W x 33 <sup>3</sup> / <sub>4</sub> " H x 21 ½" D	14 <sup>7</sup> /s" W x 33 <sup>3</sup> / <sub>4</sub> " H x 21 ½" D
Interior Finish	White	White	White	White
Cubic Feet	NA	5.1 cu. ft.	5.3 cu. ft.	2.7 cu. ft.
Capacity	Up to 15 lbs of crescent ice	Up to 146 12-oz cans	Up to 154 12-oz cans	Up to 70 12-oz cans
Shelving System	NA	Cantilever	Cantilever	Cantilever
Shelf Fronts	NA	Stainless Steel	Stainless Steel	Stainless Steel
Other Storage	NA	MaxStore™ Bin Door Storage	NA	NA
Interior Lighting	NA	White LED	White LED	White LED
Toe Grill Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Hinge	Classic Hinge	Classic Hinge	Classic Hinge	Classic Hinge
Handle	Professional	Professional	Professional	Professional
Control Type	NA	Prime™	Prime™	Prime™
Temperature Range	NA	34° to 42° F	34° to 42° F	34° to 42° F
Lock	No	Yes	Yes	Yes
Electrical Requirements	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A	120V / 60Hz / 15A
Length of Power Cord	5'	5'	5'	5'
Shipping Weight	90 lbs	160 lbs	160 lbs	125 lbs
Finishes	SS	SS	SS	SS
Vacation Mode	No	No	No	No
Agency Approvals	CSA	CSA	CSA	CSA


Finish Legend SS = Stainless Steel B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.

Specifications: Product Dimensions Expanded



Model Number	MP24BR	MP24BCG	MP15BC	MP24RAS3	MP24RD	MP2FA	MP15WS	MP24WS	MP24WD	MP15CL
A: Width	23 <sup>7</sup> /8"	23 <sup>7</sup> /8"	14 <sup>7</sup> /8"	23 <sup>7</sup> /8"	23 7/8"	23 <sup>7</sup> /8"	14 <sup>7</sup> /8"	23 <sup>7</sup> /8"	23 <sup>7</sup> /8"	14 ¾"
B: Height	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"
C: Depth	21 ½"	21 ½"	21 1/2"	21 ½"	21 1/2"	21 ½"	21 ½"	21 1/2	21 ½"	21 ½"
D: Depth to Front of Door	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 7/8"
E: Depth to Handle	26 <sup>7</sup> /32"	26 7/32"	26 <sup>7</sup> / <sub>32</sub> "	26 <sup>7</sup> / <sub>32</sub> "	26 <sup>7</sup> / <sub>32</sub> "	26 7/32"	26 <sup>7</sup> / <sub>32</sub> "	26 <sup>7</sup> / <sub>32</sub> "	26 <sup>7</sup> / <sub>32</sub> "	26 <sup>1</sup> / <sub>4</sub> "
F: Depth with Door at 90°	46 13/32"	46 13/32"	37 <sup>13</sup> / <sub>32</sub> "	46 13/32"	39 5/32"	46 13/32"	37 <sup>13</sup> / <sub>32</sub> "	46 13/32"	46 13/32"	37 ¹/ <sub>16</sub> "

Model Number	ML24BR	ML24BCG1	ML15BC	ML24BCG0	ML24RD	ML15RA	ML24RA	ML24RAS1	ML24RF	ML24RI
A: Width	23 <sup>7</sup> /8"	23 7/8"	14 <sup>7</sup> /8"	23 7/8"	23 7/8"	14 <sup>7</sup> /8"	23 7/8"	23 7/8"	23 7/8"	23 7/8"
B: Height	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"
C: Depth	21 ½"	21 ½"	21 ½"	21 ½"	21 1/2"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"
D: Depth to Front of Door	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"
E: Depth to Handle	25 <sup>5</sup> /8"	25 <sup>5</sup> /8"	25 <sup>5</sup> /8"	25 <sup>5</sup> /8"	29 5/32"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"
F: Depth with Door at 90°	46 13/32"	46 13/32"	37 1/16"	46 13/32"	46 13/32"	37 <sup>1</sup> / <sub>16</sub> "	46 13/32"	46 13/32"	46 13/32"	46 13/32"

Model Number	ML24FA	ML24WSG1	ML24WD	ML24WB	ML24WS	ML15WS	30WCM	61WCM	ML15C	ML15CR
A: Width	23 <sup>7</sup> /8"	23 7/8"	23 <sup>7</sup> /8"	23 <sup>7</sup> /8"	23 <sup>7</sup> /8"	14 <sup>7</sup> /8"	14 3/4"	23 <sup>7</sup> /8"	14 ¾"	14 ¾"
B: Height	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"
C: Depth	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	22"	21 ½"	20 ½"
D: Depth to Front of Door	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 ¾"	24 1/4"	23 ¾"	22 1/4"
E: Depth to Handle	25 <sup>7</sup> /8"	25 <sup>5</sup> /8"	25 <sup>5</sup> /8"	25 <sup>5</sup> /8"	25 <sup>5</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> / <sub>32</sub> "	26 ³/8"	25 ½"	25 ½"
F: Depth with Door at 90°	46 13/32"	46 13/32"	46 13/32"	46 13/32"	46 13/32"	37 <sup>1</sup> / <sub>16</sub> "	37"	47"	37 <sup>1</sup> / <sub>16</sub> "	37 <sup>1</sup> / <sub>16</sub> "

Model Number	ML24B	MA24BRG3	MA24BCG1	MA24RA	MA24RAS1	MA15C	MA15CRS1	MA15CRC	MO24RD	MO24B
A: Width	23 <sup>7</sup> /8"	23 7/8"	23 7/8"	23 7/8"	23 7/8"	14 ¾"	14 3/4"	14 3/4"	23 7/8"	23 7/8"
B: Height	33 ¾"	31 1/8"	31 ½″	31 ¹/s"	31 1/8"	31 1/8"	31 <sup>1</sup> / <sub>8</sub>	24 3/4"	31 ¾"	31 ¾″
C: Depth	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 ½"	21 1/2"
D: Depth to Front of Door	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 ¾"	23 <sup>5</sup> /8"	23 <sup>5</sup> /8"	23 23/32"	23 23/32"
E: Depth to Handle	25 <sup>5</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"	25 <sup>7</sup> /8"	25 <sup>1</sup> / <sub>2</sub> "	25 1/2"	25 ½"	26 <sup>7</sup> / <sub>32</sub> "	26 <sup>7</sup> / <sub>32</sub> "
F: Depth with Door at 90°	46 13/32"	46 13/32"	46 13/32"	46 13/32"	46 13/32"	37 <sup>1</sup> / <sub>16</sub> "	37 <sup>1</sup> / <sub>16</sub> "	37 <sup>1</sup> / <sub>16</sub> "	46 21/32"	46 21/32"

Model Number	30iMT	250iM-SS-F	MO24RAS2	MO24RAS1	MO15RAS2	MO24RF	MO24FA
A: Width	14 <sup>7</sup> /8"	14 3/4"	23 <sup>7</sup> /8"	23 7/8"	14 <sup>7</sup> /8"	23 7/8"	23 7/8"
B: Height	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"	33 ¾"
C: Depth	21 ½"	21 ½"	21 1/2"	21 ½"	21 ½"	21 ½"	21 ½"
D: Depth to Front of Door	23 <sup>7</sup> /8"	22 1/4"	23 23/32"	23 23/32"	23 23/32"	23 23/32"	23 23/32"
E: Depth to Handle	26 1/2"	24 5/32"	26 7/32"	26 7/32"	26 <sup>7</sup> / <sub>32</sub> "	26 7/32"	26 <sup>7</sup> / <sub>32</sub> "
F: Depth with Door at 90°	37 <sup>1</sup> /16"	37 <sup>1</sup> / <sub>16</sub> "	41 13/32"	41 13/32"	37 <sup>1</sup> /16"	41 13/32"	41 13/32"


88




When you choose Marvel, you're choosing over 120 years of handcrafted quality and leading innovation in the luxury refrigeration business. You're choosing American products, and most importantly, you're choosing the best undercounter refrigeration technology available on the market.

Expert technicians proudly build every Marvel model in the beautiful state of Michigan. Our new design was fueled by insights given to us by real homeowners and leading designers that use the product to ensure we deliver the styling and functionality that you want for your home. Our quality standards are what drive the performance the industry has come to expect from Marvel.

Marvel Refrigeration is committed to building a quality product in an environmentally friendly manner. Our processes are tightly controlled and closely monitored. We have achieved certifications in ISO 9001 for quality assurance, ISO 14001 for environmental management, and OHSAS 18001 for occupational health and safety from Lloyd's Register Quality Assurance.





### 1890s

Marvel Refrigeration (formerly Ranney) begins ice box production in Greenville, MI



1932

Marvel was founded when the company began making undercounter ice boxes 1952

Marvel introduces premium undercounter wine storage and beverage center

1965

Marvel's first foamed in place refrigerator is developed



1991

Marvel introduces the first stainless steel interior and glass door built-in refrigerator for residential use 2001

Marvel introduces first black interior for wine cellars and beverage centers



2014

Marvel unveils the industry's leading line of ENERGY STAR® certified undercounter products



2015

Marvel wins multiple design awards for its beer dispenser, beverage center, and gallery wine cellar








# LIVE MARVELOUSLY

every day





United States 1260 E Van Deinse Street Greenville, MI 48838 800-223-3900 Canada 6900 Airport Road, Suite 205 Mississauga, ON L4V 1E8 855-213-2785



#### Browse our collections at marvelrefrigeration.com



MARVEL REFRIGERATION



MARVEL PROFESSIONAL



MARVEL OUTDOOR



MARVEL LOW PROFILE