



LAUNDRY

The Midea Impeller Top Load Washer series feature large capacities of 4.1 to 4.5 Cu. Ft. and up to 10 pre-set cycles including extra rinse and soak options, a stainless-steel tub and a look-through lid.

Our versatile, 6.7/7.5 Cu. Ft. Dryer series have up to 10 pre-set cycles and 5 temperature settings along with a convenient auto-dry feature. The reversible door can be adjusted to open from the left or right for maximum placement versatility.



MLV41N1AWW

8-10004812536

4.1 Cu. Ft. Impeller Washer

MLV45N3AWW

8-10004812567

4.5 Cu. Ft. Impeller Washer

MLE41N1AWW

8-10004812543

6.7 Cu. Ft. Dryer (Electric)

MLG41N1AWW

8-10004812550

6.7 Cu. Ft. Dryer (Gas)

MLE45N3AWW

8-10004812574

7.5 Cu. Ft. Dryer (Electric)

MLG45N3AWW

8-10004812581

7.5 Cu. Ft. Dryer (Gas)

WASHER FEATURES:

- **Large, 4.1/4.5 Cu. Ft. Capacity**
The larger tub sizes let you fit more towels and sheets in a single load saving time and effort.
- **Look-Through Lid**
Easily see where your laundry is in the cycle without opening the lid and stopping the washer.
- **8/10 Pre-set Cycles**
A variety of pre-sets let you match the cycle to the garments you're washing: Normal, Delicate, Heavy Duty, Drain and Spin, Rinse and Spin, Bulky Items, Tub Clean, Quick Wash, Active Wear (45N3 only), Whites (45N3 only).

DRYER FEATURES:

- **Large, 6.7/7.5 Cu. Ft. Capacity**
Dry everything at once including king-size comforters, towels and linens with the extra-large drum.
- **Sensor Dry**
A sensor detects when your clothes are dry and automatically stops the dryer saving energy.
- **8/10 Total Cycles**
7 Sensor Dry: Normal, Delicate, Casual, Heavy Duty, Bulky, Sanitize (45N3 only), Towels (45N3 only)
3 Manual: Quick Dry, Time Dry, Air Fluff



LAUNDRY

Specifications:

2019 WASHERS			
Models		MLV41N1AWW	MLV45N3AWW
PERFORMANCE			
DOE		Yes	Yes
ENERGY STAR®		-	-
IMEF	cu. ft./kWh/cycle	1.57	1.57
IWF	gallons/cycle/cu. ft.	6.5	6.5
Max Spin Speed	RPM	680	680
Vibration Reduction		Yes	Yes
UL Certification		Yes	Yes
FEATURES			
Capacity	cu. ft.	4.1	4.5
No. of Cycles		8 (Normal, Heavy Duty, Tub Clean, Drain & Spin, Quick Wash, Bulky, Delicates, Rinse & Spin)	10 (Normal, Heavy Duty, Tub Clean, Drain & Spin, Quick Wash, Bulky, Delicates, Rinse & Spin, Active Wear, Whites)
No. of Options		6 (Delay, Child Lock, Soak, Extra Rinse, Fabric Softener, Water Plus)	6 (Delay, Child Lock, Soak, Extra Rinse, Fabric Softener, Water Plus)
Automatic Temperature Control		Yes	Yes
Automatic Load Sensing		Yes	Yes
No. of Soil Levels		4 (Extra Heavy, Heavy, Medium, Light)	5 (Extra Heavy, Heavy, Medium, Light, Extra Light)
No. of Temperature Selections		4 (Hot, Warm, Cold Tap, Cold)	5 (Hot, Warm, Eco Warm, Cold, Tap Cold)
Detergent Dispenser		Bleach, Softener	Detergent, Bleach, Softener
Delay Start		Yes, up to 24 hours	Yes, up to 24 hours
Child Lock		Yes	Yes
Water Plus		Yes	Yes
Extra Rinse		Yes	Yes
Soak		Yes	Yes
Safe Shut Lid		Yes	Yes
Time-Remaining Display		Yes	Yes
End-Of-Cycle Signal		Yes	Yes
ELECTRICAL			
Power Supply		120V/60hz	120V/60hz
Input Power	W	600	600
Amperage	A	10	10
UL Listed		Yes	Yes
Power Cord Included		Yes	Yes
PHYSICAL ATTRIBUTES			
Tub/Drum Material		Stainless Steel	Stainless Steel
Included Accessories		Drain Hose, Hose Holder, Hose Clamp & Screw	Drain Hose, Hose Holder, Hose Clamp & Screw
Control Panel		Dial / Membrane	Dial / Membrane
Lid / Trim		Glass / White	Glass / Silver
Color		White	White
Dimensions (W*D*H)	cm	68.6 x 71.4 x 110	68.6 x 73.7 x 114.3
	in	27 x 28.1 x 43.3	27 x 29 x 45
Warranty		Parts & Labor, 1 Year	1 Year



LAUNDRY

Specifications:

2019 DRYERS					
Models		MLE41N1AWW	MLG41N1AWW	MLE45N3AWW	MLG45N3AWW
Heater Type		Electric	Gas*	Electric	Gas*
PERFORMANCE					
ENERGY STAR®		-	-	-	-
FEATURES					
Capacity	cu. ft.	6.7	6.7	7.5	7.5
No. of Cycles	Total	8	8	10	10
	Sensor Dry	Normal, Delicates, Casual, Heavy Duty, Bulky	Normal, Delicates, Casual, Heavy Duty, Bulky	Normal, Delicates, Casual, Heavy Duty, Bulky, Sanitize, Towels	Normal, Delicates, Casual, Heavy Duty, Bulky, Sanitize, Towels
	Manual Dry	Quick Dry, Time Dry, Air Fluff	Quick Dry, Time Dry, Air Fluff	Quick Dry, Time Dry, Air Fluff	Quick Dry, Time Dry, Air Fluff
No. of Options		4 (My Cycle, Child Lock, Time Adjust, Wrinkle Care)	4 (My Cycle, Child Lock, Time Adjust, Wrinkle Care)	4 (My Cycle, Child Lock, Time Adjust, Wrinkle Care)	4 (My Cycle, Child Lock, Time Adjust, Wrinkle Care)
Sensor Dry		Yes	Yes	Yes	Yes
Dryness Level Selections		4 (Very Dry, More Dry, Normal, Less Dry)	4 (Very Dry, More Dry, Normal, Less Dry)	5 (Very Dry, More Dry, Normal, Less Dry, Damp Dry)	5 (Very Dry, More Dry, Normal, Less Dry, Damp Dry)
Temperature Selections		4 (High, Medium, Low, No Heat)	4 (High, Medium, Low, No Heat)	5 (High, Medium, Low, Ultra Low, No Heat)	5 (High, Medium, Low, Ultra Low, No Heat)
Interior Light(s)		-	-	-	-
Lint Filter		Yes	Yes	Yes	Yes
Lint Filter Indicator Light		Yes	Yes	Yes	Yes
My Cycle		Yes	Yes	Yes	Yes
Steam Function		-	-	-	-
Reversible Door		Yes	Yes	Yes	Yes
3-Way Venting		Yes	Yes	Yes	Yes
Exhaust Vent Location		Rear (Bottom, Left)	Rear (Bottom, Left)	Rear (Bottom, Left)	Rear (Bottom, Left)
End of Cycle Signal		Yes	Yes	Yes	Yes
ELECTRICAL					
Voltage	V	120/240	120	120	120
Amperage	A	30	15	30	15
UL Rated		Yes	Yes	Yes	Yes
Power Cord Included		-	Yes	-	Yes
PHYSICAL ATTRIBUTES					
Tub/Drum Material		Aluminized Alloy Steel	Aluminized Alloy Steel	Aluminized Alloy Steel	Aluminized Alloy Steel
Drum Rear		Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Double Layer Drying Rack		-	-	Optional	Optional
Control Panel / Color		Dial, Membrane / White	Dial, Membrane / White	Dial, Membrane / White	Dial, Membrane / White
Door / Trim		Injection White	Injection White	Injection White / Painted Silver	Injection White / Painted Silver
Color		White	White	White	White
Dimensions (W*D*H)	cm	68.6 x 76.5 x 109.2	68.6 x 76.5 x 109.2	68.6 x 80 x 126.5	68.6 x 80 x 126.5
	in	27 x 30.1 x 43	27 x 30.1 x 43	27 x 31.5 x 49.8	27 x 31.5 x 49.8
Warranty		Parts & Labor, 1 Year	Parts & Labor, 1 Year	Parts & Labor, 1 Year	Parts & Labor, 1 Year

*For Liquid Propane gas, additional conversion kit should be purchased.