# BERTAZZONI PROFESSIONAL SERIES

48" 6-BURNER AND GRIDDLE, DUAL FUEL ELECTRIC DOUBLE SELF CLEAN OVEN PRO48 6G DFS X



Bertazzoni Professional Series ranges bring the authentic experience of Italian cooking to the heart of your home. They are available in stainless steel and six beautiful colors inspired by the wonderful produce of Emilia, the heartland of Bertazzoni. The Professional 48-inch double oven dual fuel range has a self-clean main oven with European convection, providing balanced air flow and even heat distribution for single and multi-level roasting and baking with no flavor crossover. The useful auxiliary oven has four cooking modes. The main oven includes telescopic glide shelves and quadruple-glass windows to minimize heat loss. The beautiful worktop is precision-molded off of one sheet of stainless steel. It is configured with six versatile gas burners in brass, including Bertazzoni's signature dual-ring power burner with independently controlled flames for high power to delicate simmer, and an electric griddle in stainless steel. The worktop is designed for high-efficiency in heat delivery without energy waste. Each burner is equipped with the thermocouple gas shut-off safety system for maximum safety. Complete your Bertazzoni range with any of the available ventilation and backsplash solution, as well as low profile trim, toekick and other beautiful accessories.

#### **BRASS BURNER**



Bertazzoni's exclusive power burners in brass have independently operated flame rings giving maximum flexibility of operation from delicate low simmer to full power.

## **TELESCOPIC GLIDE SHELVES**



The telescopic oven rack provides more convenient oven access and easier handling of hot and heavy dishes.



## BERTAZZONI PROFESSIONAL SERIES

## 48" 6-BURNER AND GRIDDLE, DUAL FUEL ELECTRIC DOUBLE SELF CLEAN OVEN PRO48 6G DFS X

## **COLORS OF ITALY**

Color is an essential expression of Italian exuberance and artistic elegance. Bertazzoni celebrates these special qualities with seven color choices inspired by the wonderful produce of Emilia-Romagna, heartland of Italian food since Roman times.















**BURGUNDY (VI)** PRO48 6G DFS VI

#### STAINLESS (X) PRO48 6G DFS X

BLACK (NE) PRO48 6G DFS NE

WHITE (BI) PRO48 6G DFS BI

YELLOW (GI) PRO48 6G DFS GI

ORANGE (AR) PRO48 6G DFS AR

#### RED (RO) PRO48 6G DFS RO

#### **FFATURES**

FEATURES	
Gas burners	6
Burner type	brass
Griddle	electric
Maintop	one piece stainless steel sheet
Burner controls	knobs
Knobs	metal finish
Grates	cast iron
Backguard	standard 4 inches
Gas safety device	thermocouple technology
One hand ignition	standard
Standard accessories	wok ring & simmer plate
Dual Power burner	750 - 18,000 Btu/h
Rapid burner	11,000 Btu/h
Semi-rapid burner	6500 Btu/h
Auxiliary burner	3400 Btu/h
Simmer rate	750 Btu/h
Griddle	1100 W, stainless steel/drip tray
Main oven functions	convection, bake, convection bake, turbo convection, convection broil, defrost/ dehydrate, proofing, warming, broil, self clean
Main oven volume	3.4 ft <sup>3</sup>
Auxiliary oven	electric with electric grill
Auxiliary oven functions	upper bake, traditional bake, bake, broil
Auxiliary oven volume	1.7 ft <sup>3</sup>
Inner oven door	quadruple glass
Oven equipment	1 telescopic glide shelf, 1 baking tray, 2 heavy gauge wire shelves, 1 grill trivet for tray
Legs	height adjustable stainless steel wrapped legs
ACCESSODIES	

## **ACCESSORIES**

Toe kick panel (TKS 48 X), flat island trim (IRF 48 X), side trim (ST 36 X)


A LP conversion kit for all burners is included


### MATCHING VENTILATION SOLUTIONS

Bertazzoni offers a variety of matching ventilation solutions for this range. Please check our website under the ventilation tab for a complete overview of all choices

#### **TECHNICAL SPECIFICATIONS**

Voltage, frequency	120/208 V - 120/240 V, 60Hz
Max Amp Usage, power rating	32 A - 6700 W, 37 A - 8500 W
Certification	CSA
Warranty	2 years parts and labor





## INSTALLATION INSTRUCTIONS

Bertazzoni recommends to operate the appliance after it has been installed in a cabinet. The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during oven usage. For further installation instructions refer to the installation manual.

Disclaimer: while every effort has been made to insure the accuracy of the information contained in this brochure, Fratelli Bertazzoni reserves the right to change any part of the information at any time

Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon are registered trademarks of Bertazzoni Spa.

