

SBC635MBISSTBTWIN

33.5" x 24.0" x 25.38" (H x W x D)

Built-in residential beer dispenser, auto defrost with digital thermostat, dual tap system, stainless steel door, towel bar handle, and black cabinet

Highlights:

Full-sized capacity to hold half, quarter, 1/6 or mini kegs

Dual tap system allows you to serve beer from two 1/6 kegs

Designed for built-in installation under the counter

Stainless steel wrapped door with professional towel bar handle adds luxury to any setting




Full-sized beer dispenser	Large 5.6 cu.ft. interior can accept a full half barrel keg, two 1/6 barrel kegs, or a pony keg
Built-in capable	Make the best use of space by installing your appliance under the counter; NOTE: if installing flush with wall or cabinets, unit will require extra space due to the door design. Width should be 25" to 25 1/4". For more information, see the user manual
Dual tap system	Twin taps let you serve two different types of beer from two 1/6 sized (sixtel) kegs
Tap Kit	Includes a 5 lb. CO2 tank and regulator, draft arm, Sankey American tap, and connection hardware
Stainless steel wrapped door	Durable design with lasting elegance
Professional towel bar handle	Curved handle in brushed stainless steel offers a sturdy grip with professional elegance
Digital thermostat	Electronic controls ensure easy temperature management, with an external readout in Celsius or Fahrenheit

Ideal beer temperature	Operates between 33° and 50°F to keep a variety of beers stored at just the right serving temperature
Automatic defrost	Reduced user maintenance with auto defrost operation
Fully finished black cabinet	Allows the unit to be used freestanding

SBC635MBISSTBTWIN Specifications:

Height	33.5"
Width	24.0"
Depth	25.38"
Capacity	5.6 cu.ft.
Interior Height 1	28.0"
Interior Width 1	20.0"
Interior Depth 1	19.0"
Comp Step Height	8.25"
Shipping Weight	140.0 lbs.
Weight	110.0 lbs.
US Electrical Safety	UL
Voltage/Frequency	115 V AC/60 Hz
Energy Usage/Year	310.0 kWh/year
Canadian Electrical Safety	ULC
Amps	0.86
Reversible	Factory Reversible
Door Swing	RHD
Temperature Range	33° to 50° F
Defrost Type	Automatic
Depth with door at 90°	47.0"
Thermostat Type	Dial
Fan Type	Interior
Low Side PSI	110.0
High Side PSI	250.0
Freon Oz	1.13
Level Legs Quantity	4
Refrigerant Type	R600a
Parts/Labor Warranty	1 Year
Compressor Warranty	5 Years



Summit Appliance Division, Felix Storch, Inc.
 770 Garrison Ave • Bronx, NY 10474
 Phone: 718-893-3900 • Fax: 718-842-3093
 Email: info@summitappliance.com