


# Avanti®

## INSTRUCTION MANUAL MANUAL DE INSTRUCCIONES

Model Number/ No. de Modelo: WC191BG

LITTLE TAVERN  
(ENFRIADOR DE  
VINO Y CERVEZA)



**CAUTION:**  
BEFORE USE, PLEASE READ AND FOLLOW ALL  
SAFETY RULES AND OPERATING INSTRUCTIONS.

La sección en español empieza en la página 14.  
Avanti Products has a policy of continuous improvement on  
its products and reserves the right to change materials and  
specifications without notice.

---

Avanti Products  
P.O. Box 520604 - Miami, Florida 33152  
[www.avantiproducts.com](http://www.avantiproducts.com)

---

## Registration Information

➤ **Protect your product:**

We will keep the model number and date of purchase of your new Avanti Products product on file to help you refer to this information in the event of an insurance claim such as fire or theft.

➤ **Promote better products:**

We value your input. Your responses will help us develop products designed to best meet your future needs.

(detach here)

### Avanti Products Registration Card

Name			Model #	Serial #
Address			Date Purchased	Store/Dealer Name
City	State	Zip	Occupation	
Area Code	Phone Number		<b>As Your Primary Residence, Do You:</b> <input type="checkbox"/> Own <input type="checkbox"/> Rent	

**Did You Purchase An Additional Warranty:**

Extended     Food Loss     None

**Reason For Choosing This Avanti Product:**

Please indicate the most important factors that influenced your decision to purchase this product.

- Price
- Product Features
- Avanti Products Reputation
- Product Quality
- Salesperson Recommendation
- Friend/Relative Recommendation
- Warranty
- Other \_\_\_\_\_

**Your Age:**

under 18     18-25     26-30  
 31-35     36-50     over 50

**Marital Status:**

Married     Single

**Is This Product Used In The:**

Home     Business

**How Did You Learn About This Product:**

Advertising     Product Features  
 In Store Demo     Personal Demo  
 Other \_\_\_\_\_

Comments \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

---

HELP US HELP YOU...

Read this guide carefully.

It is intended to help you operate and maintain your new LITTLE TAVERN properly.

Keep it handy to answer your questions. If you don't understand something or you need more help, please call:

**Avanti Customer Service  
800-220-5570**

Keep proof of original purchase date (such as your sales slip) with this guide to establish the warranty period.

**CAUTION:**

**THIS LITTLE TAVERN IS NOT DESIGNED FOR THE STORAGE OF MEDICINE OR OTHER MEDICAL PRODUCTS.**

Write down the model and serial numbers.

You'll find them on a plate located on the bottom outside wall of the LITTLE TAVERN.

Please write these numbers here:

\_\_\_\_\_  
Date of Purchase

\_\_\_\_\_  
Model Number

\_\_\_\_\_  
Serial Number

Use these numbers in any correspondence or service calls concerning your LITTLE TAVERN.

If you received a damaged LITTLE TAVERN, immediately contact the dealer (or builder) that sold you the LITTLE TAVERN.

Save time and money. Before you call for service, check the Troubleshooting Guide. It lists causes of minor operating problems that you can correct yourself.

---

IF YOU NEED SERVICE

We're proud of our service and want you to be pleased. If for some reason you are not happy with the service you receive, here are some steps to follow for further help.

FIRST, contact the people who serviced your LITTLE TAVERN. Explain why you are not pleased. In most cases, this will

solve the problem.

NEXT, if you are still not pleased, write all the details, including your telephone number, and send to:


**Customer Service  
Avanti Products  
10880 NW 30 Street  
Miami, FL 33172**

## Table of Contents

Information and Registration Card	2
Help Us Help You	3
Parts and Features	5
Important Safety Instructions	6
Installation Instructions	6
Before Using Your LITTLE TAVERN	6
Installation of Your LITTLE TAVERN	6
Electrical Connection	7
Operating Your LITTLE TAVERN	8
Setting The Temperature Control	8
Installing the Door Handle	8
Cleaning Your LITTLE TAVERN	9
Vacation Time	9
Moving Your LITTLE TAVERN	9
Energy Saving Tips	9
Troubleshooting Guide	10
Service For Your LITTLE TAVERN	11
Your Avanti Product Warranty	12
Wiring Diagram	13
SPANISH VERSION	14-15

PARTS & FEATURES

REVERSIBLE DOOR



\_\_\_ 2  
\_\_\_ 3  
\_\_\_ 5  
\_\_\_ 6  
\_\_\_ 6  
\_\_\_ 6  
\_\_\_ 6  
\_\_\_ 7  
\_\_\_ 8  
\_\_\_ 8  
\_\_\_ 8  
\_\_\_ 9  
\_\_\_ 9  
\_\_\_ 9  
\_\_\_ 9  
\_\_\_ 10  
\_\_\_ 11  
\_\_\_ 12  
\_\_\_ 13  
\_\_\_ 14-15

## Important Safety Instructions

<b>⚡WARNING⚡</b>	To reduce the risk of fire, electrical shock, or injury when using your refrigerator, follow these basic precautions:
<ul style="list-style-type: none"><li>• Read all instructions before using the refrigerator.</li><li>• <b>Danger or warning:</b> risk of child entrapment.</li><li>• <b>Before you throw away your old refrigerator or freezer:</b> take off the doors. Leave the shelves in place so that children may not easily climb inside.</li><li>• Never allow children to operate, play with, or crawl inside the refrigerator.</li><li>• Never clean refrigerator parts with flammable fluids. The fumes can create a fire hazard or explosion.</li><li>• Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this or any other refrigerator. The fumes can create a fire hazard or explosion.</li></ul>	
-Save these instructions-	

## INSTALLATION INSTRUCTIONS

### > Before Using Your LITTLE TAVERN

- Remove the exterior and interior packing.
- Check to be sure you have all of the following parts:
  - Instruction manual
  - Handle with 2 screws
- Before connecting the LITTLE TAVERN to the power source, let it stand upright for approximately 2 hours. This will reduce the possibility of a malfunction in the cooling system from handling during transportation.
- Clean the interior surface with lukewarm water using a soft cloth.

### > Installation of Your LITTLE TAVERN

- This appliance is designed to be free standing only, and should not be recessed or built-in (fully recessed).
- Place your LITTLE TAVERN on a floor that is strong enough to support it when it is fully loaded. To level your LITTLE TAVERN, adjust the legs at the front of the unit.
- Allow 5 inches of space between the back and sides of the unit, which allows the proper air circulation to cool the compressor.
- Locate the LITTLE TAVERN away from direct sunlight and sources of heat (stove, heater, radiator, etc.). Direct sunlight may affect the acrylic coating and heat sources may increase electrical consumption. Extreme cold ambient temperatures may also cause the unit not to perform properly.
- Avoid locating the unit in moist areas.

- Plug the LITTLE TAVERN into an exclusive, properly installed-grounded wall outlet. Do not under any circumstances cut or remove the third (ground) prong from the power cord. Any questions concerning power and or grounding should be directed toward a certified electrician or an authorized Avanti Products service center.
- After plugging the appliance into a wall outlet, allow the unit to cool down for 2-3 hours before placing items in the compartment.

➤ **Electrical Connection**

**⚡ Warning ⚡**

Improper use of the grounded plug can result in the risk of electrical shock. If the power cord is damaged, have it replaced by an authorized Avanti Products service center.

This LITTLE TAVERN should be properly grounded for your safety. The power cord of this unit is equipped with a three-prong plug which mates with standard three prong wall outlets to minimize the possibility of electrical shock.

Do not under any circumstances cut or remove the third ground prong from the power cord supplied.

Use of extension cords is not recommended.

This unit requires a standard 115/120-volt, 60Hz electrical outlet with three-prong ground.

The cord should be secured behind the unit and not left exposed or dangling to prevent accidental injury.

Never unplug the unit by pulling the power cord. Always grip the plug firmly and pull straight out from the receptacle.


## OPERATING YOUR LITTLE TAVERN

### ➤ Setting the Temperature Control

- To control the internal temperature, adjust the control dial according to the ambient temperature or purpose of use.
- The temperature control dial has 5 settings from the coldest "COLD" to the warmest "HI". (Off, Cold, Low, Medium & High.)
- The first time you turn the unit on set the temperature control to "MED".
- After 24 to 48 hours, adjust the temperature control to the setting that best suites your needs.
- Turning the control to the "OFF" position stops the cooling cycle, but does not shut off the power to the appliance.
- If the unit is unplugged, power lost, or turned off; you must wait 3 to 5 minutes before restarting the unit. If you attempt to restart before this time delay, the appliance will not start.

#### Temperature Control


COLD: FOR BEER OR SODA CANS  
LOW: SPARKLING WINES/ROSE WINES  
MED: WHITE WINES/DRY  
HI: RED WINES



*NOTE: WHEN USING FOR BOTH WINE AND BEER SIMULTANEOUSLY WE RECOMMEND THAT YOU PLACE RED WINE BOTTLES ON TOP SHELF AND BEER ON BOTTOM SHELF.*

### ➤ Installing the Door Handle

- Place the handle over the two holes in the upper left side of the door.
- Attach using the two Phillips screws provided.



### ➤ Reversing the Door Swing of Your Appliance

This appliance has the capability of either opening the door from the left or right side. The unit is delivered to you with the door opening from the left side. Should you desire to reverse the opening direction, please call service for reversal instructions

➤ **Cleaning Your LITTLE TAVERN**

- Turn the temperature control to "OFF", unplug the LITTLE TAVERN, and remove all items including shelves and trays.
- Wash the inside surfaces with a warm water and baking soda solution. The solution should be about 2 tablespoons of baking soda to a quart of water.
- Wash the shelves and trays with a mild detergent solution.
- The outside of the LITTLE TAVERN should be cleaned with mild detergent and warm water.
- Wring excess water out of the sponge or cloth when cleaning area of the controls, or any electrical parts.
- Wash the outside cabinet with warm water and mild liquid detergent. Rinse well and wipe dry with a clean soft cloth.

➤ **Vacation Time**

- **Short vacations:** Leave the LITTLE TAVERN operating during vacations of less than three weeks.
- **Long vacations:** If the appliance will not be used for several months, remove all items and unplug the power cord. Clean and dry the interior thoroughly. To prevent odor and mold growth, leave the door open slightly, blocking it open if necessary.

➤ **Moving Your LITTLE TAVERN**

- Remove all items.
- Securely tape down all loose items (shelves) inside your LITTLE TAVERN.
- Turn the leveling screws up to the base to avoid damage.
- Tape the door shut.
- Be sure the LITTLE TAVERN stays secure in the upright position during transportation. Also protect outside of LITTLE TAVERN with a blanket, or similar item.

➤ **Energy Saving Tips**

- The LITTLE TAVERN should be located in the coolest area of the room, away from heat producing appliances, and out of the direct sunlight.
- Let hot foods cool to room temperature before placing in the LITTLE TAVERN. Overloading the unit forces the compressor to run longer.

## PROBLEMS WITH YOUR LITTLE TAVERN?

You can solve many common LITTLE TAVERN problems easily, saving you the cost of a possible service call. Try the suggestions below to see if you can solve the problem before calling the servicer.

### TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE CAUSE
LITTLE TAVERN does not operate.	Not plugged in. The circuit breaker tripped or blown fuse.
Turns on and off frequently.	The room temperature is hotter than normal. The door is open too often. The door is not closed completely. The temperature control is not set correctly. The door gasket does not seal properly. The LITTLE TAVERN does not have the correct clearances.
Vibrations.	Check to assure that the LITTLE TAVERN is level.
The LITTLE TAVERN seems to make too much noise.	The rattling noise may come from the flow of the refrigerant, which is normal. As each cycle ends, you may hear gurgling sounds caused by the flow of refrigerant in your LITTLE TAVERN. Contraction and expansion of the inside walls may cause popping and crackling noises. The LITTLE TAVERN is not level.
The door will not close properly.	The LITTLE TAVERN is not level. The door was reversed and not properly installed. The gasket is dirty. The shelves are out of position.

## SERVICE FOR YOUR LITTLE TAVERN

We are proud of our customer service organization and the network of professional service technicians that provide service on your Avanti Products appliances. With the purchase of your Avanti Products appliance, you can have the confidence that if you ever need additional information or assistance, the Avanti Products Customer Service team will be here for you. Just call us toll-free.

### AVANTI PRODUCTS CUSTOMER SERVICES

Product Information 800-323-5029	Whatever your questions are about our products, help is available.
Part Orders 800-220-5570	You may order parts and accessories that will be delivered directly to your home. You may order these items by personal check, money order, Master Card, or Visa.
In-Home Repair Service 800-220-5570	An Avanti Products authorized service center will provide expert repair service, scheduled at a time that is convenient for you. Our trained servicers know your LITTLE TAVERN inside and out.

**YOUR Avanti Products WARRANTY**

**Staple your sales receipt here. Proof of original purchase date is needed to obtain service under warranty.**

**WHAT IS COVERED**

**LIMITED ONE-YEAR WARRANTY**

For one year from the date of purchase by the original owner, Avanti Products will, at its option, repair or replace any part of the unit, which proves to be defective in material or workmanship under normal use. During this period Avanti Products will provide all parts and labor necessary to correct such defects free of charge, so long as the unit has been installed and operated in accordance with the written instructions in this manual. In rental or commercial use, the warranty period is 90 days. All Avanti/Avanti Products Appliances of 3.5 cubic foot capacity or less must be brought/sent to the appliance service shop for repair.


**LIMITED SECOND THROUGH FIFTH YEAR WARRANTY**

For the second through the fifth year from date of original purchase, Avanti Products will provide a replacement compressor free of charge due to a failure. You are responsible for the service labor and freight charges. In rental or commercial use, the limited compressor warranty is one year and nine months. Cost to move the unit to the servicers' shop and back to the user's home, as may be required, is user's responsibility.

**WHAT IS NOT COVERED**

- Content losses of food due to spoilage.
- Incidental or consequential damages.
- Parts and labor costs for the following will not be considered as warranty:
  - Evaporator doors, door springs, and/or frames.
  - Inner door panels, door shelves, door rails, and/or door supports.
  - Vegetable crispers.
  - Light bulbs and/or plastic housing.
  - Plastic cabinet liners.
  - Punctured evaporator that voids the warranty on the complete sealed system.
- Repairs performed by unauthorized servicers.
- Service calls that do not involve defects in material or workmanship such as customer education, door reversal, or proper installation.
- Service calls that are related to external problems, such as abuse, misuse, inadequate electrical power, accidents, fire, floods, or acts of God.
- Replacement of house fuses or resetting circuit breakers.
- Failure of the product if it is used for other than its intended purpose.
- This warranty does not apply outside the Continental USA.

# Wiring Diagram



➤ **INSTALACION**

Retire los accesorios del empaque (plásticos protectores, cartón y tiras engomadas). Limpie el exterior con un trapo suave y seco, y el interior con un trapo húmedo y tibio.

➤ **UBICACION**

1. Seleccione un lugar con un piso firme y nivelado.
2. Su refrigerador requiere ventilación. Deje un espacio mínimo de 5" hacia arriba y espacio suficiente en el respaldo para permitir la circulación de aire.
3. Evite luz directa del sol o calor. La luz directa del sol puede afectar la capa de pintura. Las fuentes de calor en su proximidad causarán un consumo mayor de electricidad.
4. Para un mejor desempeño, nivele el refrigerador utilizando las patas ajustables o tornillos niveladores. Para verificar el nivel, abra la puerta hasta la mitad, debe regresar sola.

➤ **INSTRUCCIONES PARA LA CONECCION A TIERRA**

Este aparato electrodoméstico debe estar conectado a tierra. En caso de un cortocircuito eléctrico, la conexión a tierra reduce el riesgo de choque eléctrico proporcionando un cable de escape para la corriente eléctrica. Este aparato viene equipado con un cordón que posee un cable a tierra con un enchufe de conexión a tierra. Este enchufe debe estar conectado en un tomacorriente instalado correctamente y conectado a tierra.

➤ **ADVERTENCIA**

El uso inadecuado del enchufe de conexión a tierra puede resultar en un riesgo de choque eléctrico. Consulte con un electricista si no comprende bien las instrucciones de conexión a tierra o si existe alguna duda sobre si el aparato está conectado a tierra correctamente.

➤ **NO USE UN CORDON DE EXTENSION**

Use un tomacorriente de pared exclusivo. No conecte su refrigerador a cordones de prolongación eléctrica o junto a cualquier otro electrodoméstico en el mismo tomacorriente de pared.

➤ **ADVERTENCIA IMPORTANTE:**

Un refrigerador vacío es una atracción muy peligrosa para los niños. Quite los sellos magnéticos, puertas o cerraduras de todo electrodoméstico que esté en uso.

➤ **OPERACION**

Enchufe el cable a la toma de corriente, que debe ser 115-120v, 10 AMP ó más. Para evitar vibraciones, la caja debe estar bien nivelada. Para encender el refrigerador, gire el control de temperatura a la posición que corresponda al enfriamiento deseado. Bajo condiciones normales mueva el control a la posición "Medium". De otra manera ajuste la temperatura siguiendo las indicaciones señaladas en los gráficos.

➤ **CONTROL DE TEMPERATURAS**

El control de temperaturas está localizado en el interior del refrigerador. Cuando conecte su refrigerador por la primera vez se recomienda que el botón del control se coloque en la posición "MED". Deje el refrigerador trabajar por 20 minutos, el motor deberá trabajar silenciosamente con un suave zumbido. La perilla de control se puede graduar desde la posición más calurosa "HI" hasta la más fría "COLD". Después de un día o dos usted decidirá si el control está graduado correctamente. Hay 5 posiciones incluyendo "OFF". En la posición "OFF" el motor parará.

**POSICIONES RECOMENDADAS PARA ENFRIAR EL VINO Y LA CERVEZA:**

COLD:	Cerveza
LOW:	Vino Espumante
MED:	Vino Blanco/Seco
HI:	Vino Tinto

**AVISO: CUANDO LLENE EL INTERIOR DE CERVEZAS O VINOS SE RECOMIENDA QUE UD COLOQUE LAS BOTELLAS DE VINO TINTO EN EL ESTANTE SUPERIOR Y LAS CERVEZAS EN EL ESTANTE DE ABAJO.**

➤ **CUIDADOS EN LOS PERIODOS DE AUSENCIA**

- Para cortos periodos de ausencia (menos de 21 días) la unidad podrá quedar funcionando.
- En periodos de ausencia más largos, se aconseja dejar la unidad limpia y desconectada.
- Saque todo lo que tenga adentro de la unidad y haga y la limpieza general.
- Deje la puerta entreabierta para que penetre el aire y así evitar la formación de olores.

➤ **ECONOMIA DE ENERGIA**

- Evite dejar por mucho tiempo la puerta abierta.
- Evite aperturas frecuentes de la puerta.
- Coloque el botón de control de temperaturas en la posición adecuada.

➤ **SI USTED SE VA DE VACACIONES**

- Saque todos los artículos de la unidad si Ud. se va de vacaciones por un mes o más.
- Desconecte la unidad del tomacorriente y limpie bien.
- Deje la puerta abierta para evitar la formación de olores, condensación o moho.

➤ **SI USTED SE MUDA**

- Desconecte la unidad del tomacorriente y limpie la unidad bien.
- Saque todas las partes movibles y empaquételas para que no se muevan durante la transportación.
- Cierre la puerta de la unidad y séllela con cinta adhesiva.
- Asegúrese que la unidad va parada durante el viaje y cúbralo con una frazada.

**COMO CAMBIAR LA DIRECCION DE APERTURA DE LA PUERTA**

En caso de que necesite cambiar el lado de apertura de la puerta, por favor consulte al servicio pos-venta de su localidad o al empleado que le vendió la unidad.

**IRREGULARIDADES CON EL FUNCIONAMIENTO DEL REFRIGERADOR**

PROBLEMA	CAUSAS PROBABLES	SOLUCIÓN
El refrigerador no funciona.	Falta de energía. Tomacorriente defectuoso. Control de temperaturas en la posición "OFF". Enchufe desconectado.	Verifique el fusible. Substitúyalo o arréglelo. Coloque el botón en la posición correcta. Conéctelo.
La refrigeración es insuficiente.	Botón de control de temperatura en la posición incorrecta. Elevada frecuencia de apertura de la puerta.	Observe las instrucciones.  Evite abrir la puerta demasiado.
Ruidos anormales.	Expansión del gas en el evaporador. Tubos en contacto con gabinetes o paredes.	Normal.  Aléjelos.

PRINTED IN CHINA